ALUMA

www.alumaklm.com

ALUMINUM TRAILERS TO FIT YOUR EVERY NEED.

5 YEAR WARRANTY • LIGHTWEIGHT • MAINTENANCE FREE • DURABLE CONSTRUCTION

www.alumaklm.com

101 EAST SENECA
BANCROFT, IA 50517
866-415-3285
FAX: 515-885-2592

TABLE OF CONTENTS

Single Axle Trailers 1-3
Tandem Axle Trailers 4-6
ATV Trailers 7-8
Motorcycle Trailers 9-10
Personal Watercraft Trailers 11
Enclosed Trailers 12-15
Enclosed Car Hauler 16
Enclosed Snowmobile Trailers 17-18
Snowmobile Trailers 19-20
Truck Beds 21

FLATBED TRAILERS - SINGLE AXLE

486
shown w/optional jack

GTT
Not meant for highway speeds

5410TWD
shown w/optional aluminum wheels



5410T
shown w/optional jack



STANDARD FEATURES

MODELS 486-7210

	486	548	5410	5410T	5410TWD	638	6310	6810	6810T	7210
Overall Width	65.5"	75.5"	75.5"	75.5"	75.5"	84.5"	84.5"	93"	93"	93"
Overall Length	120"	145"	170"	168"	168"	145"	170"	167"	167"	170"
Bed Width	48"	54"	54"	54"	54"	63"	63"	68"	54" wood bed	72"
Bed Length	72"	96"	120"	120"	120" wood bed	96"	120"	117"	117"	120"
Bed Height	13.5"	16.75"	16.75"	16.75"	16.75"	16.75"	16.75"	16.25"	16.25"	16.75"
Weight	245#	320#	360#	280#	280#	345#	385#	440#	440#	420#
GVWR	1200#	2000#	2000#	2000#	2000#	2000#	2000#	2200#	2200#	2200#
Rubber Torsion Axle	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2000#	1-2200#	1-2200#	1-2200#
Wheels	12" Steel	13" Aluminum	13" Aluminum	13" Steel	13" Steel	13" Aluminum	13" Aluminum	13" Aluminum	13" Steel	13" Aluminum
Side Stake Pockets	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side	4 Total 2 per Side
Aluminum Tongue	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler	A-Frame 2" Coupler
Swivel Tongue Jack	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Tailgate	Full width 39" long	Full width 39" long	Full width 39" long	N/A	N/A	Full width 39" long	Full width 39" long	Full width 44" long	N/A	Full width 44" long

STANDARD FEATURES

GTT

Overall Width x Length	36" x 87"
Overall Height	25"
Bed Width x Length	36" x 48"
Side Height	8"
Weight	82#
Axle	Straight
Wheels	8" Steel
Lighting	N/A
Options	N/A

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

FLATBED TRAILERS - SINGLE AXLE

8112
shown w/optional bifold gates & aluminum wheels

7210
shown w/optional bifold tailgate and jack

8113
Bifold Gates & Sides Standard

6812H
shown w/optional bifold tailgate

8114

MODELS 7710-8114

STANDARD FEATURES	7710	7710H	7712	7712H	7814ST	8112	8113	8114
Overall Width x Length	101.5" x 176"	101.5" x 176"	101.5" x 194.5"	101.5" x 194.5"	101.5" x 224"	101.5" x 193"	101.5" x 203"	101.5" x 219"
Bed Width x Length	78 x 123"	78 x 123"	78 x 142"	78 x 142"	78 x 170"	81 x 145"	81 x 153"	81 x 171"
Bed Height	16.25"	17.25"	16.25"	17.25"	18.5"	19.25"	18"	19.25"
Weight	525#	595#	570#	620#	900#	610#	820#	695#
GVWR	2200#	2990#	2200#	2990#	2990#	2990#	2990#	2990#
Rubber Torsion	1-2200#	1-3000#	1-2200#	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
Wheels	13" aluminum	14" aluminum	13" aluminum	14" aluminum	14" aluminum	14" steel	14" aluminum	14" steel
Side Stake Pockets	4 total 2 per side	4 total 2 per side	4 total 2 per side	4 total 2 per side	6 total 3 per side	no pockets 6 tie loops	no pockets 6 tie loops	no pockets 8 tie loops
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity
Tailgate	full width 44" long	full width 44" long	full width 44" long	full width 44" long	full width 44" long	2-69" ramps standard	R=75.75" x 59" S=69.25 x 59"	2-69" ramps standard

MODELS 6310H-7210H

STANDARD FEATURES	6310H	6314H	6810H	6812H	7210H
Overall Width x Length	83.5" x 168"	84.5" x 218"	93" x 167"	93" x 196"	93" x 170"
Bed Width x Length	62.5" x 120"	63" x 168"	68" x 117"	68" x 144"	72" x 120"
Bed Height	18"	18"	18"	18"	18"
Weight	460#	500#	490#	510#	500#
GVWR	2990#	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-3000#	1-3000#	1-3000#	1-3000#	1-3000#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Stake Pockets	4 total 2 per side	6 total 3 per side	4 total 2 per side	6 total 3 per side	4 total 2 per side
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity	800# capacity	800# capacity
Tailgate	full width 44" long	full width 44" long	full width 44" long	full width 44" long	full width 44" long

FLATBED TRAILERS - SINGLE AXLE

548
shown with optional 24" solid side rack set, bifold tailgate, spare tire, spare tire mount, and jack

6810H
shown w/optional 12" solid side rack set & bifold tailgate

6810T
shown w/optional aluminum wheels

7712H
shown w/optional 24" sides

LED LIGHTS - STANDARD ON ALL TRAILERS

FLATBED TRAILERS - TANDEM AXLE

7816
Fenders remove for loading cars

8118

OPTIONAL FEATURES

Aluminum Rock Guard All Models

Stainless Steel Recessed Tie Rings AllMode ls

Bifold Tailgate All Models

Motorcycle Brackets All Models

Tongue Handle All Models

Spare Tire Mount AllMode ls

MODELS 6316-8118

STANDARD FEATURES

	6316	7812	7814	7816	7818	8118
Overall Width x Length	84.5" x 242"	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 267"
Bed Width x Length	63 x 192"	78 x 144"	78 x 168"	78 x 192"	78 x 216"	81 x 216"
Bed Height	16.25"	18.5"	18.5"	18.5"	18.5"	18.5"
Weight	600#	900#	1000#	1050#	1100#	1360#
GVWR	2990#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes both Axles	2-2000#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	13" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	removable	removable	removable	removable	removable	welded
Side Stake Pockets	6 total 3 per side	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 tie loops 3 per side
Ramps/Tailgate	Full width 39" long	2-5' pull out ramps	2-5' pull out ramps	2-5' pull out ramps	2-5' pull out ramps	S=75.75"x59" S=69.25"x59"
Aluminum Tongue	A frame 2" Coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler	A-Frame 2" Coupler
Swivel Tongue Jack	800# Capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# Capacity
Aluminum Rear Stabilizer Jacks	optional	2-1 per side	2-1 per side	2-1 per side	2-1 per side	3 total
Breakaway switch with battery	optional w/brakes	standard	standard	standard	standard	standard

ALUMA
www.alumaklm.com

FLATBED TRAILERS - TANDEM AXLE

8218
Fenders remove for loading cars

8218 Tilt
Fenders remove for loading cars

20" stationary plus 18' or 20' tilt bed

MODELS 8212-8224

STANDARD FEATURES

	8212	8214	8216	8218	8220	8222H	8224H
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"	101.5" x 340"
Bed Width x Length	82x144"	82x168"	82x192"	82x216"	82x240"	82x264"	82x288"
Bed Height	20"	20"	20"	20"	20"	20.75"	20.75"
Weight	1180#	1230#	1280#	1350#	1500#	1650#	1750#
GVWR	7000#	7000#	7000#	7000#	7000#	9600#	9600#
Rubber Torsion Brakes Both Axles	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-4800#	2-4800#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	15" aluminum	15" aluminum
Aluminum Fenders	removable	removable	removable	removable	removable	removable	removable
Side Stake Pockets	4 total 2 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	6 total 3 per side	8 total 4 per side	8 total 4 per side
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 44.5" long 2-5/16"coupler	A frame 44.5" long 2-5/16"coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard	standard	standard	standard

MODELS 8218, 8220 Tilt

STANDARD FEATURES

	8218 tilt	8220 tilt
Overall Width x Length	101.5" x 294"	101.5" x 319"
Bed Width x Length	82" x 219"	82" x 243.5"
Bed Height	20.75"	20.75"
Weight	1350#	1500#
GVWR	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500# optional 2-4800#	2-3500# optional 2-4800#
Wheels	14" aluminum 15" optional	14" aluminum 15" optional
Aluminum Fenders	removable	removable
Side Stake Pockets	8 total 4 per side	8 total 4 per side
Aluminum Tongue	A frame 44.5" long 2-5/16"coupler	A frame 44.5" long 2-5/16"coupler
Padded Tongue Jack	2500#	2500#
Breakaway Switch with battery	standard	standard

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

BUILT TO LAST.

1020
shown w/optional rock guard

8214WB
shown w/optional rock guard and tool box

MODELS 1020-1026

STANDARD FEATURES

	1020	1022	1024	1026
Overall Width x Length	101.5" x 294"	101.5" x 318"	101.5" x 342"	101.5" x 366"
Bed Width x Length	101.5" x 240"	101.5" x 264"	101.5" x 288"	101.5" x 312"
Bed Height	30.5"	30.5"	30.5"	30.5"
Weight	1500#	1575#	1650#	1725#
GVWR	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Dove Tail	48" long 8" drop	48" long 8" drop	48" long 8" drop	48" long 8" drop
Deck Style	full railing or rub rail	full railing or rub rail	full railing or rub rail	full railing or rub rail
Tailgates/Ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps	2-bifolds or 2-6' ramps
Aluminum Tongue	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminum Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway Switch with battery	standard	standard	standard	standard

MODEL 8212WB-8222WB

STANDARD FEATURES

	8212WB	8214WB	8216WB	8218WB	8220WB	8222WB
Overall Width x Length	101.5" x 196"	101.5" x 220"	101.5" x 244"	101.5" x 268"	101.5" x 292"	101.5" x 316"
Bed Width	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back	82" between fenders 96" front & back
Bed Length	144"	168"	192"	216"	240"	264"
Bed Height	22.5"	22.5"	22.5"	22.5"	22.5"	22.5"
Weight	1180#	1230#	1280#	1350#	1500#	1650#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#	2-3500# optional 2-4800#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Aluminum Fenders	welded	welded	welded	welded	welded	welded
Side Stake Pockets	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail	10 total 5/side welded behind rub rail
Ramps	2-5' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out	2-6' pull out
Aluminum Tongue	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler	A frame 2-5/16"coupler
Swivel Tongue Jack	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity	1200# capacity
Aluminim Rear Stabilizer Jacks	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side	2-1 per side
Breakaway switch with battery	standard	standard	standard	standard	standard	standard

UT10

UT10
shown w/standard slide out ramp

ATV/UTILITY MODELS

STANDARD FEATURES	A212	6314H	UT10	UT12
Overall Width x Length	85" x 195"	84.5" x 218"	181" x 93"	205" x 93"
Bed Width & Length	79.5 x 144"	63 x 168"	71.5 x 126"	71.5 x 160"
Bed Height	21"	18"	18.5"	18.5"
Weight	560#	500#	710#	760#
GVWR	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-3000#	1-3000#	1-3000#	1-3000#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Tie Down Loops	8	optional	4 loops 1 5000# swivel	4 loops 1 5000# swivel
Ramps	4 total 2-41" 2-69"	N/A	63" wide X 57" long	63" wide X 57" long
Aluminum Tongue	A frame 2" coupler	A frame 2" coupler	straight 2" coupler	straight 2" coupler
Swivel Tongue Jack	800# capacity	800# capacity	800# capacity	800# capacity
Tailgate	optional	full width 39" long	N/A	N/A
Aluminum shield	N/A	N/A	24" tall with storage box	24" tall with storage box

6314H
shown w/optional bifold tailgate

COUNT ON ALUMA TRAILERS TO GET YOU ON THE ROAD TO ADVENTURE QUICKLY AND RELIABLY.

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

ATV TRAILERS

A8816 ATV

A888 ATV

STANDARD FEATURES

DECK OVER ATV/UTILITY MODELS

	A888	A8812	A8816
Overall Width x Length	88" x 145"	88" x 199"	88" x 243"
Bed Width x Length	88" x 100"	88" x 154"	88" x 198"
Bed Height	29.5"	29.5"	29.5"
Weight	400#	570#	760#
GVWR	2200#	2990#	2990#
Rubber Torsion Axle	1-2200#	1-3500#	2-2200# standard brakes
Wheels	13" steel	13" steel	13" steel
Tie-Down Loops	6	8	10
Ramps	2-69"	4-69"	4-69"
Aluminum Tongue	A-frame 2" coupler	A-frame 2" coupler	A-frame 2" coupler
Swivel Tongue Jack	optional	800# capacity	800# capacity

5 YEAR WARRANTY

ALUMA
www.alumaklm.com

MOTORCYCLE TRAILERS

MC1F Folding
(95" upright)

MC210

TK1 standard tool box

TK1



MC2F Folding
(89.5" upright)

MOTORCYCLE/ UTILITY MODELS

STANDARD FEATURES	MC10	MC1F	MC210	MC2F	TK1
Overall Width x Length	74.5" x 174.5"	74.5" x 125.5" stands 95"	101.5" x 174.5"	94" x stands 89.5"	86" x 187"
Bed Width x Length	51 x 138"	51 x 106"	77 x 138"	72 x 115"	63 x 137"
Bed Height	16"	16.25"	18"	18.5"	17"
Weight	390#	380#	540#	520#	520#
GVWR	2000#	2000#	2990#	2990#	2990#
Rubber Torsion Axle	1-2000#	1-2000#	1-3000#	1-3000#	1-3000#
Wheels	13" aluminum	13" aluminum	14" aluminum	14" aluminum	14" aluminum
Tie Down Loops	4	4	8 stainless steel recessed	5	4 stainless steel recessed
Ramps	45" wide 45.5" long	27 5/8" wide 47.5" long	45" wide 47.5" long	27 5/8" wide 47.5" long	57" wide 45.5" long
Aluminum Tongue	straight 2" coupler	straight 2" coupler	straight 2" coupler	straight foldable 2" coupler	straight 2" coupler
Swivel Tongue Jack	optional	optional	800# capacity	800# capacity	800# capacity
Motorcycle Bracket	2'	2'	2'	2'	2'
Aluminum Shield	24" tall	24" tall	24" tall	24" tall	24" tall with storage box

MC10
shown w/optional jack

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

MOTORCYCLE TRAILERS

MCTXL



COLOR CHOICES FOR ALL ENCLOSED TRAILERS

Black	Polar White	Indigo Blue	Victory Red	Charcoal Grey	Brandy Wine	Light Pewter	Schneider Orange	Yellow	Aluminum Tread Plate	Anodized Polished Mirror Finish

MCT

MCTXL

STANDARD FEATURES	MOTORCYCLE TRAILERS		
		MCT	MCTXL
	Overall Width x Length	45" x 85"	45" x 97"
	Bed Width x Length	27" x 45"	27" x 57"
	Interior Height	21.5"	21.5"
	Bed Height	14"	14"
	Coupler Size	1-7/8"	1-7/8"
	Weight	200#	225#
	Rubber Torsion Axle	1-600#	1-600#
	Wheels	12" aluminum	12" aluminum
	Lighting	LED standard 5 rnd harness	LED standard 5 rnd harness
	Cooler Tray and Kick Stand	standard	standard

ALUMA
www.alumaklm.com

PERSONAL WATERCRAFT TRAILERS

PWC1 Single Place Watercraft Trailer
shown w/optional jack

PWC2 Two-Place WatercraftT railer

PWC/RAFT MODELS

STANDARD FEATURES

	PWC1	PWC2	8414RT
Overall Width x Length	63" x 161"	101" x 181"	84" x 220"
Bed Width	46" between fenders	82" between fenders	84"
Bed Length	1-72" adjustable bunk	2-72" adjustable bunk	168"
Bed Height	18" to side frame	18" to side frame	29.5"
Weight	245#	413#	570#
GVWR	1500#	2700#	2200#
Axle	1-1500# spring	1-2700# spring	1-2200# rubber torsion
Wheels	12" steel	13" steel	13" steel
Adjustable Winch	1	2	1
Tie Down Loops	2	3	10
Rear Roller	N/A	N/A	full width
Swivel Tongue Jack	optional	800# capacity	800# capacity
Aluminum Tongue	straight 2" coupler	straight 2" coupler	A frame 2" coupler

8414 RT Raft Trailer

ENCLOSED TRAILERS FOR EVERY NEED



AE8612S

AE8612S All Sport Trailer

STANDARD FEATURES

	AE8612S
Overall Width x Length	102" x 215"
Overall Height	100.5"
Interior Bed Width	99.75"
Bed Length not including the V-Nose	144"
V-Nose	24"
Bed Height	26"
Interior Height	69"
Weight	1270#
GVWR	2990# (no brakes)
Coupler	2"
Axle Rubber Torsion	1-3000#
Wheels	14" steel
Side Door	32" side door with step
Rear Door	full wood lined ramp with cable assist
Rear opening	W=94.75" H=66.5"

SINGLE AXLE ENCLOSED TRAILERS

AE610

AE58

AE46

ENCLOSED - SINGLE AXLE

	AE46	AE58	AE510	AE610	AE612	AE710	AE712
Overall Width x Length	64" x 120"	81" x 150"	81" x 176"	93" x 182"	93" x 206"	101" x 188"	101" x 212"
Overall Height	39"	80"	80"	92"	92"	92"	92"
Bed Width	48"	57.5"	57.5"	69.5"	69.5"	81.5"	81.5"
Bed length not including V-Nose	72"	92"	116"	116"	140"	116"	140"
V-Nose	N/A	30" standard	30" standard	36" standard	36" standard	42" standard	42" standard
Bed Height	14.5"	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"
Interior Height	21"	60"	60"	72"	72"	72"	72"
Weight	340#	790#	985#	1120#	1250#	1275#	1385#
GVWR	1200#	2990#	2990#	2990#	2990#	2990#	2990#
Rubber Torsion Axle	1-1200#	1-3000#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	13" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	Lockable Lid	optional	optional	32" standard	32" standard	32" standard	32" standard
Rear Door	N/A	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp
Rear Opening	N/A	w=51.5" h=56.25"	w=51.5" h=56.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"

STANDARD FEATURES

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 800# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

TANDEM AXLE ENCLOSED TRAILERS

AE614TA

AE714TA

STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 5/16" plywood-lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof

ENCLOSED - TANDEM AXLE

STANDARD FEATURES

	AE612TA	AE614TA	AE616TA	AE618TA	AE712TA	AE714TA	AE716TA	AE718TA
Overall Width x Length	93" x 216"	93" x 236"	93" x 260"	93" x 290"	101" x 218"	101" x 242"	101" x 266"	101" x 290"
Overall Height	92"	92"	92"	92"	93"	93"	93"	93"
Bed Width	69.5"	69.5"	69.5"	69.5"	81.5"	81.5"	81.5"	81.5"
Bed length not including V-Nose	142"	165"	190"	214"	142"	165"	190"	214"
V-Nose	36" standard	36" standard	36" standard	36" standard	42" standard	42" standard	42" standard	42" standard
Bed Height	18.25"	18.25"	18.25"	18.25"	19.25"	19.25"	19.25"	19.25"
Interior Height	72"	72"	72"	72"	72"	72"	72"	72"
Weight	1660#	1770#	1880#	1990#	1700#	1850#	2000#	2150#
GVWR	7000#	7000#	7000#	7000#	7000#	7000#	7000#	7000#
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard	32" standard
Rear Door	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp	double doors or ramp
Rear Opening	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=63.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"	w=75.5" h=68.25"

ENCLOSED SPORT TRAILERS

shown with optional spare tire, spare tire mount and Lock N Load wheel chocks

SPORT PACKAGE STANDARD FEATURES

- Extruded aluminum floor
- Interior light with switch
- V-Nose with rock guard
- 32" side door
- 5/16" white poly coated lined walls to ceiling
- LED lighting
- Swivel tongue jack 1200# capacity
- Rivetless .030 aluminum skin
- 2" coupler with safety chains
- One-piece aluminum roof
- Aluminum rear ramp door with cable assist
- Crank-up roof vent or (2) side vents
- Rear stabilizer legs
- (4) or (6) Flush mount tie rings

Available in 5', 6', & 7' Widths

Single Axle Enclosed Trailer

Tandem Axle Enclosed Trailer

shown with optional 2-tone paint without anodized on sides

LED LIGHTS - STANDARD ON ALL TRAILERS

ENCLOSED CAR HAULER

AER820TA

AER Inside Trailer

shown with optional E-Trac, white lining upgrade on walls, and 48" escape door

STANDARD FEATURES

8'6" WIDE TANDEM AXLE ENCLOSED TRAILERS

	AER816TA	AER818TA	AER820TA	AER822TA	AER824TA
Overall Width x Length	102" x 270"	102" x 294"	102" x 319"	102" x 342"	102" x 366"
Overall Height	103.5"	103.5"	103.5"	103.5"	103.5"
Bed Width	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall	99" wall to wall
Bed Width between Fenders	83"	83"	83"	83"	83"
Bed Length not including V-Nose	192"	216"	240"	264"	288"
V-Nose	46" standard	46" standard	46" standard	46" standard	46" standard
Bed Height	23.75"	23.75"	23.75"	23.75"	23.75"
Interior Height	78"	78"	78"	78"	78"
Weight	2580#	2760#	2940#	3120#	3300#
GVWR	9600#	9600#	9600#	9600#	9600#
Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-4800#	2-4800#	2-4800#	2-4800#	2-4800#
Wheels	15" aluminum	15" aluminum	15" aluminum	15" aluminum	15" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard	32" standard
Rear Door	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist
Rear Opening	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"	w=90.75" h=78.25"
Dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail	3' 3/4" dovetail

7'-WIDE ENCLOSED SNOW/SPORT TRAILERS

Enclosed Snowmobile/Sport Trailer

shown with optional 2-tone paint, anodized, window, and side vent

7' WIDE SNOWMOBILE/SPORT TRAILER

STANDARD FEATURES

	AE714TAV	AE718TAV	AE722TAV	AE724TAV
Overall Width x Length	102" x 260"	102" x 306"	102" x 354"	102" x 378"
Overall Height	93"	93"	93"	93"
Bed Width	81.75"	81.75"	81.75"	81.75"
Bed Length not including V-Nose	168"	216"	264"	288"
V-Nose	60" standard	60" standard	60" standard	60" standard
Bed Height	19.5"	19.5"	19.5"	19.5"
Interior Height	72"	72"	72"	72"
Weight	2020#	2220#	2420#	2570#
GVWR	7000#	7000#	7000#	7000#
Coupler	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard	32" standard
Front Ramp Door	w=60.75" h=64.5"	w=60.75" h=64.5"	w=60.75" h=64.5"	w=60.75" h=64.5"
Rear Ramp Opening	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"	w=75.5" h=67.5"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist

STANDARD FEATURES

- Full-length slider channel
- 5/8" marine grade plywood floor
- 2 interior lights with switch
- Swivel tongue jack 1200# capacity
- 5/16" plywood walls lined to ceiling
- LED lighting
- Rivetless .030 aluminum skin
- One-piece aluminum roof
- Snowmobile ski tie-downs

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

8 1/2' ENCLOSED SNOW/SPORT TRAILER

AE8624
Enclosed Snowmobile/Sport Trailer

shown with optional 6" ATP down sides

Enclosed Snowmobile Trailer Interior

STANDARD FEATURES	8'6" WIDE TANDEM SNOWMOBILE/SPORT TRAILER		
	AE8616	**AE8620**	**AE8624**
Overall Width x Length	102" X 285"	102" x 325"	102" x 373"
Overall Height	98"	98"	98"
Bed Width	98.5"	98.5"	98.5"
Bed Length not including V-Nose	192"	240"	288"
V-Nose	60" standard	60" standard	60" standard
Bed Height	31"	31"	31"
Interior Height	66"	66"	66"
Weight	2600#	2600#	2900#
GVWR	7000#	7000#	7000#
Coupler	2 5/16"	2 5/16"	2 5/16"
Rubber Torsion Brakes Both Axles	2-3500#	2-3500#	2-3500#
Wheels	14" aluminum	14" aluminum	14" aluminum
Side Door	32" standard	32" standard	32" standard
Front Ramp Door	w=57.75" h=58.5"	w=57.75" h=58.5"	w=57.75" h=58.5"
Rear Ramp Opening	w=92" h=65"	w=92" h=65"	w=92" h=65"
Front & Rear Ramps	aluminum ramp with cable assist	aluminum ramp with cable assist	aluminum ramp with cable assist

DRIVE ON/OFF SNOWMOBILE TRAILERS

8610T &8612T

shown w/optional salt shield

STANDARD FEATURES

- Full-length slider channels
- 5/8" marine grade plywood decking
- Rubber mounted sealed lights
- Aluminum ski tie-down bars

8612

shown w/optional combination salt shield & drive-off ramp

OPTIONS ARE AVAILABLE FOR ALL MODEL NUMBERS

OPTIONS
recessed tie downs
spare tire mounting bracket
swivel tongue jack
electric/surge brakes
tongue handle
spare tire and galphrite steel wheels
20.5x8.5x10" 6-ply 1105# cap./tire
ST175/80R13 4-ply 1340# cap./tire

2 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8610D	8612D
Overall Width x Length	102" x 191"	102" x 215"
Bed Width x Length	100" x 120"	100" x 144"
Bed Height	24.5"	26"
Weight	450#	480#
GVWR	2200#	2200#
Rubber Torsion Axles	1-2200#	1-2200#
Wheels	10" steel	10" steel
Swivel Tongue Jack	optional	optional
Tongue	A frame 2" ball	A frame 2" ball
Floor	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional

TILT BED SNOWMOBILE TRAILERS

STANDARD FEATURES

	8605	8610T	8612T
Overall Width x Length	50" x 170"	102" x 170"	102" x 194"
Bed Width x Length	50" x 120"	100" x 120"	100" x 144"
Bed Height	24.5"	24.5"	24.5"
Weight	300#	425#	460#
GVWR	1200#	2200#	2200#
Rubber Torsion Axle	1-1200#	1-2200#	1-2200#
Wheels	10" steel	10" steel	10" steel
Swivel Tongue Jack	optional	optional	optional
Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

SNOWMOBILE TRAILERS

8614
shown with optional 13" aluminum wheels and combo shield and spare tire & mount

POPULAR OPTIONS

- Tilt bed salt shield
- Combo shield for drive-on/ drive off
- 13" or 15" wheel upgrades in either steel or aluminum wheels
- Recessed tie rings
- Spare tire
- Spare tire mounting bracket
- LED lights
- Tongue handle

8620 Snowmobile Trailer
shown with optional combination salt shield & drive-off ramp

3 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8614	8616
Overall Width x Length	102" x 240"	102" x 264"
Bed Width x Length	100" x 168"	100" x 192"
Bed Height	26"	26"
Weight	850#	875#
GVWR	2990#	4400#
Rubber Torsion Axles	2-2200#	2-2200#
Brakes Both Axles	optional	standard
Wheels	10" steel	10" steel
Swivel Tongue Jack	750# capacity	750# capacity
Tongue	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional

4 PLACE DRIVE ON/DRIVE OFF

STANDARD FEATURES

	8618	8620	8622
Overall Width x Length	102" x 288"	102" x 312"	102" x 336"
Bed Width x Length	100" x 216"	100" x 240"	100" x 264"
Bed Height	28"	28"	28"
Weight	925#	1025#	1105#
GVWR	4400#	4400#	4400#
Rubber Torsion Brakes both Axles	2-2200#	2-2200#	2-2200#
Wheels	10" steel	10" steel	10" steel
Swivel Tongue Jack	750# capacity	750# capacity	750# capacity
Tongue	A frame 2" coupler	A frame 2" coupler	A frame 2" coupler
Floor	5/8" marine tech plywood	5/8" marine tech plywood	5/8" marine tech plywood
Ramp	54" x 72" storage underneath	54" x 72" storage underneath	54" x 72" storage underneath
Aluminum Salt Shield	optional	optional	optional

Shown with:

- ***Sides and Tailgate***
- ***1/4" x 2" Rub rail with Stake pockets***

Truck Bed with Gooseneck and Trap Door

OPTIONS

- Gooseneck Hitch opening with removable door
- Sides and Tailgate

For more information, contact your local dealer.
Specifications subject to change without notice.

SPECIFICATIONS

BED SIZE & WEIGHT

Model # 6600/6800	Model # 8100	Model # 9000	Model # 9600
66" x 77" 170#			
66" x 87" 180#	81" x 87" 275#		
68" x 87" 187#			
	81" x 96" 285#	90" x 96" 298#	96" x 96" 307#
	81" x 106" 295#	90" x 106" 310#	96" x 106" 320#
	81" x 115" 305#	90" x 115" 322#	96" x 115" 332#
	81" x 125" 316#	90" x 125" 333#	96" x 125" 345#
		90" x 144" 345#	96" x 144" 358#
			96" x 168" 380#
			96" x 192" 400#

STANDARD FEATURES

- Extruded aluminum floor with drop rear skirt
- 1/2" x 2" Rub rail with Stake pockets
- Headache rack with sealed beam lights
- 3" channel main stringers adjustable to fit different models of trucks
- Recessed sealed beam lights
  4 taillights; 11 clearance lights
  2 backup lights
- License plate light
- Pre-wired and lights installed

LED LIGHTS - STANDARD ON ALL TRAILERS

ALUMA
www.alumaklm.com

5 YEAR WARRANTY

ALUMA

www.alumaklm.com

"ALL-ALUMINUM TRAILERS"

PICNIC TABLES 6', 8' & 4-SIDED AND PARK BENCH
AVAILABLE IN TAN, FOREST GREEN AND PEWTER.

101 EAST SENECA • BANCROFT, IA 50517
866-415-3285 • FAX: 515-885-2592
WWW.ALUMAKLM.COM

DECEMBER 2011