

Saddles | Accessories





This lightweight saddle offers the perfect combination of comfortable memory foam, adjustability and thoughtful design. The 4" wide leg pads and 7" wide back are constructed from memory foam that conforms to the legs and back, reduces pressure points, wicks away moisture for cool, comfortable performance. The back features an additional layer of memory foam for added comfort. Leg straps and straps attached to bridge are adjustable to provide a comfortable fit and feature secure, quick-connect buckles for ease of use. The rope bridge is compatible with rope style micro pulleys and features four rubber bumpers. There are three dees located on the bottom of the waist back for attachment of our ditty bag. This saddle has been tested to meet or exceed ANSI #A10.14 criteria. Not intended for fall arrest.

Product No.	Size	Waist	Dee to Dee
B1AB0801075S	Small	30"-34"	20"
B1AB0801075M	Medium	34"-40"	22"
B1AB0801075L	Large	40"-44"	24"
B1AB0801075XL	X-Large	44"-48"	26"

# **Cougar Batten Seat Saddle**

The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.

Product No.	Size	Waist	Dee to Dee
B1AB0801076S	Small	30"-34"	20"
B1AB0801076M	Medium	34"-40"	22"
B1AB0801076L	Large	40"-44"	24"
B1AB0801076XL	X-Large	44"-48"	26"

### Cougar Saddle Replacement Rope Bridge

B1AB0898125



### ARNING

Weaver Leather would like to remind users that the rope bridges are a replaceable component of the Cougar Saddle and need to be inspected daily and replaced at the first sign of wear, in accordance with Weaver Leather's instructions and warnings. Daily inspection includes both the cover and rope ends. Also, if the bridge is ever shock-loaded, replace immediately. As a regular safety precaution, due to the rigorous strain and conditions these rope bridges endure, we strongly recommend replacing the rope bridge at the earlier of the first sign of wear or 6 months.

### **Elastic Suspenders**

Removable suspenders are adjustable and feature 2" elastic webbing that moves with you for added comfort. Helps distribute the weight of saws and other saddle accessories. Suspenders attach to the Cougar saddles, B1AB08981035, B1AB08981038, and B1AB0801040.

#### B1AB0898122

# Ditty Bag Constructed from 630-denier nylon. Features three

snaps on the back for attachment to our Cougar Rope Bridge Extra Wide Back Saddle or other saddles. An elastic top provides easy access to tools you'd like to keep close at hand. Hole at bottom offers easy clean-out. Measures 9" W x 9" H x 4" D.













### **Positioning Saddles**

Selecting the correct positioning saddle size is very important for optimum comfort and confidence in the saddle. The following sizing applies to all our saddles and uses a Dee to Dee Measurement. (Point A to Point B) to help determine the correct and best fitting saddle size by ensuring the Dees are properly located in front of the hip bones.



To get the perfect fit, drop approximately 4" from the top of each hipbone and measure the distance around the back from hipbone to hipbone using a tape measure. Add 2" to this measurement. Use this Dee to Dee measurement to find your correct saddle size:

!	Saddle Size	Dee to Dee Measurement	Waist Size
	Small	20"	30"-34"
N	/ledium	22"	34"-40"
	Large	24"	40"-44"
X	(-Large	26"	44"-48"

### **4-Dee Single Thick Cotton Saddle**

Cotton webbing reinforced with nylon provides comfort and strength. Chrome brass 200 snap and 2" nickel plated ring on each side. Not intended for fall arrest.

Without Straps			
Product No.	Size	Waist	Dee to Dee
B1AB0801005S	Small	30"-34"	20"
B1AB0801005M	Medium	34"-40"	22"
B1AB0801005L	Large	40"-44"	24"
B1AB0801005XL	X-Large	44"-48"	26"
1" Neoprene Straps			
B1AB0801010S	Small	30"-34"	20"
B1AB0801010M	Medium	34"-40"	22"
B1AB0801010L	Large	40"-44"	24"
B1AB0801010XL	X-Large	44"-48"	26"
2" Nylon Straps			
B1AB0801034S	Small	30"-34"	20"
B1AB0801034M	Medium	34"-40"	22"
B1AB0801034L	Large	40"-44"	24"
B1AB0801034XL	X-Large	44"-48"	26"

### **Pullevs**

# PRODUCT ESSENTIALS

Micro pulleys can provide a variety of tasks but are most commonly used as slack tenders on the climbing line where they are installed on the line just below the friction hitch. Secured to the saddle with a snap or link, they allow for one handed slack tending. A wide selection of micro, rescue and slack tending pulleys can be found on page 49-50.

Ideal for use on the Buckingham Glide's Warp Speed suspension bridge or the Weaver Cougar saddle.



Similar to the B1ABRP110 but with two tie-in locations for better side to-side movement.



**B1ABRP140** 





### 4-Dee Extra Wide Back Saddle

Extra wide 6" foam filled waist back with floating seat strap for easy positioning. Includes 5 nylon accessory loops on saddle back, chrome brass 200 snap and 2" nickel plated ring on each side. Not intended for fall arrest.

1" Neoprene Straps									
Product No.	Size	Waist	Dee-Dee						
B1AB0801035S	Small	30"-34"	20"						
B1AB0801035M	Medium	34"-40"	22"						
B1AB0801035L	Large	40"-44"	24"						
B1AB0801035XL	X-Large	44"-48"	26"						
2" Nylon Straps									
Product No.	Size	Waist	Dee-Dee						
B1AB0801033S	Small	30"-34"	20"						
B1AB0801033M	Medium	34"-40"	22"						
B1AB0801033L	Large	40"-44"	24"						
B1AB0801033XL	X-Large	44"-48"	26"						





1.800.752.8242

# Floating Dee Extra Wide Back Saddle

The floating dees provide easy maneuverability. Features a reinforced neoprene front strap, extra wide 6" foam filled waist back, 2" wide nylon leg straps for added comfort, 5 nylon accessory loops on saddle back, and chrome brass 200 snap and 2" nickel plated ring on each side. Not intended for fall arrest.

One Floating Dee									
Product No.	Size	Waist	Dee-Dee						
B1AB0801040S	Small	30"-34"	20"						
B1AB0801040M	Medium	34"-40"	22"						
B1AB0801040L	Large	40"-44"	24"						
B1AB0801040XL	X-Large	44"-48"	26"						

Two Floating Dee:	S		
Product No.	Size	Waist	Dee-Dee
B1AB0801041S	Small	30"-34"	20"
B1AB0801041M	Medium	34"-40"	22"
B1AB0801041L	Large	40"-44"	24"
B1AB0801041XL	X-Large	44"-48"	26"
Two Floating Dees	s with pade	ded leg stra	ıps
Product No.	Size	Walak	
FIGURET NO.	Size	Waist	Dee-Dee
B1AB0801038S	Small	30"-34"	20"
	0.20		
B1AB0801038S	Small	30"-34"	20"





### **Sequoia SRT Saddle**

Just like its name implies, this saddle is a giant in the arborist saddle world. The extra-wide, semirigid waist belt offers exceptional support and ventilation and is lined with breathable perforated foam for maximum comfort when suspended. The attachment bridge provides lateral mobility while working in the canopy. This bridge is designed to distribute the pressure evenly between the waist belt and leg loops (three positions), adapt the length of the attachment bridge or install two attachment bridges, and attach rings or pulleys directly to the bridge. The ventral attachment point and the rear waist belt buckle are specifically designed for use with the Petzl Secur and Croll chest ascender for Single Rope Techniques (SRT). The two lateral attachment points transfer the weight evenly around the waist belt for comfort when leaning back in the belt (with support for the feet). Sequoia features five equipment loops with protective sheaths, two rings for attaching a hand saw, and multiple slots for Caritool tool holders. The waist belt is equipped with self-locking DoubleBack buckles and leg loops are equipped with FAST automatic buckles. Fits waists from 28" - 39".

	I		1	I	ı	١	l		C		E	Ì	į	)		,	I	(	)	



### ArborMaster® Glide II Saddle

Buckingham and ArborMaster® developed the Glide saddle with the professional tree climber in mind. Its modular design and ease of use ensures comfort, ultimate adjustability, versatility and safety. Glide advantages include multiple adjustments to make a custom fit, the ability to replace worn parts, and a lightweight padded support design. Exceeds ANSI standards.

Product No.	Size	Waist
B1AB16902W1S	Small	28"-32"
B1AB16902W1M	Medium	32"-36"
B1AB16902W1L	Large	36"-40"
B1AB16902W1XL	X-Large	40"-44"

### **Warp Speed Suspension Bridge**

13" replacement bridge for the Glide II saddle.

#### B1ABW113

All Buckingham	Saddle Size	Approximate Waist Size
saddles are	Small	28"-32"
available in the	Medium	32"-36"
following sizes:	Large	36"-40"
	X-Large	40"-44"





1.800.752.8242





The Master II offers greater comfort and versatility than previous versions. Buckingham reduced the amount of material in the groin and repositioned the leg straps to provide the wearer more comfort while suspended on an overhead line. A firm filler is used in the backpad for added support. Floating leg pads allow the user to position where they are most comfortable.

ArborMaster® Master II Saddle							
Product No.	Size	Waist					
B1AB13902S	Small	28"-32"					
B1AB13902M	Medium	32"-36"					
B1AB13902L	Large	36"-40"					
B1AB13902XL	X-Large	40"-44"					

ArborMaster® Master Deluxe								
Product No.	Size	Waist						
B1AB11290S	Small	28"-32"						
B1AB11290M	Medium	32"-36"						
B1AB11290L	Large	36"-40"						
B1AB11290XL	X-Large	40"-44"						

#### ArborMaster® Deluxe Saddle Series

This new series from the professionals at Buckingham and ArborMaster® emphasize safety, versatility, and comfort for the professional arborist. Both experience and customer feedback were used in the development and manufacturing of the newest generation of the Master, Traverse, and Versatile arborist saddles. In addition to the features listed above, all Deluxe Series Saddles have the following enhancements:

- Drilex<sup>®</sup> lined 2-layer back support: one layer for rigidity; one layer for comfort
- Quick connect buckle leg straps
- New friction buckles are easy to adjust and positive locking
- Two upper and five lower accessory rings
- Three accessory loops
- Rugged and versatile handsaw snaps
- Medium size Dee rings (5,000 lbs.)
- ArborMaster® Positioning Saddles meet or exceed OSHA, ANSI (A10.14 Type II) and other regulations



Quick connect buckle on leg straps



Drilex liner on Deluxe back pad wicks moisture away from the body.









#### **BUCKET TRUCK ACCESSORIES**

- CHAINSAW SCABBARDS
- · CANVAS BUCKETS
- BUCKET TRUCK BOOM TOOL HOLDERS
- ANCHOR STRAPS
- WHOLE HOST OF FIBERGLASS BUCKET TRUCK ACCESSORIES.

#### RIGGING

- PORT A WRAPS
- · WHOOPIE SLINGS
- BLOCKS

- VELCRO PADS
- NEW DELUXE & CLASSIC SADDLES
- LANYARDS
- \*TEAR AWAY CHAINSAW LANYARDS
- BUCKLITE TITANIUM CLIMBERS
- \*STEEL CLIMBERS
- SCABBARDS
- HARNESSES
- \*BLOOD STOPPER FIRST AID
- CLIMBER FOOTPLATE



Devoted to making the Job Easier. Safer and More Comfortable

#### ArborMaster® Traverse Saddle

The Traverse Saddle is similar to a traditional-style saddle, but utilizes two sliding dee rings for overhead suspension, offering the user superior lateral movement. Buckingham uses a 1-3/4" wide buffalo weave web suspension bridge for added wear resistance. The two sliding dee rings, adjustable center of balance, and batten seat make the Traverse a favorite among tree workers.

All Buckingham saddles are available in the following sizes:

Saddle Size	<b>Approximate Waist Size</b>
Small	28"-32"
Medium	32"-36"
Large	36"-40"
X-Large	40"-44"



ArborMaster® Traverse Saddle			
Product No.	Size	Waist	
B1AB1392TS	Small	28"-32"	
B1AB1392TM	Medium	32"-36"	
B1AB1392TL	Large	36"-40"	
B1AB1392TXL	X-Large	40"-44"	



ArborMaster® Traverse Deluxe					
Product No.	Size Waist				
B1AB11292S	Small	28"-32"			
B1AB11292M	Medium	32"-36"			
B1AB11292L	Large	36"-40"			
B1AB11292XL	X-Large	40"-44"			



### ArborMaster® Versatile Saddle

The Versatile Saddle is exactly what its name implies - versatile. With the addition of two extra loops, there are even more ways to suspend oneself or tie off. Use double locking carabiners or rope snaps with any of the seven loops or attach a double locking carabiner with our B1ABM20R high density roller and use as a sliding dee ring type of saddle. The batten seat is comfortable and adjustable to your personal preference.

All Buckingham saddles are available in
the following sizes:

Saddle Size	<b>Approximate Waist Size</b>
Small	28"-32"
Medium	32"-36"
Large	36"-40"
X-Large	40"-44"



ArborMaster® Ver	satile Saddle		
Product No.	Size	Waist	
B1AB1393TS	Small	28"-32"	
B1AB1393TM	Medium	32"-36"	
B1AB1393TL	Large	36"-40"	

X-Large

40"-44"



ArborMaster® Versatile Deluxe					
Product No. Size Wai					
B1AB11293S	Small	28"-32"			
B1AB11293M	Medium	32"-36"			
B1AB11293L	Large	36"-40"			
B1AB11293XL	X-Large	40"-44"			

### 4-Dee Single Thick Cotton Saddle

B1AB1393TXL

These saddles are lightweight in design and economical without sacrificing quality. They feature 4 Dee rings, 3" single thick cotton webbing, 1-3/4" nylon reinforced back and seat, accessory snaps, and 1-3/4" steel ring.



4-Dee Single Thick Cotton Saddle					
Product No. Size Waist					
B1AB1383S	Small	28"-32"			
B1AB1383M	Medium	32"-36"			
B1AB1383L	Large	36"-40"			
B1AB1383XL	X-Large	40"-44"			

### **Professional Aerial Safety Belt**

These safety belts are designed to provide the user with maximum mobility. Each has a floating Dee ring and a tongue buckle with multiple adjustment holes. Premium model is ANSI A10.14 Type I certified.



Size	Waist
Small	28"-32"
Medium	32"-36"
Large	36"-40"
X-Large	40"-44"
Safety Belt	
Size	Waist
Small	28"-32"
Medium	32"-36"
Large	36"-40"
X-Large	40"-44"
	Small Medium Large X-Large Safety Belt Size Small Medium Large







### CP+™ Single Ring Harness

CP+™ Harnesses are a comfortable fit for any budget. This one-size fits most series brings the economical quality alternative to the fall protection harness market. This is an excellent harness for wear under a positioning saddle. They feature a sliding Dee ring in the center of the back, parachute mating buckles on the chest and leg straps, and are made from polyester. Three ring harnesses have one additional dee on each hip.

#### B1AB5400

**CP+™ Three Ring Harness** 

B1AB54002

### **NoPac® Energy Absorbing Lanyard**

This fall arrest lanyard is 1" x 6' long and comes with Centurion™ auto-locking, fall-rated snaphooks. Lanyards must be replaced after every fall.

#### B1AB31104



### Roofer's Kit

This kit includes, one CP+™ B1AB5400 harness. one 5/8" x 50' CP+TM Lifeline w/attached rope grab and attached 2' Zorber® web lanvard w/Centurion™ Auto-lock, fall-rated snaphooks, single-use roof anchor w/fasteners, and convenient carry bucket. Certified ANSI/CSA.


#### B1ABK5025



### Aerial Basket Cover

Vinyl coated nylon cover wraps snugly around standard one-man buckets with a heavy duty sewn in bungee cord and snap to secure itself to the bucket. Includes one grommet hole. Fits up to a 50" square bucket.

#### B1AB4545







Nylon straps with a half twist help keep equipment hanging straight. Constructed of double box-stitched nylon webbing with heat-sealed ends to prevent fraving. Welded nickel plated rings are 2" in diameter. non-rust manganese bronze 225 snaps are 4-1/4" long, and chrome brass 200 snaps are 3-1/2" long.

B1AB0898212	1" x 10" with ring
B1AB0898213	1" x 13" with 2" ring
B1AB0898211	1" x 15" with snap



Conveniently attach small tools to a belt with these tool belt loops in two handy styles. Double box-stitched nylon webbing will slip over a belt up to 2" wide. Nylon ends are heat-sealed to help prevent fraying. Nickel-plated ring is 2" in diameter and the chrome brass 200 snap is 3-1/2" long.

B1AB0898217	1"	Х	7"	with	ring
B1AB0898218	1"	Х	7"	with	snap

### **Tool Holster**

Slips onto belt to keep tools handy. Holds one file and one chainsaw wrench.

#### B1AB0897230

#### **Deluxe Tool Holster**

Slips onto belt to keep tools handy. Holds one file, one chainsaw wrench, and one 3" wide wedge.









**Tear-Away Chainsaw** Lanvard

The Buckingham Tear Away Chainsaw Lanyard with the built-in bungee is designed for safety and convenience. It is constructed with a tear away safety pack that activates when 200 lbs. of force is applied. This feature eliminates the possibility of the user being pulled out of a tree if the saw gets hung up on a falling limb. It comes in easy to see hi-vis vellow and has a 3-1/2" loop to half-hitch to the saw handle. Elastic bungee minimizes lanyard length when not in use and stretches to 50". The 1-3/4" steel ring suspends the saw when not in use. Saddle ring is 1-1/8" diameter steel or #2 bronze boat snap.

B1AB25Y1250A	1" x 32" with ring
B1AB25Y1350A	1" x 32"
	with snap









### Adjustable Chainsaw Strap

Nylon straps with a half twist help keep equipment hanging straight. Constructed of double boxstitched nylon webbing with heat-sealed ends to prevent fraying. Welded nickel plated rings are 2" in diameter, non-rust manganese bronze 225 snaps are 4-1/4" long, and chrome brass 200 snaps are 3-1/2" long.

B1AB0898222	3/4" x 50" Loop End
B1AB0898219	1" x 49" with 225 snap





### **Bungee Chainsaw Strap**

This bungee design easily stretches when you're using the saw and retracts when finished and hanging close to your saddle or belt. This elastic strap easily adjusts by attaching the ring to a snap on a saddle or belt. This strap extends to 45-1/2" long when fully deployed. Welded nickel plated rings are 2" in diameter and the non-rust manganese bronze 225 snap is 4-1/4" long.

B1AB0898225 1-3/16" x 30"



### **Chainsaw Lanyard**

This chainsaw lanyard is constructed of 5/16" kernmantle rope, has a 10" loop, and a 3-1/2" brass swivel snap at the end.

B1AB601 5/16" x 36"



