



SADDLES

*Leather Back
Cotton Back
Attachments
Accessories*

Weaver Manufacturing Company

Over 40 years of manufacturing experience has taught Weaver a thing or two about consistently producing the finest products. It's true that their craftsmanship must be second to none. However, even more important are the raw materials Weaver uses. They must be top-notch every time, no excuses! That's why they've searched the world over to find the best leather, webbing, rubberized belting, rope and hardware for arborist products that provide dependable performance when you're in the field.

Weaver's craftspeople handle over 120,000 sides of leather annually sourced from the most premier tanneries. From choosing the right hide and cutting it efficiently to hand-crafting it into a premium end product, Weaver is committed to providing you with the ultimate climbing experience.



Weaver Size Chart

	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Dee to Dee Measurement	18"	20"	22"	24"	26"
Approximate waist size	26" - 34"	30" - 38"	32" - 40"	36" - 44"	40" - 48"

WLC-100 Saddle

A simple choice w/ a popular four dee design for more positioning options



Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Three additional dees located on the bottom of the waist back for ditty bags or first aid kits
- Cotton webbing reinforced with nylon provides comfort and strength
- Floating seat strap can easily be positioned for maximum comfort
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- No leg straps



PART #	DESCRIPTION
0801005SM	WLC-100 Small
0801005MD	WLC-100 Medium
0801005LG	WLC-100 Large
0801005XL	WLC-100 Extra Large

WLC-130 Saddle

Four dees offer more positioning options and help add more stability



PART #	DESCRIPTION
0801010SM	WLC-130 Small
0801010MD	WLC-130 Medium
0801010LG	WLC-130 Large
0801010XL	WLC-130 Extra Large

Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for attachment to a ditty bag or a first aid kit
- Cotton webbing reinforced with nylon provides comfort and strength
- Floating seat strap can easily be positioned for maximum comfort
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Heavy-duty coated webbing leg straps help prevent slip through and are pre-cut, pre-punched and heat-sealed

WLC-160 Saddle

Four dees plus thicker leg straps add durability to this saddle



PART #	DESCRIPTION
0801034SM	WLC-160 Small
0801034MD	WLC-160 Medium
0801034LG	WLC-160 Large
0801034XL	WLC-160 Extra Large

Features & Benefits

- Four dees for positioning and stability
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for attachment to a ditty bag or a first aid kit
- Cotton webbing for comfort combines with nylon webbing for strength
- Floating seat strap can easily be positioned for maximum comfort
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Nylon leg straps are 2" wide and lined with soft oil tanned top grain steer hide leather

WLC-300 Saddle

Nylon leg straps and extra wide back provide optimum comfort



PART #	DESCRIPTION
0801033SM	WLC-300 Small
0801033MD	WLC-300 Medium
0801033LG	WLC-300 Large
0801033XL	WLC-300 Extra Large

Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for attachment to a ditty bag or a first aid kit
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Seat strap and 2" nylon leg straps are also lined with soft oil tanned top grain steer hide leather

WLC-315 Saddle

Extra wide back provides extra comfort and support where it is needed most



PART #	DESCRIPTION
0801035SM	WLC-315 Small
0801035MD	WLC-315 Medium
0801035LG	WLC-315 Large
0801035XL	WLC-315 Extra Large

Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for attachment to a ditty bag or a first aid kit
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Floating seat strap can easily be positioned for maximum comfort
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Heavy-duty coated webbing leg straps help prevent slip-through and are pre-cut, pre-punched and heat sealed

Positioning Saddles

WLC-500 Saddle

Padded nylon leg straps and an extra wide back make this saddle a comfortable choice



Front



Back

Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for ditty bags or first aid kits
- An extra wide 6" waist back provides cushioning and support
- The waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Adjustable accessory leg straps keep your padded leg straps positioned for optimum comfort
- Cotton webbing reinforced with nylon provides comfort and strength
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- Slip-on, foam filled leather lined pads give the 2" nylon leg straps extra comfort
- **Not to be used for fall arrest**
- Padded nylon leg straps

PART #	DESCRIPTION
0801032SM	WLC-500 Small
0801032MD	WLC-500 Medium
0801032LG	WLC-500 Large
0801032XL	WLC-500 Extra Large

Warning About Weaver Saddles:

Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborists's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

WLC-530 Saddle

Comfortable saddles that easily maneuver and come with one or two floating dees



Front



Back

Features & Benefits

- Floating dees provide more freedom of movement
- Two floating dee style is designed specifically for split-tail climbing
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for ditty bags or first aid kits
- Adjustable accessory leg straps that keep your padded leg straps positioned for optimum comfort
- Front strap is reinforced w/ neoprene for extra durability
- Extra wide 6" rubberized belting back helps provide firm support
- The waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- The 2" nylon leg straps feature slip-on, foam filled, leather lined pads for extra comfort
- Dees at front and back offer easy attachment of suspenders
- **Not to be used for fall arrest**
- WLC-530 saddle features one floating dee
- WLC-560 saddle features two floating dees

WLC-560 Saddle



Front



Back



PART #	DESCRIPTION
0801036SM	WLC-530 Small
0801036MD	WLC-530 Medium
0801036LG	WLC-530 Large
0801036XL	WLC-530 Extra Large

PART #	DESCRIPTION
0801038SM	WLC-560 Small
0801038MD	WLC-560 Medium
0801038LG	WLC-560 Large
0801038XL	WLC-560 Extra Large

Positioning Saddles

WLC-330 Saddle

Freedom of movement w/ one floating dee



Back

Front



Features & Benefits

- Floating dee provides easy maneuverability
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for ditty bags or first aid kits
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Leather lined 2" wide nylon leg straps

PART #	DESCRIPTION
0801040SM	WLC-330 Small
0801040MD	WLC-330 Medium
0801040LG	WLC-330 Large
0801040XL	WLC-330 Extra Large

WLC-390 Saddle

This saddle features an extra wide back and a batten seat for long-term comfort



Back

Front



Features & Benefits

- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Fixed position, angled side dee rings feature a two bar design that offers easy access, and can be snapped with one hand
- Saddle back features two rounded nylon loops covered in clear rubber tubes to resist wear
- Three additional dees located on the bottom of the waist back for attachment to a ditty bag or a first aid kit
- The 4" wide batten seat is reinforced w/ an aluminum bar covered in foam for extra support
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Features a loop for holding carabiners and two nylon utility straps w/ a chrome brass 200 snap and a 2" plated ring to keep tools handy
- **Not to be used for fall arrest**
- Heavy-duty coated webbing leg straps help prevent slip through and are pre-cut, pre-punched and heat-sealed

PART #	DESCRIPTION
0801078SM	WLC-390 Small
0801078MD	WLC-390 Medium
0801078LG	WLC-390 Large
0801078XL	WLC-390 Extra Large

WLC-700 Saddle

High-end styling combines comfortable leg straps w/ a sewn webbing suspension bridge



Front




Back

PART #	DESCRIPTION
0801085SM	WLC-700 Small
0801085MD	WLC-700 Medium
0801085LG	WLC-700 Large
0801085XL	WLC-700 Extra Large

Features & Benefits

- Suspension bridge has a striped white and orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection
- Enhanced extra wide back pad extends further forward on hips for comfort and support
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance
- Leg straps and straps attached to bridge are adjustable to provide a perfect fit
- Leg straps and suspension bridge are replaceable
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- Three additional dees located on the bottom of the waist back for ditty bags or first aid kits
- Dees at front and back offer easy attachment of suspenders
- **Not to be used for fall arrest**
- Adjustable accessory leg straps keep your memory foam leg pads comfortable

WLC-700 Saddle Accessories & Replacement Parts



0898135



01041



0898126

PART #	DESCRIPTION
0898135	Replacement Sewn Webbing Suspension Bridge
0898126SM	Replacement Leg Straps, One Pair
0898126MD	
0898126LG	
0898126XL	Aluminum "O" Ring
01041	

WLC-730 Saddle

Combines a sewn webbing suspension bridge and a comfortable batten seat



Front



Back




Features & Benefits

- Suspension bridge has a striped white and orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection
- Enhanced extra wide back pad extends further forward on hips for comfort and support
- 4" wide batten seat is reinforced w/ an aluminum bar covered in foam for extra support
- The extra wide 7" back is constructed from memory foam that conform to the back, reduces pressure points, wicks away moisture and does not retain heat
- Straps attached to bridge are adjustable
- Seat and suspension bridge are replaceable
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- **Not to be used for fall arrest**

PART #	DESCRIPTION
0801086SM	WLC-730 Small
0801086MD	WLC-730 Medium
0801086LG	WLC-730 Large
0801086XL	WLC-730 Extra Large

WLC-730 Saddle Accessories & Replacement Parts



0898135



01041



0898128

PART #	DESCRIPTION
0898135	Replacement Sewn Webbing Suspension Bridge
0898128SM	Replacement Batten Seat
0898128MD	
0898128LG	
0898128XL	
01041	Aluminum "O" Ring

WLC-760 Saddle

Ultra-comfortable design packed with high-performing features



Features & Benefits

- Suspension bridge constructed with Endura Braid™ rope from New England rope and features a diamond knot at one end for performance and security
- Black and orange suspension bridge contains white core for easy wear inspection
- Lightweight black anodized rigging plates provide multiple attachment points
- Enhanced extra wide back pad extends further forward on hips for comfort and support
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance
- Leg straps and suspension bridge are replaceable
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- **Not to be used for fall arrest**
- Adjustable accessory leg straps keep your memory foam leg pads comfortably positioned



Front



Back



PART #	DESCRIPTION
0801095SM	WLC-760 Small
0801095MD	WLC-760 Medium
0801095LG	WLC-760 Large
0801095XL	WLC-760 Extra Large

WLC-760 Saddle Accessories & Replacement Parts

0898140



0898126

PART #	DESCRIPTION
0898140	Replacement Double Rope Suspension Bridge
0898126SM	Replacement Leg Straps, One Pair
0898126MD	
0898126LG	
0898126XL	

Positioning Saddles

WLC-790 Saddle

Combines a sewn webbing suspension bridge and a comfortable batten seat



Front



Back



Features & Benefits

- Suspension bridge constructed with Endura Braid™ rope from New England rope and features a diamond knot at one end for performance and security
- Black and orange suspension bridge contains white core for easy wear inspection
- Lightweight black anodized rigging plates provide multiple attachment points
- Enhanced extra wide back pad extends further forward on hips for comfort and support
- 4" wide batten seat is reinforced w/ an aluminum bar covered in foam for extra support
- The extra wide 7" back is constructed from memory foam that conform to the back, reduces pressure points, wicks away moisture and does not retain heat
- Seat and suspension bridge are replaceable
- Roller buckle at waist features a roller for ease of use and to reduce wear to waist belt
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand
- Dees are made from forged aluminum w/ black anodized finish that's lighter weight than steel
- **Not to be used for fall arrest**

PART #	DESCRIPTION
0801096SM	WLC-790 Small
0801096MD	WLC-790 Medium
0801096LG	WLC-790 Large
0801096XL	WLC-790 Extra Large

WLC-790 Saddle Accessories & Replacement Parts



0898140

0898128

PART #	DESCRIPTION
0898140	Replacement Double Rope Suspension Bridge
0898128SM	Replacement Batten Seat
0898128MD	
0898128LG	
0898128XL	

Buckingham Manufacturing Company

Buckingham Manufacturing Company has proudly served industries with workers who climb wood poles, trees, towers and structures that support electricity and telecommunications equipment for well over 100 years. Whether for work above or below ground in these industries, they produce safety equipment and specialty tools for work positioning, retrieval, fall restraint, fall restriction, fall arrest and suspension work applications.

Most people do not think about the importance of work performed by arborist linemen every day until the power goes out, the telephone/computer stops working or a tree falls on a house or power line. Buckingham customers maintain and restore services in all types of weather. Buckingham is committed to develop new products that are top quality and safe.



Buckingham Size Chart

	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Approximate waist size	24" - 28"	28" - 32"	32" - 36"	36" - 40"	40" - 44"

1371 Saddle

Saddle with wide padded leather lined back



Back



Features & Benefits

- Five accessory loops to stow gear while working aloft
- Piggy backed snap and ring assembly to keep tools accessible
- Four small dee rings to attach suspenders
- Supple coated webbing leg straps to prevent irritation to the legs
- Provides superior comfort and support from the 5 1/2" wide back support constructed w/ rubberized belting material, 1/4" thick foam, and lined with soft top grain leather
- The seat section consists of 3" wide cotton webbing reinforced with 1 3/4" nylon and lined with soft top grain leather
- **Not to be used for fall arrest**

Front



PART #	DESCRIPTION
1371S	1371 Small
1371M	1371 Medium
1371L	1371 Large
1371XL	1371 Extra Large

Positioning Saddles

1380 Saddle

4 dee single thick cotton back saddle



Features & Benefits

- Five accessory loops to stow gear while working aloft
- Piggy backed snap and ring assembly to keep tools accessible
- Four small dee rings to attach suspenders
- Supple coated webbing leg straps to prevent irritation to the legs
- Lightweight in design and economical without sacrificing quality. Constructed with 3" single thick cotton webbing, and reinforced with 1 3/4" nylon on the back and seat sections
- **Not to be used for fall arrest**

PART #	DESCRIPTION
1380S	1380 Small
1380M	1380 Medium
1380L	1380 Large
1380XL	1380 Extra Large

Buckingham Guidelines for Use of Saddles & Belts

- Know and follow ANSI Z-133.1.2012 regulations
- Saddle/belt dee rings and attachment points are designed for work positioning and suspension use only
- The use of fall arrest equipment is highly recommended in addition to the use of saddles and belts
- Only attach connecting devices meeting work positioning and suspension standards and regulations to saddle/belt and dee rings/attachment points
- Only work positioning connecting devices should be attached to side dee rings
- Never attach a chainsaw or rigging line to a saddle/belt dee ring or attachment point
- Positioning and suspension anchor points must support your weight plus any job related load
- Maximum load capacity for accessory hooks and rings is 25lbs (11.3 kilograms)
- Arborists shall be tied in or secured while ascending the tree and remain tied in or secured until the work is completed and they have returned to the ground
- Arborists shall use a second point attachment [work positioning lanyard or double crotched rope] when operating a chainsaw in a tree

WARNING: SIDE DEE RINGS ARE NOT INTENDED FOR FALL ARREST

1381 Saddle

Single thick cotton back available with 1 3/4" grommeted leg straps or none



Front



Back

Features & Benefits

- Lightweight and economical in design
- Accessory snap and 1 3/4" steel ring
- Constructed of 3" single thick cotton webbing
- Reinforced with 1 3/4" nylon on back and seat sections
- **Not to be used for fall arrest**
- 1381 saddle includes no leg straps
- 1383 saddle includes 1 3/4" grommeted leg straps

PART #	DESCRIPTION
1381S	1381 Small
1381M	1381 Medium
1381L	1381 Large
1381XL	1381 Extra Large

PART #	DESCRIPTION
1383S	1383 Small
1383M	1383 Medium
1383L	1383 Large
1383XL	1383 Extra Large

1383 Saddle



Front



Back



1379 Saddle

Floating dee double thick cotton back saddle



Back



Front

Features & Benefits

- Floating dee provides easy maneuverability
- Double thick cotton webbing
- Reinforced with 1 3/4" nylon on back and seat sections
- Features a 1 3/4" steel ring and accessory loop
- **Not to be used for fall arrest**
- 1 3/4" grommated leather lined leg straps

PART #	DESCRIPTION
1379S	1379 Small
1379M	1379 Medium
1379LG	1379 Large
1379XL	1379 Extra Large

1373 Saddle

Floating dee padded wide back saddle



Back



Front

Features & Benefits

- Back support is 5 1/2" wide, constructed of rubberized belting material, 1/4" thick foam and lined with soft top grain leather
- Seat section consists of 3" wide cotton webbing reinforced with 1 3/4" nylon and lined with soft leather
- Floating dee ring
- Comes standard with a 1 3/4" steel ring and accessory snap
- **Not to be used for fall arrest**
- 1 3/4" leather lined grommet leg straps

PART #	DESCRIPTION
1373S	1373 Small
1373M	1373 Medium
1373L	1373 Large
1373XL	1373 Extra Large

16906 Ergovation® Saddle

Developed with the insight of a Doctor of Physical Therapy



Front



Back

Features & Benefits

- Fully modular design for customized fit and comfort
- Ergonomic back pad with customizable lumbar support that contours the pelvis and supports the lower back
- Closed cell foam construction and ability to remove and wash padding for improved hygiene
- Load distributing design to decrease pressure on pelvis
- Increased padding in pelvis and hip region
- Adjustable work positioning dee rings for comfortable and customized placement by user
- Waist tensioner for improved fit and abdominal stability
- Enhanced close cell foam padding along pelvic rim
- Load distributing polymers along pelvic region below work positioning dee ring area
- Aluminum work positioning dee rings for increased comfort and decreased weight
- Articulating suspension point
- Load distributing tie in point with multiple tie in options and adjustable bridge
- Aluminum quick connect waist buckle
- Aluminum quick connect leg strap buckle
- 2:1 waist adjustment friction buckle
- 1 3/4" elastic webbing keepers
- Adjustable suspension point for customizable balance
- Interchangeable lower suspension assembly
- Hook and loop load bearing webbing
- Carabiner attachment loop for chainsaw or retro harness attachment
- Rear attachment buckle for retro harness attachment
- Rated for up to 310 lbs
- **Not to be used for fall arrest**
- Ergonomically designed leg pads

PART #	DESCRIPTION
16906S	16906 Small
16906M	16906 Medium
16906L	16906 Large
16906XL	16906 Extra Large



Positioning Saddles

16905W1 Buckcat Saddle

Lightweight saddle that offers the perfect combination of comfort, adjustability, versatility and safety



Front



Back




Features & Benefits

- Full adjustability at the sides, waist and legs to obtain a custom fit.
- Ability to change the length of suspension bridge with a bridge adjustment strap
- Ability to replace the suspension bridge.
- 7" wide back pad with 3/4" foam to conform to the back for a comfortable fit.
- Features moisture wicking Dri-lex for comfortable and cool performance, work positioning dee rings, 2 Accessory loops, Spring loaded friction buckles, web loops with accessory ring and snaphook and 3 Accessory rings for attaching first aid kits or ditty bags
- Warp speed suspension bridge contains rubber bumpers
- Clear plastic covered accessory loops last longer by preventing wear and tear
- Rings for attaching suspenders and center loops for attaching retrofit suspenders (sold separately)
- Weighs 5.45 lbs.
- **Not to be used for fall arrest**
- 4" wide leg pads with easy on, easy off Quick Connect buckles with the same 3/4" foam for conformity and comfort.

PART #	DESCRIPTION
16905W1S	16905W1 Small
16905W1M	16905W1 Medium
16905W1L	16905W1 Large
16905W1XL	16905W1 Extra Large

16905W1 BUCKCAT

- Full adjustability at the sides, waist and legs to obtain a custom fit
- Moisture wicking Dri-lex for a comfortable and cool performance
- Ability to change the length of or replace the suspension bridge
- 7" wide back pad with 3/4" foam for a comfortable fit
- 4" wide leg pads with the same 3/4" foam



Functional Components:

- A. Work Positioning Dee Rings
- B. Suspension Bridge Adjustment Strap Retaining Loop
- C. Quick Connect Buckles
- D. Suspension Warp Speed Bridge
- E. Rubber Bumpers
- F. Leg Strap Connectors
- G. Elastic Keeper
- H. Aluminum Rings
- I. Accessory Loops [2]
- J. Web Loops with Accessory Ring & Snaphook
- K. Suspender Rings
- L. Suspension Bridge Adjustment Strap
- M. Spring Loaded Friction Buckles
- N. Accessory Rings [3]*
- O. Leg Pads

* Accessories like: First Aid Kits, or Ditty Bags

16903W1 Glide Lite Saddle

Emphasizes safety, versatility and comfort with the added benefit of reduced weight



Features & Benefits

- A suspension bridge with aluminum 'O' ring for improved lateral movement.
- Lighter back pad with wider webbing that disperses support across the entire pad.
- Aluminum Quick Connect Buckles for waist strap closure and leg strap buckles.
- Medium Dee rings satisfy both the Arborists partial to large Dee rings and those preferring small Dee rings.
- Accessory ring and snap and three accessory loops.
- Two accessory rings for storage and blood stopper pouches.
- Modular design is fully adjustable at the sides, waist, and legs to provide ease of use, comfort, adjustability, versatility, and safety
- Medium dee rings
- Ability to change the length and type of suspension strap, attach a full body harness and replace worn parts
- **Not to be used for fall arrest**
- Improved leg pads



Front



Back



PART #	DESCRIPTION
16903W1S	16903W1 Small
16903W1M	16903W1 Medium
16903W1L	16903W1 Large
16903W1XL	16903W1 Extra Large

Combination Ditty/First Aid Bag

Convenient design features a roomy ditty bag w/ a compact first aid bag attached to the front



Features & Benefits

- 630-denier black nylon ditty bag features three snaps on the back for attachment to Weaver positioning saddles or saddle of your choice
- Elastic top provides easy access to small tools, short throw lines, gloves and other personal items
- Hole at bottom offers easy clean-out and is reinforced with a grommet
- The 1,000-denier red polyester first aid bag attached to the front features flaps that help protect contents from the elements
- Measures 9"W x 9"H x 5"D w/ a 4"W x 5-1/2"D first aid bag

PART #0807134

First Aid Kit

Keep first aid necessities close at hand with this convenient first aid bag



Features & Benefits

- Handy 1,000 denier polyester bag measures 4"W x 5-1/2"H x 1-1/2"D
- Attaches to middle back of saddle with a nickel plated snap

PART #0807170

Blood Stopper Dressing

Multipurpose wound and trauma dressing is a must-have addition



Features & Benefits

- Can be used as a pressure pad for heavy bleeding, a protective dressing for superficial wounds, a burn dressing with a special wound protecting surface and a temporary support dressing
- Each pack contains one pad (5.6" x 9.2") and two disposable elastic bandages (4" x 3.3 yards)

PART #0807169

Nylon and Elastic Suspenders

Attach to dees on select saddles



Features & Benefits

- Feature nickel plated snaps and black plastic sliders for convenient attachment and adjustment
- **Not to be used for fall arrest**
- Removeable and adjustable these 2" suspenders offer extra give and help distribute the weight of saws, scabbards and other saddle accessories



PART #	DESCRIPTION
0898121	Nylon
0898122	Elastic

Tool Holsters

Slip onto belt to keep tools handy



Features & Benefits

- Constructed of durable polypropylene with loop for attachment to belt
- 0897230 features a chap leather file holder and a 2" wide pocket that holds the chain saw wrench
- 0897231 features 3" wide pocket for holding large or small wedge and two chap leather holders
- 0897235 features a 3-1/2" wide pocket for holding wedges and 2" wide pockets on the sides



PART #	DESCRIPTION
0897230	Left
0897231	Middle
0897235	Right

Combination Accessory Tool Belt Loops

Available in adjustable and non-adjustable styles, and offer the flexibility of both a ring and a snap



Features & Benefits

- Double box-stitched 1" nylon webbing tool belt loop easily slides or buckles over belt and features a 3-1/4" long chrome brass 200 snap and a 2" nickel plated ring attached w/ 3/4" nylon loops
- Heat-sealed ends help prevent fraying
- Adjustable option features a nickel plated slide buckle, making it easy to get the right length
- Adjustable option is 12" long at its longest length; non-adjustable option measure 10-1/4"



PART #	DESCRIPTION
0898240	Adjustable
0898241	Non-Adjustable

Tear Away Bungee Chainsaw Lanyard

Tear away chainsaw lanyard with built-in bungee designed for safety and convenience



Features & Benefits

- 1-3/4" ring used to suspend when not in use
- Elastic bungee designed for safety and convenience and fully extends to 48"
- Tear away safety pack activates when 200 lbs. of force is applied
- 25Y12-48A has 1-1/8" steel ring attached at saddle end, 25Y13-48A has #2 bronze snap attached at saddle end
- Attaches lanyard to saddle
- **Not to be used with saws exceeding 15 lbs. in weight**

48" w/ 1-1/8" steel ring

25Y12-48A

48" w/ #2 bronze snap

25Y13-48A

PART #	DESCRIPTION
25Y12-48A	48" Stretch Length w/ 1-1/8" Steel Ring at Saddle End
25Y13-48A	48" Stretch Length w/ #2 Bronze Snap at Saddle End

Bungee Chain Saw Straps

Bungee design easily stretches when you're using saw and retracts when hanging close to your saddle or belt



0898225



0898226



0898227



Features & Benefits

- These 1-3/16" wide double box-stitched nylon webbing straps with 1" elastic easily adjust by attaching the rings to a snap on a saddle or belt
- Heat-sealed ends help prevent fraying
- A half twist in the loop end helps keep equipment hanging straight
- The ring and 225 snap style is 30" at rest and 45-1/2" long when fully extended
- The two ring style is 33-1/2" at rest and 48" long when fully extended
- The one ring style is 31-1/2" at rest and 44" long when fully extended
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snap is 4-1/4" long
- **Not intended for breakaway**

PART #	DESCRIPTION
0898225	With Ring and 225 Snap
0898226	With Two Rings
0898227	With One Ring

Chain Saw Straps

Nylon straps with a half twist help keep equipment hanging straight

Features & Benefits

- Constructed of 1" wide double box-stitched nylon webbing w/ heat-sealed ends to prevent fraying
- Available in 3 lengths; 10" with ring, 13" with ring and 15" with 225 snap
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snaps are 4-1/4" long

0898211
15" w/ 225 snap

0898212
10" w/ ring

0898213
13" w/ ring



PART #	COLOR	DESCRIPTION
0898211	Orange	15" With 225 Snap
0898212	Orange	10" With Ring
0898213	Red	13" With Ring

Adjustable Chain Saw Straps

Convenient adjustable design is available in three popular styles

Features & Benefits

- These 1" wide double box-stitched nylon webbing straps easily adjust by attaching the rings to a snap on a saddle or belt
- Heat-sealed ends prevent fraying
- A half twist in the loop end helps keep equipment hanging straight
- Available in three styles: 49" (overall length including hardware) w/ ring and 225 snap, 49" (overall length including hardware) w/ two rings and a 47" (overall length of strap) w/ one ring
- The 47" strap is ideal for use with a carabiner (not included)
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snap is 4-1/4" long

0898221
49" w/ one ring

0898220
49" w/ two rings

0898219
49" w/ 225 snap



PART #	COLOR	DESCRIPTION
0898219	Orange	49" w/ Ring and 225 Snap
0898220	Yellow	49" w/ Two Rings
0898221	Red	47" w/ One Ring

Breakaway Chain Saw Lanyard

Breakaway Chain Saw Lanyard constructed from kernmantle rope



Features & Benefits

- 42" in length
- 5" loop and brass swivel snap
- Breakaway design
- Constructed from kernmantle rope

PART # LYB-08Y-42



Universal 3 Dee Saddle w/ Tongue Leg Buckles

Easy functional design combined w/ the economy of one size fits most



Elk River, Inc.
Personal Fall Protection

Features & Benefits

- Three steel D-rings: 1 positioned in the back of the harness and the other 2 are one positioned at each hip
- Parachute mating buckle on each chest strap
- Tongue buckles on each leg strap
- Shoulder strap adjusters
- Fall indicators
- Lanyard parks
- Constructed from polyester and nylon
- One size fits most (M-2XL)

PART # 42359

Universal 1 Dee Saddle w/ Tongue Leg Buckles

Versatile and useful universal fit harness



Elk River, Inc.
Personal Fall Protection

Features & Benefits

- Three steel D-rings: 1 positioned in the back of the harness and the other 2 are one positioned at each hip
- Parachute mating buckle on each chest strap
- Tongue buckles on each leg strap
- Shoulder strap adjusters
- Fall indicators
- Lanyard parks
- Constructed from polyester and nylon
- One size fits most (M-2XL)

PART # 42159

Universal 1 Dee Harness w/ Parachute Leg Buckles

Freedom of movement w/ one floating dee



Features & Benefits

- Three steel D-rings: 1 positioned in the back of the harness and the other 2 are one positioned at each hip
- Parachute mating buckle on each chest strap
- Parachute buckles on each leg strap
- Shoulder strap adjusters
- Fall indicators
- Lanyard parks
- Constructed from polyester and nylon
- One size fits most (M-2XL)

PART #42109

Elk River, Inc.
Personal Fall Protection

Flex-NoPac® Energy-Absorbing Web Lanyard

Single leg energy-absorbing lanyard constructed with polyester web



Features & Benefits

- 1-1/2" wide strap by 6' length
- Z-snaphook auto locking 3.6M gate, fall rated snap hook on each end
- Stretches 4.5' to 6'

PART #35427

Elk River, Inc.
Personal Fall Protection

Roofer Protection Kit

Universal harness and other items store conveniently in included bucket



Features & Benefits

- CP+™ 48103 one D-ring harness
- 5/8" x 50' CP+™ Lifeline with attached rope grab and attached 2' ZORBER® web lanyard with auto locking Zsnaphook
- Reusable roof anchor with fasteners
- Storage bucket included
- Certified ANSI/CSA
- One size fits most S-XL

PART #05100

 **Elk River, Inc.**
Personal Fall Protection



Portable Anchor Connector

Reusable roof anchor with screws

Features & Benefits

- Includes Fasteners - 32 #9x2" woodgrip screws
- Hinged at D-ring for variable roof pitch applications or flat installation
- Dimensions: 14-1/6" x 3"
- Reusable
- Minimum breaking load: 5000 lbs.
- Meets or exceeds current OSHA regulations, ANSI Z359.1-2007 and CSA Z259.12

PART #13053



 **Elk River, Inc.**
Personal Fall Protection