



LANYARDS

*Positioning
Prusik Cords
Steel Core Fliplines*

Two-in-One Adjustable Lanyard

Two-in-one safety lanyard made of 1/2" diameter 3-strand polyester



Features & Benefits

- Each Runner is equipped with a double locking safety snap hook. These runners are rated at 5,000 lbs and are all 100% proof load tested.
- 3-Strand White Polyester Rope with fast eye
- 10' plus 20" Prusik Runner
- 1/2" (13mm) Diameter

PART # LYT1610

Two-in-One Adjustable Lanyard

1/2" diameter 3-strand polyester two-in-one safety lanyard



Features & Benefits

- 1-9" adjustable three strand lanyard ABS
- 1/2" diameter
- 20" prusik runner
- Locking aluminum snaps

PART # 75208

Adjustable Lanyards

Adjustable Safety Lanyards

Constructed from three strand polyester or double braided polyester/nylon composite



Features & Benefits

- Forged alloy steel, double locking safety snap hooks tested and rated at 23kN (5,000 lbs)
- 1/2" diameter 4'-7' length
- Hand spliced eyes
- Shrink tubing forms tapered cover over tails
- LYT1607 constructed from white three strand twisted polyester rope
- LYB1607 constructed from double braided composite polyester/nylon

PART #	DESCRIPTION
LYT1607	1/2" D x 4'-7' L Three Strand Construction
LYB1607	1/2" D x 4'-7' L Double Braid Construction

Adjustable Positioning Lanyards

Adjustable web lanyard with CenturionZ snaphooks



Features & Benefits

- Locking snaphooks on both ends
- Constructed from Nylon web material
- CenturionZ, Z-snaphook on each end with 3.6M Gate
- Positioning, adjustable
- 29506 is 1" wide by 6' long; 29510 is 1" wide by 10' long

PART #	DESCRIPTION
29506	1" x 6' w/ CenturionZ Snaphooks on each end 3.6M Gate
29510	1" x 10' w/ CenturionZ Snaphooks on each end 3.6M Gate

Steel Snap Prusik

20" prusik line with double locking steel snap



Features & Benefits

- 1/2" x 20" prusik rope
- 3 strand polyester rope
- Double locking steel snap

PART # 75130

Aluminum Snap Prusik

20" prusik line with double locking aluminum snap



Features & Benefits

- 1/2" x 20" prusik rope
- 3 strand polyester
- Double locking aluminum snap

PART # 75148

Carabiner Prusik

20" prusik line with triple locking HMS carabiner



Features & Benefits

- 1/2" x 20" prusik rope
- 3 strand polyester
- HMS triple locking carabiner


PART # 75150

Eye to Eye Sewn Prusiks

Perfect for the high friction professional or the fast action recreational arborist

Features & Benefits

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant
- Available in lengths of 30" to 34"



PART #	DESCRIPTION
36521	5/16" x 30"
36522	5/16" x 32"
36523	5/16" x 34"
36541	3/8" x 30"
36542	3/8" x 32"
36543	3/8" x 34"

Spider 
MANUFACTURING / USA

Sliced Loop Prusiks

Used for systems requiring high friction with high speed

Features & Benefits

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant
- Available in lengths of 30" to 34"



PART #	DESCRIPTION
36560	5/16" x 30"
36561	5/16" x 32"
36562	5/16" x 34"
36570	3/8" x 30"
36571	3/8" x 32"
36572	3/8" x 34"

Spider 
MANUFACTURING / USA

Spliced Beeline

5/16" eye to eye prusik



Features & Benefits

- 5/16" vectran core with technora and polyester blend
- 900 degree melting point
- Spliced and hand sewn finished
- 5,000 lbs tensile strength

PART #	DESCRIPTION
ABR4202	5/16" x 30"
ABR4203	5/16" x 32"

Eye to Eye Beeline Prusik Cords

Beeline prusick cord with a machine sewn eye on each tail



Features & Benefits

- 5/16" diameter
- Tough kernmantle technora jacket over polyester core
- Heat and abrasion resistant
- Eye to eye tails with two machine-sewn eyes
- 6,000 lbs tensile strength

PART #	DESCRIPTION
EE28	5/16" x 28"
EE30	5/16" x 30"
EE32	5/16" x 32"

Prusik Runner with Locking Snap


Equipped with a double-locking safety snap



Features & Benefits

- 1/2" x 20"
- 3 strand twisted white polyester
- Double locking safety snap hook
- 100% proof load tested
- 5,000 lbs tensile strength

PART # PRT16020



Split Tails

Double Braid Split Tails

Smooth running rope ensures fewer snags and minimal abrasion



Features & Benefits

- 16-strand double ply braid with a polyester cover and a non-rotational nylon core
- Comes in 5' lengths with 1" tight eye or 5" soft eye splice in one end
- Available in blue/white or orange/white

PART #	EYE SIZE	DIA.	TENSILE STRENGTH	LENGTH	COLOR
1601T	1"	1/2"	8,260	5'	Blue/White
1601SE	5"	1/2"	8,260	5'	Blue/White
1605T	1"	1/2"	8,260	5'	Orange/White
1605SE	5"	1/2"	8,260	5'	Orange/White

PELICAN ROPE
The Most Trusted Name in Rope®

Technora Split Tail

This light weight split tail makes an excellent choice for any professional or recreational arborist



Features & Benefits

- Constructed with a Technora outer sheath which is chemical, flame and wear resistant
- Light Weight
- Perfect for 2 piece hitch systems
- 3/8" diameter by 5' length

PART #36650

Spyder 
MANUFACTURING / USA

Steel Core Lanyard Kit

Wire core lanyard kits with steel swivel snap



Features & Benefits

- Kit contains
 - 1 wire core lanyard
 - 1 fixed pin rope grab
 - 1 HMS triple lock carabiner
 - 1 steel swivel snap
- Kit comes assembled
- Made in USA
- **Not for use around electric lines**

PART #	DESCRIPTION
75221	1/2" x 8'
75222	1/2" x 10'
75223	1/2" x 12'
75224	1/2" x 15'
75241	5/8" x 8'
75242	5/8" x 10'
75243	5/8" x 12'
75244	5/8" x 15'

Wire Core Lanyard Kit

Wire core lanyard kits with aluminum swivel snap



Features & Benefits

- Kit contains
 - 1 wire core lanyard
 - 1 fixed pin rope grab
 - 1 HMS triple lock carabiner
 - 1 aluminum swivel snap
- Kit comes assembled
- Made in USA
- **Not for use around electric lines**

PART #	DESCRIPTION
75191	1/2" x 8'
75192	1/2" x 10'
75193	1/2" x 12'
75194	1/2" x 15'

Steel Core Flipline

Wire core lanyard kits with double locking swivel snap



Features & Benefits

- 16-strand polyester composite over a galvanized steel aircraft cable
- Galvanized thimbles at each end with a double-locking swivel snap at one end
- High visibility orange
- 1/2" lanyard can be used with Gibbs G3 series, CMI ropewalker and Climb Rite 85528 or 85568
- 5/8" lanyards can be used with Gibbs G4 series, CMI ropewalker and Climb Right 85528
- **Not for use around electric lines**

PART #	DESCRIPTION
FLS1608	1/2" x 8'
FLS1610	1/2" x 10'
FLS1612	1/2" x 12'
FLS588	5/8" x 8'
FLS5810	5/8" x 10'
FLS5812	5/8" x 12'
FLS5818	5/8" x 18'

Polyester Core Flipline

16 strand polyester core lanyard kits with steel snap



Features & Benefits

- 16-strand polyester double braid
- Double locking forged steel snap on one end
- Hand spliced thimble eye on other end
- Safety snap rated 5,000 lbs tensile strength
- 1/2" rope lanyard can be used with Gibbs G3 series, CMI ropewalker and Climb Right 85528 or 85568

PART #	DESCRIPTION
FL1608	1/2" x 8'
FL1610	1/2" x 10'
FL1612	1/2" x 12'



The advent of the modern split-tail system introduced the use of one- and two-eye climbing tails. Shown below are various popular hitches that are used for one- and two-eye tails.

One-Eye Hitches



Tautline Hitch



Prusik Hitch



English Prusik Hitch



Blakes Hitch

Two-Eye Hitches

Two-eye tails, or eye-and-eye tails can be made from single-end Tenex, Ice Tail, Bail Out or Prusik Cord.



Distel Hitch



Schwabisch Hitch



Valdôtain Hitch

This system offers the climber the benefits of having both ends attached to the saddle in addition to a balanced hitch that cannot roll out