

# COMPACT TRACTORS

WORKMASTER™ SUB-COMPACT 25S

WORKMASTER™ COMPACT 25 | 35 | 40

BOOMER™ COMPACT 35 | 40 | 45 | 50 | 55



# Performance-packed compacts.

Whether you're a homeowner with acreage to maintain, a sundowner with livestock to tend to, a landscaper with a business to run, or someone in between, there's a New Holland **WORKMASTER™** or **Boomer™ compact tractor** that's right for you. Ranging from 24.7 to 55 gross horsepower, these tractors have a wide array of options to choose from, like hydrostatic or gear transmissions or a cab or ROPS platform. A variety of helpful attachments like front loaders, mid-mount mowers, and backhoes are available to help you cross your to-do list off quicker.



## Why choose a New Holland compact tractor?

**Ergonomic controls.** All models provide clutter-free operating platforms and cabs without the need to squeeze between controls, which means entry and exit is easy. Once in the adjustable seat, you'll find controls in natural locations for comfortable and simple operation.

**Simple maintenance plus added peace of mind.** All models let you check engine oil without raising the hood. However, if you need to, all hoods open effortlessly in one piece without the need to remove panels or the loader. For added peace of mind, no matter which model you choose, you'll be backed by the free Boomer Guard<sup>6</sup> limited warranty - 24 months or 750 hours of full coverage and an additional 48 months (72 total) or 1500 total hours of powertrain coverage.



## Your local New Holland dealer.

When you choose New Holland, you get expertise and support that not all manufacturers can provide. For New Holland, decades of experience with tractors of all sizes comes standard, especially those under fifty horsepower where our roots were formed. Trust your dealer's recommendations and knowledge on the best blue for you.



## Which tractor is right for you?

While the tractors are compact, your selection is not. That means there's a New Holland compact that's perfect for you.

### WORKMASTER™ 25S Sub-Compact

For the perfect "first step" tractor that can handle the jobs a garden or lawn tractor can't, look no further than a WORKMASTER 25S sub-compact tractor. It's ideal if your property is less than five acres and you need to mow your lawn, scoop material like mulch or gravel, clear snow from your driveway, and everything in between. A powerful engine and easy-to-use pedal-operated hydrostatic transmission come standard along with your choice of a comfortable cab or open-air ROPS platform and a host of tailor-made attachments.

### WORKMASTER™ Compact Series 25 | 35 | 40

For reliable and affordable performance in tough tasks, consider a WORKMASTER compact tractor. All models feature fuel-efficient engines, a spacious ROPS platform, and ample hydraulic flow and lift capacity to handle a wide array of attachments with ease. Effortless directional changes are made with a gear transmission with a shuttle or the pedal-operated hydrostatic transmission.

### Boomer™ Compact Series 35 | 40 | 45 | 50 | 55

Get the ultimate power tool to manage your property, tend to food plots, rotary mow pastures, and more. Boomer compact tractors offer more performance and more deluxe features. All models feature fuel-efficient engines with three more powerful models to choose from. Select between a ROPS platform or the all-weather comfort of a cab. Effortless directional changes are made with a gear transmission with a shuttle or the pedal-operated hydrostatic transmission. Do more with larger rear implements thanks to greater 3-point hitch lift capacities on the three largest models.

Model	Gross HP	PTO HP	Transmission	3-Point Hitch Lift Capacity, lbs (kg)	Operator Platform
WORKMASTER™ 25S	24.7	17.2	2-range hydrostatic	992 (450)	Cab or ROPS
WORKMASTER™ 25	24.4	19.2 (gear), 17.1 (HST)	12 x 12 gear or 3-range hydrostatic	1808 (820)	ROPS
WORKMASTER™ 35	35	29.7 (gear), 28.0 (HST)	12 x 12 gear or 3-range hydrostatic	1808 (820)	ROPS
WORKMASTER™ 40	40	34.0 (gear), 32.0 (HST)	12 x 12 gear or 3-range hydrostatic	1808 (820)	ROPS
Boomer™ 35	35	29.7 (gear), 28.0 (HST)	12 x 12 gear or 3-range hydrostatic	1808 (820)	ROPS
Boomer™ 40	40	34.0 (gear), 32.0 (HST)	12 x 12 gear or 3-range hydrostatic	1808 (820)	Cab or ROPS
Boomer™ 45	45	38.2 (gear), 36.0 (HST)	16 x 16 gear or 3-range hydrostatic	2756 (1250)	Cab or ROPS
Boomer™ 50	50	42.5 (gear), 40.0 (HST)	16 x 16 gear or 3-range hydrostatic	2756 (1250)	Cab or ROPS
Boomer™ 55	55	46.7 (gear), 44.0 (HST)	16 x 16 gear or 3-range hydrostatic	2756 (1250)	Cab or ROPS

## Small but mighty.

---

If you're searching for the perfect "first step" tractor to handle the chores that a garden tractor can't, look no further than a **WORKMASTER™ 25S sub-compact tractor**. This versatile tractor might be the smallest in the lineup, but it will tackle your yard, landscaping, gardening, and property maintenance tasks with ease. Its compact size makes it easy to operate and maneuver around obstacles. When you combine the easy-to-operate hydrostatic transmission and powerful engine with your choice of a comfortable cab or open-air ROPS platform and a wide array of attachments, even your hardest jobs will become easy.



### Rugged power

You get the power you need from the reliable, 3-cylinder engine and dual-pump hydraulic system. The steering pump provides for smooth, hydrostatic power steering and the implement pump delivers hydraulic flow to implements and to the three-point hitch that lifts and lowers rear implements like blades and rotary cutters. A rear 540-rpm PTO (power take off) allows you to power rear implements such as rotary tillers, and a 2,500-rpm mid-PTO is also standard equipment for powering a mid-mount mower, front mount snow blower or broom.

### 4WD traction and rear differential lock

Standard four-wheel drive keeps you moving in wet or irregular ground. Step on the diff lock pedal and the rear wheels work in unison to give you more traction when needed.



### Tailor-made attachments

Cross off your to-do list quicker with the right mix of tailor-made attachments for a WORKMASTER 25S. Scooping gravel, mulch, dirt, and other material? Lift your productivity with the 100LC loader. Need to mow your yard? Select the 160GMS mid-mount mower that cuts 60-inches (1524 mm) wide per pass. Digging into new projects? Dig as deep as 79.4 inches (2017 mm) with the 905GBL backhoe. The choice is yours.

# Simple to use and maintain.

Working with the **WORKMASTER™ 25S sub-compact tractor** is easy. To start, getting on and off the tractor is quick and safe. Controls are placed out of the way to avoid impeding your entry or exit and a grab rail on the fender offers an additional contact point. The platform features a rubber floor mat for added grip and noise reduction and it's flat, which means no transmission "hump" will catch your feet. You'll be at ease in the seat with its comfortable cushions, armrests, and ample adjustment settings. At a quick glance, the instrument cluster in front of the steering wheel will keep you informed, displaying engine speed, fuel level, engine temperature, hours, and indicator and warning lights. You'll also appreciate amenities like a cup holder, rugged toolbox, cruise control, and perfectly-located controls.

## Simple-to-operate hydrostatic transmission

The dual-pedal hydrostatic transmission eliminates a forward/reverse shift lever and clutching. Just press one pedal to go forward and the other to move in reverse. Two ranges make it easy to match the right speed for the job: low range for heavy-load jobs like tilling, scraping and blowing snow, and high range for transport and high-speed mowing.



## Maintain speed with cruise control

When mowing large areas, take advantage of standard cruise control to reduce fatigue and increase your productivity.

WORKMASTER™ 25S sub-compact tractors are backed by the **FREE Boomer Guard® Limited Warranty**, which provides 6 years of worry-free operation, including 2 years of "bumper-to-bumper" coverage plus an extra 4 years of powertrain protection.



Electro-hydraulic PTO engagement



Rubber floor mat





Informative instrument cluster



Deluxe comfort, high-back seat with armrests



**Easy access**

Servicing the WORKMASTER 25S is as simple as it gets, with an easy-opening hood and convenient access to all service points.

Large cup holder and power outlet



# Spacious cab keeps you comfortable.

There's so much to like about the cab on the **WORKMASTER™ 25S sub-compact tractor**. It features all the amenities of the ROPS platform—including the cushioned seat with armrests and an adjustable backrest, cup holder and automotive-style instruments—but wraps you in comfort and convenience with lots of glass, a heater, two doors, front and rear lights, and more.

## 4-post design for more visibility

Enjoy a clear view in all directions with a cab design that gives you outstanding visibility. A roomy deck area lets you stretch your legs and get comfortable.

## Two wide doors

Getting in and out of the new cab is easy, thanks to two wide doors and large grab handles.

## Maintain speed with cruise control

When mowing large areas, take advantage of standard cruise control to reduce fatigue and increase your productivity.

Windshield wiper and washer



External mirrors offer additional visibility and safety

Rear window opens for fresh air

Slow-moving vehicle emblem



Lighting package includes:

- Halogen headlights
- Front- and rear-mounted work lights
- Taillights, turn signals and flashers





Heater includes a multi-speed fan



Radio-ready with pre-wired speakers and antenna



Two, full-glass doors

Deluxe comfort, high-back seat with armrests

Large cup holder and power outlet



Rubber floor mat

## Affordable and reliable performance.

---

**WORKMASTER™ 25, 35 and 40 compact tractors** tackle tough jobs at an affordable price. The true definition of “value,” these compacts are powered by durable, fuel-efficient engines with the capability to take on a wide range of tasks. This three-model lineup offers power from 24.4 hp up to 40 hp. Proven reliability and easy handling provide exceptional performance and long, trouble-free use. All models feature a big-tractor backbone with heavy engine, transmission, and rear axle castings.



### An emissions system that's automatic

These compact tractors are environmentally friendly, meeting or exceeding the latest emissions requirements for cleaner air without the need for added fluids. The automatic system used on the WORKMASTER 35 and 40 combines internal Exhaust Gas Recirculation (EGR) and a Diesel Oxidation Catalyst (DOC) with a Diesel Particulate Filter (DPF) to achieve stringent Tier 4B emissions levels.



### Fuel-saving power

The WORKMASTER 25 comes standard with an efficient, naturally aspirated, three-cylinder engine that helps you power through the toughest tasks. The WORKMASTER 35 and 40 feature turbocharged, large-displacement, three-cylinder engines for improved power and torque and quiet operation. These engines are more fuel efficient and feature a common rail, direct-injected, electronic fuel management system.



### Engine Speed Management

For easy operation, Engine Speed Management on the WORKMASTER 35 and 40 enables constant engine speed management during PTO operations. Simply set the engine speed and return to the setting with the touch of a button.

All models are backed by the **FREE Boomer Guard<sup>6</sup> Limited Warranty**, which provides 6 years of worry-free operation, including 2 years of "bumper-to-bumper" coverage plus an extra 4 years of powertrain protection.



# All the capability and convenience to do more.

Get behind the wheel of a **WORKMASTER™ compact tractor** and you'll see why these tractors offer all the tools to accomplish more in less time. The extensive list of features will surprise you at this compact-tractor price point.

## Great looks, great view

Modern, streamlined WORKMASTER styling looks terrific and gives you enhanced visibility. New Holland's signature sloped hood, rounded fenders and sleek, powerful lights provide unsurpassed sightlines in every direction, even in low light conditions. The muffler is under the hood and out of sight. Plus the standard foldable ROPS stores quickly in low-clearance areas or when driving under overhangs.



### Simple, safe PTO

The electro-hydraulically engaged PTO is independent of the transmission, making it simple and safe to operate. A 540-RPM rear PTO and 2000-RPM mid-PTO are standard on tractors equipped with the three-range hydrostatic transmission, while the mid-PTO is an option on tractors equipped with the 12x12 Synchronized Shuttle Shift (SSS) transmission. Standard telescopic stabilizers and fixed link ends make hookup easy for three-point-mounted implements.

### Big hydraulic flow means big lifting power

High-capacity hydraulics deliver a dedicated flow and a three-point-hitch lift capacity of 1,808 pounds. This robust system allows you to handle a wide variety of implements to make the most of your working time. A separate steering pump ensures responsive steering, no matter what other hydraulic demands are made on the tractor.




### 4WD traction

Standard 4WD improves your traction in wet and slippery or rocky and rutted ground conditions. It also increases your maneuverability in tight spots. Engaging the 4WD front axle is easy with a mechanical lever. The rugged front axle is also built to stand up to the demands of regular loader use.



### The speed you need

Choose the gear transmission or the three-range hydrostatic transmission for the right speeds to do the job. The smooth-shifting 12x12 Synchronized Shuttle Shift (SSS) transmission offers the speeds you need to match your job at hand. The shuttle is conveniently located under the steering wheel, making it simple to change direction. For infinitely variable speed, choose the three-range hydrostatic transmission. Two foot pedals—one for forward, one for reverse—make it easy for you to mow, load or move snow.



# The ultimate power tool.

**Boomer™ compact tractors** help you put major power in tight spaces to handle dozens of chores year-round, like loading, digging, mowing, tilling and much more. They are the ultimate power tool for homeowners, ag lifestylers, landscapers, farmers, golf courses and municipalities.

## More power with less fuel

Turbocharged, electronically controlled, common-rail direct fuel injection increases the power, torque and fuel efficiency of Boomer engines, while complying with stringent Tier 4B emissions regulations. These quiet, clean-running engines handle the toughest jobs and save fuel.



## We've got your back with Boomer Guard<sup>6</sup>

Peace of mind comes standard with a Boomer. All models are backed by the **FREE Boomer Guard<sup>6</sup> Limited Warranty**, which provides 6 years of worry-free operation, including 2 years of "bumper-to-bumper" coverage plus an extra 4 years of powertrain protection.



Boomer™ 55



Boomer™ 35



### The power of 55 horses in a compact package

Topping off the lineup is the Boomer 55. It delivers higher horsepower — 55 gross horsepower/46.7 PTO horsepower (44 PTO hp on the hydrostatic transmission) — without additional weight for maximum performance and productivity. The higher power-to-weight ratio provides the advantage of lower ground pressure for reduced compaction and turf damage.

### A completely automatic emissions system

Boomer engines feature automatic emissions treatment systems that use a combination of internal Exhaust Gas Recirculation (EGR) and a Diesel Oxidation Catalyst (DOC) with a Diesel Particulate Filter (DPF).

### All the hydraulic power you need

The high-capacity, dual-pump hydraulic system provides fast implement response and steering. The Category I three-point hitch features telescoping stabilizers and flexible link ends for easy hookup. An open-center rear hydraulic remote valve is standard equipment, with a second available as an option. Independent, electro-hydraulic-engaged 540-rpm rear PTO and 2000-rpm mid PTO are standard on all models.



# Easy operation.

**Boomer™ compact tractors** are the very definition of ease. Intuitive operation, simple maneuverability, great visibility and peace of mind give these tractors a proven advantage.

## Ergonomic controls

Boomer controls are positioned for natural, intuitive control, so you can work efficiently without fatigue. The Boomer seat and steering wheel adjust to match every operator. The large, uncluttered operating area provides plenty of legroom and easy entry and exit. Controls are color-coded and clearly marked so you are confident of your every move. For supreme comfort and protection from the weather, opt for a Boomer model equipped with a factory-installed cab. It's available on Boomer 40/45/50/55 and features complete climate control, cloth seat and more.



## Convenient SSS transmissions

The 12x12 synchronized shuttle shift (SSS) transmission (Boomer 35/40) and a 16x16 SSS transmission (Boomer 45/50/55) make it easy to find a speed for any task. The shuttle lever located to the left of the steering wheel makes it easy to move between forward and reverse gears. Simply clutch, then move the shuttle lever to change direction.





### Clutch-free hydrostatic transmission with cruise control

Choose the 3-range hydrostatic transmission and the standard cruise control feature for even easier operation. You make direction changes with two pedals —one for forward and one for reverse. There's no clutching or hand shifting required. Cruise control provides even more convenience.



### The best view at any hour

Operating in the early or late hours of the day? Standard lights illuminate your work area on both front and side to make you more productive and safe.



### Constant engine speed made easy

Engine Speed Management lets you set, save, and recall an engine speed with the push of a button. By maintaining a constant engine speed, work with PTO-operated implements becomes easier. Typically found on larger New Holland tractors, this feature is now standard on Boomer compact tractors.

## All-weather comfort in any season.

For supreme comfort and protection from the elements, choose a factory-installed cab on **Boomer™ 40, 45, 50, and 55 compact tractors**. The climate control system provides air conditioning to keep you cool in the summer and heat to keep you warm in the winter. Even better, premium features come standard, including:

- Comfortable cloth seat with weight control, easy fore/aft movement and adjustable armrests
- Controls located conveniently on the right
- Cab-mounted worklights on both front and rear
- Interior rearview mirror
- Interior light
- Exterior mirrors
- 12-volt interior power outlet
- 85-amp alternator
- Radio-ready with speakers, wiring and external antenna
- Larger 12.4-gallon (47 L) fuel tank located under the cab
- Easy-access exterior filters



Retractable sun shade



Operating information at a glance



Adjustable climate control



Side and rear windows open



Comfortable cloth seat



### A superior vantage point

You won't sacrifice visibility when you choose in-cab comfort. Glass surrounds you and extends from floor to ceiling at the front and through the two doors at the side to provide excellent visibility. A front wiper and washer, a retractable sun shade, and front and rear work lights are standard. A rear window wiper/washer is optional, as are rear cab-roof-mounted work lights and a safety beacon.

# Custom-engineered loaders.

---

## Signature curved boom performance

New Holland's signature curved loader boom matches the sleek, sloped hood of your WORKMASTER™ or Boomer™ tractor for excellent sightlines to the bucket or attachment. The design also provides for better stress distribution under heavy loads.

## Easy on, easy off

Move quickly between jobs. The New Holland Quick Mount system makes it easy to attach or remove the loader fast — no tools needed. Optional skid steer quick attach plates are available for easy bucket/attachment changes on most models.





WORKMASTER™ 25S &amp; 100LC loader



Boomer™ 55 &amp; 260TLA Loader

Front loader model		100LC	200LC	140TL
<b>WORKMASTER™ models</b>		<b>25S</b>	<b>25</b>	<b>35/40</b>
Lift capacity (500 mm forward, max height)	lbs. (kg)	693 (314)	1214 (551)	1100 (499)
Lift capacity (bucket pivot pin, max height)	lbs. (kg)	1005 (456)	1600 (726)	1500 (680)
Breakout force (500 mm forward)	lbs. (kg)	1426 (647)	1926 (874)	1900 (862)
Breakout force (bucket pivot pin)	lbs. (kg)	2078 (943)	2637 (1196)	2,700 (1225)
Max lift height (to bucket pivot pin)	in. (mm)	72 (1829)	94.3 (2395)	91.5 (2324)
Max dump angle	degree	46	51	48
Bucket roll back angle	degree	28	41	30.4
Cycle times				
Raising time	seconds	3.6	3.1	3.8
Lowering time	seconds	2.1	2.0	1.7
Bucket dump time	seconds	2.3	1.7	2.2
Bucket roll back time	seconds	1.5	2.7	1.7

Front loader model		250TLA	260TLA
<b>Boomer™ models</b>		<b>35/40</b>	<b>45/50/55</b>
Lift capacity (500 mm forward, max height)	lbs. (kg)	1354 (614)	1849 (839)
Lift capacity (bucket pivot pin, max height)	lbs. (kg)	1822 (826)	2371 (1076)
Breakout force (500 mm forward)	lbs. (kg)	2444 (1109)	3191 (1447)
Breakout force (bucket pivot pin)	lbs. (kg)	3257 (1477)	4081 (1851)
Max lift height (to bucket pivot pin)	in. (mm)	104 (2642)	109 (2769)
Max dump angle	degree	48	56
Bucket roll back angle	degree	30	28
Cycle times			
Raising time	seconds	3.8	3.8
Lowering time	seconds	2.0	2.0
Bucket dump time	seconds	3.5	3.5
Bucket roll back time	seconds	2.2	2.2

**NOTE:** The loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

# Do-it-all versatility.

New Holland provides a wide selection of attachments to fit your **WORKMASTER™** or **Boomer™** compact tractor.

- 1. Rotary cutters** shred weeds and brush quickly. Choose from light-, medium- and heavy-duty models with cutting widths up to 96 inches (2438 mm).
- 2. Landscape rakes** are designed to prepare seedbeds, level roadways and shoulders or collect debris. Work EZ landscape rakes give you exceptional performance and durability at an affordable price.
- 3. Work EZ disc harrows** combine heavy weight with durable notched blades to cut and turn soil with ease and level and smooth food plots to prepare for seeding.
- 4. Utility backhoes** give you durable digging power you can put to work in tight spaces — perfect for builders, contractors, plumbers, landscapers or anyone who needs to dig.
- 5. Mid-mount finish mowers** turn your tractor into a precision mowing machine that's easy to maneuver around trees, plants and obstacles for a beautiful yard, park, campus or business.



**6. Work EZ rear blades** are the perfect tool for landscape grading, seedbed preparation, manure clean-up, spreading material and even snow removal. Choose from nine models with working widths ranging from 5 to 9 feet (1.5 to 2.7 m).

**7. Work EZ box blades** can rip, level, grade, and backfill around your property or worksite. Eight models range from 4 to 8 feet (1.2 to 2.4 m) wide.

**Add the optional common subframe to drive these front-mounted implements:**

**8. Front-mount blades** grade a path, move materials or clear snow in winter.

**9. Front-mount rotary brooms** sweep leaves, clippings and snow from paved areas.

**10. Front-mount snow blowers** clear up to 72 inches (1829 mm) of snow with each pass.



Compatibility Chart	WORKMASTER™ SERIES				BOOMER™ SERIES								
	25S	25S Cab	25	35/40	35	40	40 Cab	45	45 Cab	50	50 Cab	55	55 Cab
<b>Loaders</b>													
100LC	•	•											
200LC			•										
140TLA2				•									
250TLA2					•	•	•						
260TLA2								•	•	•	•	•	•
<b>Utility Backhoes</b>													
905GBL	•												
910GBL			•										
925GHB				•	•	•	•	•	•	•	•	•	•
935GHB					•	•	•	•	•	•	•	•	•
<b>Front-Mount Snow Blowers</b>													
50RSHB	•	•											
63CSBA			•	•	•	•	•	•	•	•	•	•	•
74SCHA				•	•	•	•	•	•	•	•	•	•
<b>Front-Mount Rotary Brooms</b>													
60COBB	•	•											
72COBB			•	•	•	•	•	•	•	•	•	•	•
<b>Front-Mount Blades</b>													
60RBHB	•	•											
72CHB			•	•	•	•	•	•	•	•	•	•	•
<b>Mid-Mount Finish Mowers</b>													
160GMS	•	•											
266BMM				•	•	•							
372GMS								•		•		•	
<b>Rear-Mount Finish Mowers</b>													
310GM (60 inch)	•	•	•	•	•	•	•	•	•	•	•	•	•
320GM (72 inch)			•	•	•	•	•	•	•	•	•	•	•
330GM (90 inch)								•	•	•	•	•	•
<b>Value Rotary Cutters</b>													
714GC	•	•											
716GC			•	•	•	•	•	•	•	•	•	•	•
717GC			•	•	•	•	•	•	•	•	•	•	•
<b>Medium-Duty Rotary Cutters</b>													
736GC	•	•	•	•	•	•	•	•	•	•	•	•	•
737GC								•	•	•	•	•	•
738GC									•	•	•	•	•
<b>Heavy-Duty Rotary Cutters</b>													
757GC								•	•	•	•	•	•
758GC								•	•	•	•	•	•



Compatibility Chart	WORKMASTER™ SERIES				BOOMER™ SERIES								
	25S	25S Cab	25	35/40	35	40	40 Cab	45	45 Cab	50	50 Cab	55	55 Cab
<b>Work EZ Box Blades</b>													
EZ48BL	●	●											
EZ60BL	●	●											
EZ60BM			●	●	●	●	●	●	●	●	●	●	●
EZ72BM			●	●	●	●	●	●	●	●	●	●	●
EZ84BM										●	●	●	●
<b>Medium-Duty Rear Blades</b>													
EZ60SM	●	●	●	●	●	●	●	●	●	●	●	●	●
EZ72SM	●	●	●	●	●	●	●	●	●	●	●	●	●
EZ84SM										●	●	●	●
<b>Heavy-Duty Rear Blades</b>													
84SH										●	●	●	●
96SH												●	●
<b>Disc Harrows</b>													
Work EZ 78DC	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Landscape Rake</b>													
72LR	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Work EZ Hay Spears</b>													
Single Bale Quick Attach			●	●	●	●	●	●	●	●	●	●	●
Double Bale Quick Attach			●	●	●	●	●	●	●	●	●	●	●
<b>Work EZ Bale Carriers</b>													
Bale Carrier			●	●	●	●	●	●	●	●	●	●	●
Bale Spear			●	●	●	●	●	●	●	●	●	●	●



		WORKMASTER™ SERIES			
MODEL		25S/25S CAB	25	35	40
<b>Engine</b>					
Emissions level		T4B Final	T4B Final	T4B Final	T4B Final
Gross horsepower	hp (kW)	24.7 (18.4)	24.4 (18.2)	35 (26.1)	40 (29.2)
Rated speed	rpm	3000	2500	2600	2600
No. of cylinders		3	3	3	3
Aspiration		Natural	Natural	Turbo	Turbo
Displacement	cu.in. (L)	77.3 (1.26)	80.4 (1.3)	114.7 (1.9)	114.7 (1.9)
Alternator	amps	50	50	70	70
Fuel tank	gal. (L)	6.6 (25)	7.4 (28)	7.4 (28)	7.4 (28)
<b>PTO</b>					
PTO horsepower	hp (kW)	17.2 (12.8)	19.2 (14.3) Gear 17.1 (12.8) HST	29.7 (22.1) Gear / 28.0 (20.9) HST	34.0 (25.4) Gear / 32.0 (23.9) HST
PTO speed	rpm	540	540	540	540
PTO type		Independent electro-hydraulic engagement			
Mid-PTO		●	Standard on HST / Optional on Gear		
Mid-PTO speed	rpm	2500	2000	2000	2000
<b>Transmission</b>					
Gear transmission		—	12x12 Gear	12x12 Gear	12x12 Gear
Hydrostatic transmission		2-Range Hydrostatic / Dual Pedal		3-Range Hydrostatic / Dual Pedal	
Maximum forward speed	mph (kph)	9.1 (14.7)	13.8 (22.2) Gear 15.3 (24.7) HST	14.2 (22.9) Gear / 14.8 (23.9) HST	
Cruise control		Standard HST	Standard HST	Standard HST	Standard HST
Gear/shuttle type		Synchro	Synchro	Synchro	Synchro
Rear diff-lock engagement		Mechanical	Mechanical	Mechanical	Mechanical
Brake type		Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc
<b>Hydraulics &amp; 3-point</b>					
Implement hydraulic flow	gpm (lpm)	4.6 (17.4)	7.9 (30)	8.2 (31)	8.2 (31)
Steering hydraulic flow	gpm (lpm)	2.1 (8)	4.6 (17.5) Gear 4.6 (17.5) HST	4.2 (15.9) Gear / 5.3 (19.9) HST	
Total flow	gpm (lpm)	6.7 (25.4)	12.5 (47.5) Gear 12.5 (47.5) HST	12.4 (46.8) Gear / 13.5 (50.8) HST	
Remote valves		1 Opt.	1 or 2 Opt.	1 or 2 Opt.	1 or 2 Opt.
3-point hitch		Chain Type Stabilizers / Fixed Link Ends	Telescopic Stabilizer / Fixed Link Ends		
3-point lift capacity @ ball ends	lbs. (kg)	992 (450)	1808 (820)	1808 (820)	1808 (820)
3-point lift capacity @ 24 in. (610 mm) behind ball ends	lbs. (kg)	728 (330)	1433 (650)	1433 (650)	1433 (650)
3-point linkage		Category I	Category I	Category I	Category I
<b>Front Axle Options</b>					
Four-wheel drive		●	●	●	●
<b>Dimensions &amp; Weight</b>					
Wheelbase	in. (mm)	56.1 (1425)	65.9 (1674)	67.5 (1715)	67.5 (1715)
Length	in. (mm)	97.4 (2473)	117.2 (2976)	121 (3074)	121 (3074)
Width	in. (mm)	46.7 (1187)	54.1 (1374)	66.5 (1689)	66.5 (1689)
Height (top of ROPS or Cab)	in. (mm)	87.4 (2220)	88.2 (2241)	87.7 (2227)	87.7 (2227)
Weight	lbs. (kg)	ROPS: 1444 (655) CAB: 1805 (819)	2469 (1120)	3067 (1391)	3067 (1391)

● Standard ○ Optional — Not available

BOOMER™ SERIES				
35	40/40 CAB	45/45 CAB	50/50 CAB	55/55 CAB
T4B Final	T4B Final	T4B Final	T4B Final	T4B Final
35 [26.1]	40 [29.2]	45 [33.6]	50 [37.3]	55 [41]
2600	2600	2600	2600	2600
3	3	3	3	3
Turbo	Turbo	Turbo	Turbo	Turbo
114.7 [1.9]	114.7 [1.9]	114.7 [1.9]	114.7 [1.9]	114.7 [1.9]
70	70	70	70	70
10.5 [40]	ROPS: 10.5 [40] CAB: 12.4 [47]	ROPS: 10.5 [40] CAB: 12.4 [47]	ROPS: 10.5 [40] CAB: 12.4 [47]	ROPS: 10.5 [40] CAB: 12.4 [47]
29.7 [22.1] Gear 28.0 [20.9] HST	34.0 [25.4] Gear 32.0 [23.9] HST	38.2 [28.5] Gear 36.0 [26.8] HST	42.5 [31.7] Gear 40.0 [29.8] HST	46.7 [34.8] Gear 44.0 [32.8] HST
540	540	540	540	540
Independent electro-hydraulic engagement				
●	●	●	●	●
2000	2000	2000	2000	2000
12x12 Gear	12x12 Gear	16x16 Gear	16x16 Gear	16x16 Gear
3-Range Hydrostatic/Dual Pedal				
14.2 [22.9] Gear 14.8 [23.9] HST	14.2 [22.9] Gear 14.8 [23.9] HST	17.0 [27.3] Gear 17.9 [28.8] HST	17.0 [27.3] Gear 17.9 [28.8] HST	17.0 [27.3] Gear 17.9 [28.8] HST
Standard HST	Standard HST	Standard HST	Standard HST	Standard HST
Synchro	Synchro	Synchro	Synchro	Synchro
Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc
8.2 [31]	8.2 [31]	8.2 [31]	8.2 [31]	8.2 [31]
4.2 [15.9] Gear 5.3 [19.9] HST	4.2 [15.9] Gear 5.3 [19.9] HST	4.2 [15.9] Gear 5.3 [19.9] HST	4.2 [15.9] Gear 5.3 [19.9] HST	4.2 [15.9] Gear 5.3 [19.9] HST
12.4 [46.8] Gear 13.5 [50.8] HST	12.4 [46.8] Gear 13.5 [50.8] HST	12.4 [46.8] Gear 13.5 [50.8] HST	12.4 [46.8] Gear 13.5 [50.8] HST	12.4 [46.8] Gear 13.5 [50.8] HST
1 Standard 2 Optional	1 Standard 2 Optional	1 Standard 2 Optional	1 Standard 2 Optional	1 Standard 2 Optional
Telescopic Stabilizer / Flex Link Ends				
1808 [820]	1808 [820]	2756 [1250]	2756 [1250]	2756 [1250]
1345 [610]	1345 [610]	2116 [960]	2116 [960]	2116 [960]
Category I	Category I	Category I	Category I	Category I
●	●	●	●	●
66 [1676]	66 [1676]	73.2 [1860]	73.2 [1860]	73.2 [1860]
119 [3023]	119 [3023]	128.1 [3254]	128.1 [3254]	128.1 [3254]
66.4 [1687]	66.4 [1687]	69.1 [1755]	69.1 [1755]	69.1 [1755]
92.7 [2355]	ROPS: 92.7 [2355] CAB: 90 [2286]	ROPS: 97.1 [2466] CAB: 94 [2388]	ROPS: 97.1 [2466] CAB: 94 [2388]	ROPS: 97.1 [2466] CAB: 94 [2388]
2804 [1272] Gear 2870 [1302] HST	ROPS: 2804 [1272] Gear 2870 [1302] HST CAB: 3574 [1622]	ROPS: 3424 [1553] Gear 3490 [1583] HST CAB: 4194 [1903]	ROPS: 3424 [1553] Gear 3490 [1583] HST CAB: 4194 [1903]	ROPS: 3424 [1553] Gear 3490 [1583] HST CAB: 4194 [1903]

# VALUE, SERVICE AND SOLUTIONS

There's a certain way of thinking that comes from living on a farm. Farming takes equal parts brain and brawn. Not to mention thick skin, calloused hands and a fair share of know how. Seasoned farmers know it helps to have equipment that's built by farmers, sold by farmers and used by farmers.

**Support at every step.** When you place your confidence in New Holland agricultural equipment, you get the finest in local support. Your New Holland dealer understands the many challenges you face and stands behind you at every step with the equipment, parts, service and financial solutions to make your job easier. Look to New Holland for a complete selection of equipment, including a full line of tractors, hay & forage equipment, harvesting, crop production and material handling equipment.

**Quality parts and service.** Turn to your New Holland dealer after the sale for expert, factory-trained service and genuine New Holland-branded parts. Your dealer has the very latest service updates and training to ensure your equipment keeps working productively season after season.

**Financing solutions.** Your New Holland dealer can tell you about smart ways to turn your financial challenges into opportunities with a portfolio of innovative financial services available through CNH Industrial Capital, including customized financing, leasing, insurance and the purchasing convenience of a Commercial Revolving Account.

For reliable equipment, parts and service — or just honest advice on farming and finance — turn to New Holland and your trusted New Holland dealer. We know. We're farmers, too.



Learn more at [www.newholland.com](http://www.newholland.com)



Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. ©2025 CNH Industrial America LLC. All rights reserved. New Holland is a trademark registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Any trademarks referred to herein, in association with goods and/or services of companies, other than owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates, are the property of those respective companies.

CNH Industrial America LLC recommends the use of a FOPS when a tractor is equipped with a loader attachment. Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.

NH45145459 • 0425 • OTP • Printed in U.S.A.

