

The EZY STIK II is a mechanical steering system designed so the operator may be positioned in the front of the boat for better visability and convenience. This system is rated for engines NOT to exceed 70 HP. Any length not listed can be special ordered.

KITS \$449.99		CABLE ONLY \$219.99	
Length	Order No.	Length	Order No.
8'	<b>18745</b> THF	8'	18760THF
9'	<b>18746</b> THF	9'	<b>18761</b> THF
10'	<b>18747</b> THF	10'	18762THF
11'	<b>18749</b> THF	11'	<b>18764</b> THF
12'	<b>18751</b> THF	12'	<b>18766</b> THF
13'	18753THF	13'	18768THF
14'	<b>18755</b> THF	14'	18770THF
15'	<b>18756</b> THF	15'	18771THF







Mfg#	Description	Order No.	Retail
K-060	Replacement Knob	18775THF	\$4.99
H-260	Replacement Lever	18776THF	27.99
DC-840	Replacement Cover	18777THF	6.49
HP-900	Hardware Package	18778THF	5.99

Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs Tires/

Couplers Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation


Water Front


Ladders

Fenders/ Dock Lines

## E.Z. STEERTM

#### **Steering For Your Auxiliary Outboard Motor** Steer Your Auxiliary O/B From Your Main Units Steering Wheel





Use with stern drive or outboard whether transom mount or extended bracket. Main motor or auxiliary outboard may be raised together or independently. No holes to drill for installations

> Special Order Only 7-10 Day Delivery

Mfg No.	Description	Rod Length	Order No.	Retail
EZ-22002	OMC Cobra Outdrive	23" to 26"	$18704 \mathrm{TF}$	\$299.99
EZ-22003	OMC Cobra Outdrive	29" to 33"	$18708_{\mathrm{TF}}$	299.99
EZ-30002	Mercruiser Alpha One	23" to 26"	$18712 \mathrm{TF}$	299.99
EZ-37002	Mercruiser Alpha One 2nd Generation	23" to 26"	$18722\mathrm{TF}$	299.99
EZ-42002	Volvo II ('89 & Newer)	23" to 26"	$18721_{\mathrm{TF}}$	299.99
EZ-44002	Volvo SX/Cobra	23" to 26"	$18723_{\mathrm{TF}}$	299.99
EZ-60001	Outboard to Outboard	19" to 22"	$18724 \mathrm{TF}$	299.99
EZ-60002	Outboard to Outboard	23" to 26"	$18728 \mathrm{TF}$	299.99
EZ-60003	Outboard to Outboard	29" to 33"	18732 <sub>TF</sub>	299.99



Mfg#	Description	Order No.	Retail
10001	19"-22" Short Rod Assy.	$18735_{\mathrm{T}}$	\$164.99
10002	23"-26" Standard Rod Assy.	$18736_{\mathrm{T}}$	164.99
10003	29"-33" Long Rod Assy.	$18737_{\mathrm{T}}$	164.99
50010	Small O/B Bracket	$18738_{\mathrm{T}}$	70.99
60010	Large O/B Bracket	$18741_{\rm T}$	73.99
18020	SST Bands (2/pk)	$18742_{\rm T}$	27.49
13200	Quick Disconnect	$18743_{\mathrm{T}}$	16.09

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Flectric/ Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holde

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Line:



The ultimate steering system for high speed single outboards. Ideal for high-performance boats with single non-power assisted O/B's up to 300 HP and capable of speeds over 70 MPH. 4.25 turns lock to lock. 2.0 cubic inches per revolution.

\*Hoses NOT included\*

HK-7400A Hydraulic Steering Kit

Order Part No's. \$1357.96 🕏 1-60098, 2-60099, 1-60096, 1-60072

HK-7300A Hyd. Steering Kit w/Tilt Helm

Order Part No's. \$1607.96 1-60098, 2-60099, 1-60097, 1-60072

\*John/Evin 65-300 HP 1977-'90 or Honda 115-130 HP 1998 to date: requires different cylinder.



Hydraulic Steering Pro Series

NFB Steering system for boats up to 60 MPH.

The most popular outboard hydraulic steering system offering smooth, super efficient No Feed Back Steering for todays hulls. It's the #1 system available today for runabouts, center console, cruisers, offshore fishing and many more. Fast, easy installation. 5 turns lock to lock. 1.7 cubic inches per revolution.

\*Hoses NOT included\*

HK-6400A3 Hydraulic Steering Kit

Mfg #HK-6400A3 Order No. 60048<sub>TF</sub>

\$1269.99

SEASTAR

*SEASTAR* 



Hydraulic Hose Kits

 Measure Hose Path or Existing Cable and ADD 24".



Mfg#	Size	Order No.	Retail
HO5114	14' Hose Set	<b>60054</b> tf	\$112.99
HO5116	16' Hose Set	<b>60056</b> tf	124.99
HO5118	18' Hose Set	<b>60058</b> tf	125.99
HO5120	20' Hose Set	<b>60059</b> tf	125.99

## SEASTAR



Compact stylish design with convenient front of dash fill. Requires 3" cut out on dash. Complete with elbow fittings.

Mfg #HH5770

Order No. 60096TF

\$639.99

SEASTAR

#### SEASTAR



Pro Sport Tilt Helm

• 5 Wheel positions of tilt.

• 48° tilt range (12° down, 36° up)

• Remote fill point


• Complete with elbow fittings

Mfg #HH6190



**Order No. 60097**<sub>TF</sub>

\$889.99






Mfg #HC5345

Order No. 60072<sub>TF</sub> \$675.99 Cylinder Spacer Kit

Honda 1998 to Date - 30 & 50 HP OMC/Suzuki 1998 to Date - 65 & 70 HP Mercury 1998 to Date - All 40 thru 60 HP

Yamaha 1998 to Date - 40 thru 60, & 90 HP

Suzuki 1998 to Date - 115-140 HP Force 1985-1994 - 90/150 HP



**Order No. 60086**TF \$29.99







Hydraulic Steering

HK4200 Hydraulic Steering System for Outboard Powered Boats up to 150 HP

\*BayStar is not intended for high speed or performance type boats.

BayStar kits include everything needed for an install. The cylinder utilizes the factory drag link for simplified installation.

#### 3 Easy Steps to order your BayStar system:

- 1) Check helm dimensions: Standard 5" helm requires 3" hole in dash
- 2) Check cylinder dimensions: Is the splashwell wide enough? Requires 32" splashwell width. 4½ Steering wheel turns, stop to stop. Provides full engine stop movement.
- 3) Is there enough room in the splashwell for full engine tilt? Find the dimension of your splashwell. Check them against the minimum splashwell dimension for full engine tilt for your engine and cylinder.

Mfg #HK-4200A **Order No. 60046**TF

0 \$849.99





#### Hydraulic Steering Oil

Mfg #HA5430H 🕏 quart Order No. 60099<sub>TF</sub> \$20.99

Mfg #HA5440H Order No. 60100TF \$79.99



SEASTAR

SEASTAR

gallon

BayStar Cylinder Pivot Plates An HC4645H is included in the BayStar steering kit. If your engine requires use of a cylinder other than HC4645H or HC4658H, you must purchase one of the pivot plates below.

Replacement for HC4645H

Mfg #HA4640

Order No. 60043<sub>TF</sub> \$69.99

Quad Ring Seal Kit for Helms

Mfg #HP6032

Order No. 60083TF \$11.99



#### Kit Includes:

2 washers-202300 1 spcr & boot-828016 1 adj. nut-828085 2 spacers-995876 1 spacer-996689

Hardware Kit for All Cylinders

Mfg #HP6033

**Order No. 60080**TF \$49.99



20 Degree Wedge Kit Mfg #HA5419

**Order No. 60095**TF \$84.99



Helm Oil Fill Kit



Replacement vented fill plug

Order No. 60085TF \$64.99

BayStar Cylinder Seal Kit

Mfg #HP4600

Order No. 60084TF \$104.99

SeaStar Cylinder Seal Kit

Mfg #HS5157 Kit

Order No. 60082TF \$136.99

Mfg #HS5167 Glands Only

**Order No. 60081**TF \$110.99

Bleed Nipple

Mfg #HF5548 2 per kit **Order No. 60078**TF \$24.99

Horizontal Bleeder Tee

Mfg #HF5520 2 per kit **Order No. 60077**TF \$69.99



SEASTAR











Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/

Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

> Winches/ Jacks

Lites/ Tie Downs Tires/

Couplers **Boat** 

Care Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Hardware/ **Fasteners** 

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug Starters

> **Props** Seats/

Pedestals Anchors/

Winches/

**Jacks** Lites/

Tie Downs Tires/

Couplers

Boat Care Misc./

Flooring

Ski's/Tubes

Floatation

Ladders

Water Front


Fenders/ Dock Lines



#### GoTech Hydraulic Outboard Steering System

Steering solution for pontoon boats and other boats with moderate torque. Designed to handle 4-stroke OB engines up to 115HP. Eliminates steering torque that can occur in some mechanical steering applications.

- Max. HP: 115
- Helm: UP 18 F front mount
- Turns Lock-to-Lock: 4.5
- 30' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years







#### HyTech Hydraulic Outboard Steering System

Features a unique split tilt tube rod for installation of the cylinder without removing the engine. Steering solution for boats with 150HP engines and under. Includes a composite UP20 helm for effortless steering. Applicable for almost all 2 and 4 stroke OB's. Hytech 1.0 is not suitable for Honda BF115 and BF130 engines and Mercury OptimaxTM 75, 90, 115. For these engines HyTech 3.0 is available.

- Max. HP: 150
- Helm: UP 20 F front mount
- Turns Lock-to-Lock: 5
- 40' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years

**UFLEX** 

Order No. Mfg# Retail HYTECH 1.0 63241<sub>TF</sub> \$799.99

## TIFLE!



#### ProTech Hydraulic Outboard Steering System

The ProTech is built for longevity and peak performance with a stainless steel helm shaft, heavy duty shaft seals, carbon steel piston, 304 electro polished and passivated stainless link assemblies. Adjustable boss style fittings to allow for easy hose routing.

- Max. HP: 300 Helm: UP 28 F front mount Turns Lock-to-Lock: 4.3
- Hoses sold separately 2 quarts 15SAE oil Warranty: 2 years

Mfg #	Description	Order No.	Retail
PROTECH 1.0	See Application Chart	$63242 \mathrm{TF}$	\$1101.99
PROTECH 2.0	See Application Chart	$63244_{\mathrm{TF}}$	1101.99
PROTECH 3.0	See Application Chart	63246TF	1101.99

## TIFLEX



Hydraulic Steering Hoses Consists of a pair of high pressure hoses supplied with preassembled fittings on both ends. Sold as pairs.

Mfg#	Order No.	Retail
KITOB-14'	63262TF	\$120.99
KITOB-16'	63264TF	120.99
KITOB-18'	63266TF	120.99
KITOB-20'	63268TF	120.99





Engine	Power	Year	Packaged Kit	Single Cylinder
Evinrude	E75-E90 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Evinrude	E115-E130-E135 2 Stroke V4	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E150-E175-E200 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E200 HO-E225-E250 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E250 HO-E300 2 Stroke V6		Protech 2.0	UC128OBF-2
Honda	BF75-90 4 Stroke	1995- to date	Protech 1.0	UC128OBF-1
Honda	BF115D	1998 - 2009	Protech 3.0	UC128OBF-3
Honda	BF115A	2009-to date	Protech 1.0	UC128OBF-1
Honda	BF130A	1998 - 2005	Protech 3.0	UC128OBF-3
Honda	BF135-150 4 Stroke	2005-to date	Protech 1.0	UC128OBF-1
Honda	BF90-BF150 V-TEC 4 Stroke	2008-to date	Protech 1.0	UC128OBF-1
Honda	BF175-200-250 4 Stroke	2001-to date	Protech 1.0	UC128OBF-1
Johnson	BJ90-115-140 4 Stroke	2001 - 2007	Protech 1.0	UC128OBF-1
Johnson	J90-115 V4 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J150-175 V6 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J200-225 V6 4 Stroke	2004 - 2007	Protech 2.0	UC128OBF-2
Mercury/Mariner	75-90-115-125 Optimax 2 Stroke	2004-to date	Protech 3.0	UC128OBF-3
Mercury/Mariner	135-150-175 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	200-225-250 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	Racing 300 Optimax 2 Stroke	1999 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	100-115-EFI 4 Stroke	2007-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	115-125-150 EFI 2 Stroke	1990 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	225-250 EFI 2 Stroke	2000 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	250 Saltwater EFI 4 Stroke	2007 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	135 Verado L4 4 Stroke	2004 - 2006	Protech 1.0	UC128OBF-1
Mercury/Mariner	150-175-200 Verado L4 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Suzuki	DF70-80-90 4 Stroke	1998-to date	Protech 2.0	UC128OBF-2
Suzuki	DF100-115-140 4 Stroke	1998-to date	Protech 1.0	UC128OBF-1
Suzuki	DF150-175 4 Stroke	2006-to date	Protech 1.0	UC128OBF-1
Suzuki	DF200-DF225-DF250-DF300		Protech 2.0	UC128OBF-2
Tohatsu	115-120-140 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Tohatsu	70-90-115 TLDI 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Yamaha	75C-90 2 Stroke	1998-2008	Protech 2.0	UC128OBF-2
Yamaha	115C-130B 2 Stroke	1990-2008	Protech 2.0	UC128OBF-2
Yamaha	150F-200F-250G 2 Stroke	1996-2007	Protech 2.0	UC128OBF-2
Yamaha	150 HPDI VMAX 2 Stroke	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	175-200-225-250-300 HPDI VMAX 2 St	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	F70	2010-to date		UC128OBF-1P
Yamaha	F90-F100-F115-F150 EFI 4 Stroke	1999-2007	Protech 1.0	UC128OBF-1
Yamaha	F200-F225-F250- F300 4 Stroke	2002-to date	Protech 2.0	UC128OBF-2
Yamaha	F115-F150	2004-to date	Protech 1.0	UC128OBF-1

WARNING: These recommendations should be used as a general reference only. Final selection should be made with the assistance of a qualified installation technician. For any further information please contact our technical service.

Navigation Lites

teering/

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care Aux. Brkts/

Tilt/Trim Spark Plug/

Starters

Props

Seats/ Pedestals Anchors/

Rod Holder
Winches/
Jacks

Lites/ Tie Downs

Tires/ Couplers

Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

. ..

Ladders

Water Front

Navigation

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts Tilt/Trim

Spark Plug Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holde

Winches/ **Jacks** 

Lites/ Tie Downs

Tires/ Couplers

Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

Lites

#### Power Purge, Jr.

The Power Purge, Jr. is the quickest way to bleed a SeaStar® or BayStar® system and assure a rock-solid steering feel every time! Dramatically reduces purging time. Increased quality of system purge for solid, responsive steering feel. Fast and efficient set-up; easy to operate. Screens contaminants from oil. Quick connect fittings. Uses a 12-volt boat battery.

Mfg #HA5445-2

**Order No. 60093**TF

\$1055.99

Power Purge,

Special Order Only 7-10 Day Delivery

SOLUTIONS





Outboard Stabilizer Clips

Snaps over outboard's hydraulic steering cylinder rods to help keep engine centered during trailering. Fits most cylinder rods 1997 and newer.

Mfg #55-2190

2 **Order No. 57158** \$12.69





Hydraulic Steering Lock

Locks hydraulic steering when trailering. Clips onto Hydraulic Steering Rams. Keeps engine straight and prevents damage to transom savers.

Mfg #SS-1

**Order No. 57323** \$20.99



# m-y wedge



#### Centering Clips

Helps keep the engine straight during transportation. For hydraulic steering. UV Protected.

Mfg #CCLIPS

Order No. 43505TF \$19.99



**Ball Joint** 

Exclusive design is spring loaded for zero end-play. 3/8-24 Thread.

Mfg #FBJ-9004

Order No. 57860 \$34.99



Quick Disconnect - Zinc The ball stud is 3/8-24 thread by 1-7/8" long. Body is tapped for 3/8-24 threaded rod.

Mfg# **Description** 99-09028 **Quick Disconnect** 

Order No. Retail

99-05028 Ball Stud Only w/Hdwr **25274** 

25270 \$11.99 9.59

SS Auxilliary Motor Bracket Kit

Kit includes:

Bracket, Washers, Bolt & Locktite.

Mfg #55-5705

**Order No. 57135** \$36.49







SS Drive Bracket

Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Uflex.

Mfg #55-2950



**Order No. 57137**TF \$101.99





#### **Auxiliary Motor Steering Kit**

Connects a trolling motor to your main engine. Easy to install.


> Mfg #55-2400 **Order No. 57133**

\$40.49

## a attwood

#### Motor Steering Kit

Connects a trolling motor to your main engine. Easy to install.



Mfg #11663-7

Order No. 09280 \$26.99

#### SEASTAR



Retrofittable to Seastar Front Mount Cylinders. Drive/drag link from kicker motor Not Included.

#### Kicker Cable Tie Bar

Allows a user to manually steer an auxiliary engine using their existing Seastar hydraulic steering system. Incorporate an XTREME cable as the linkage between the two engines.

#### **Features:**

- Flexible cable for locations of kicker motor.
- Allows independent trim/tilt of both engines.
- Allows full steering stroke of both engines.

Mfg#	Size	Order No.	Retail
HO6116	16" Cable	$60069_{\mathrm{TF}}$	\$434.99
HO6122	22" Cable	60070TF	439.99

SEASTAR Kicker or Trolling Motor single SOLUTIONS cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer. Mfg #HO6010 Order No. 60068TF \$404.99

Universal trolling motor SEASTAR tie bar kit This tie bar kit will fit on the front mount cylinder used in all OEM applications.

Mfg #HP6083

**Order No. 60092**TF \$129.99



Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Seastar Solutions.

> Mfg #55-2750 Order No. 57136TF

\$81.99



## Universal Trolling Motor Tie Bar Kit

Kicker or Trolling Motor single cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer.



Mfg #55-2700

Order No. 57134<sub>TF</sub>

\$239.99

Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

> Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> **Boat** Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Steering/

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor Gauges

Electronics Radios

Fuel

Lube/ Motor Care Aux. Brkts/

Tilt/Trim

Spark Plug/
Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

## **TIFLEX**


#### Zero Torque Tiller Steering System

Locks out the torque while the boat is not actively being steered. Consists of a hydraulic cylinder with a control valve that opens and closes following the operation made on the handle. The valve closes when the steering effort by the driver is stopped; as a consequence the cylinder locks the steering position.

#### Features:

- Hydraulic torque lockout
- Safer boat handling operations
- Consistent boat direction
- Fatigue reducer
- Does NOT include Tiller Handle
- 2008 and newer motors





## TIFLEX

#### Zero Torque Tiller Steering System

Locks out the torque while the boat is not actively being steered. Consists of a hydraulic cylinder with a control valve that opens and closes following the operation made on the handle. The valve closes when the steering effort by the driver is stopped; as a consequence the cylinder locks the steering position. Features:

- Suitable for boats up to 150 HP
- Hydraulic torque lockout
- Safer boat handling operations
- Consistent boat direction
- Fatigue reducer
- Includes Mercury "BIG TILLER"

Mfg #ZTF Tiller

Order No. 63248<sub>TW</sub> \$2900.99





## PANTHER

## Through Tilt Tube Electro Steer

24' cable allows you to steer your kicker motor from anywhere in the boat. Mounts to your kicker motor in minutes. Does not take up space on your transom. Two button hand-held remote with 24' cable and mounting hardware included.

T-4 requires 9" between motors

Mfg #55-0102

**Order No. 56904**TW \$541.99

T-5 requires 4" between motors

Mfg #55-0502

**Order No. 56913**<sub>TW</sub> \$630.99



#### Electro Steering

Frees your hands from the steering wheel and allows you to steer your boat with the push of a button. Steers separate from your main engine. 24' harness. Quick response; quick disconnect. Compact design with waterproof motor. Black anodized finish.

> **Special Order** 5-7 day delivery



Mfg #55-0100A **Order No. 56906**TW \$480.99

#### Wireless Remote Control (Optional)

200 ft. range. Operates on 12 volt battery. Works on all Panther Steering and Trim & Tilt units. Lanyard included.



Mfg #55-0105

**Order No. 57105**TW \$171.99

nfb" Rotary

Steering System



SS137 Safe-T QC Steering System

#### **ALL LENGTHS \$214.99**

	THF		THF
Length	Order No.	Length	Order No.
10'	60101	15'	60106
11'	60102	16'	60107
12'	60103	17'	60108
13'	60104	18'	60109
14'	60105	19'	60110
		20'	60111



SS132 Safe-T II Single Cable NFB System

- · Compact, rugged rotary helm
- Patented No Feedback Technology
- 3.0 turns lock-to-lock
- Fits Boats up to 24' non power assisted outboard
- Replaces Teleflex Safe-T without dash modification





Length	Order No.	Retail	Length	Order No.	Retail
10'	60461	\$264.99	15'	60466	\$279.99
11'	60462	265.99	16'	60467	279.99
12'	60463	269.99	17'	60468	284.99
13'	60464	274.99	18'	60469	284.99
14'	60465	274.99	19'	60470	286.99
			20'	60471	289.99



SS147 NFB 4.2 Rotary Single Cable System

> ALL LENGTHS \$279.99

- Fits Boats up to 24' non power assisted outboard
- Replaces SeaStar Safe-T without dash modification
- · Compact, rugged rotary helm
- Patented No Feedback Technology
- 4.2 turns lock-to-lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification & A.B.Y.C. standards



Length Order No. Length Order No. Length Order No.  $60339_T$ 60343<sub>T</sub> **60347**T 10' 14' 18' 60348<sub>T</sub>11'  $60340_{T}$ 15'  $60344_{T}$ 19' 60345T 60349T12' 60341T 16' 20'  $60342_{T}$ 17' 60346T13'

Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers **Boat** 

> Care Misc./

Flooring Ski's/Tubes

Floatation

Ladders

Water Front

Hardware/ **Fasteners** 

Covers/ Windshield

Pumps/ Int. Lites

> Flectric/ Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts Tilt/Trim

Spark Plug Starters

Props

Seats/ Pedestals

Anchors/ Rod Holde

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation Ladders

> Water Front

Fenders/ Dock Lines

## WFLEX



#### RoTech Rotary Steering System

Featuring the T71FC helm with a planetary gear design. Reduces steering effort and delivers more balanced loads on the steering wheel, which improves durability and lost motion. Direct replacement for competing system, requiring no new holes for installation. Fits nonpower assisted V-4 and smaller outboards up to 50mph.

• Turns Lock-to-Lock: 3.8 • replacement cable M66 series • Warranty: 2 years.

Length	Order No.	Length	Order No.
10'	63250THF	16'	63256THF
11'	63251THF	17'	63257THF
12'	63252THF	18'	63258THF
13'	63253THF	19'	63259THF
14'	63254THF	20'	63260THF
15'	63255THF		

ALL LENGTHS \$199.99

SS141 Back Mount Rack Single Cable System

• Fits Boats up to 24' -- non power assisted outboard

60472THF

· Back Mount Design for Easy Installation!

Length Order No.

- Pre-assembled Rack & Cable 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards



	9'	60473THF
	10'	60474THF
	11'	60475THF
0 00	12'	60476THF

8'

Length	Order No.
13'	60477THF
14'	60478THF
15'	<b>60479</b> THF
16'	60480THF

	_	
HF	17'	60481THF
HF	18'	60482THF
HF	19'	60483THF
HF	20'	60484THF

Length

SEASTAR

Order No.

SEASTAR



SS151 NFB Rack Single Cable System



- Fits Boats up to 24' -- non power assisted outboard
- · Replaces standard SeaStar Rack without dash modification
- · Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards



Т



T

	-				
Length	Order No.	Retail	Length	Order No.	Retail
10'	60485	\$309.99	15'	60490	\$310.99
11'	60486	311.99	16'	60491	314.99
12'	60487	314.99	17'	60492	330.99
13'	60488	304.99	18'	60493	333.99
14'	60489	307.99	19'	60494	336.99
			20'	60495	339.99



Fits Boats up to 24' -- non power assisted outboard

- Replaces standard SeaStar Rack without dash modification
- Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards

Length	OrderNo.	Ketail
12'	$60496_{\mathrm{T}}$	\$634.99
13'	$60497_{\rm T}$	639.99
14'	$60498_{\mathrm{T}}$	645.99
15'	$60499_{\mathrm{T}}$	684.99
16'	$60500 \mathrm{T}$	689.99

SEASTAR

SOLUTIONS<sup>®</sup>

### Jet Boat Steering

SeaStar JBS is recommended for use in all jet boat applications powered by Mercury Sport Jet or OMC Turbo Jet drives up to 175 HP. System components sold separately.

Ultra-compact helm with stylish 4.4" bezel. 135 or 270 degree turning arc lock-to-lock. Easy to install 90 degree dash mounting bezel. 90 or 180 degree cable entry into helm allows alternate cable routing. Standard 3/4" tapered shaft.

Steering helm with 135 degree turning arc

SH5087 \$174.99 **Order No. 64160**<sub>T</sub>\*\***SO** 

Steering helm with 270 degree turning arc

SH5088 \$174.99 **Order No. 64161**T\*\*SO

Bezel and Mounting hardware kit

SB39452 \$29.99 **Order No. 64162\*\*SO** 


Mercury Nozzle Conn. Kit

SA27591 \$88.99 **Order No. 64164\*\*SO** 

OMC Nozzle Conn. Kit

SA27590 \$77.99 **Order No. 64163\*\*SO** 





#### \*\*SPECIAL ORDER\*\*

SSC219 Cable with stainless steel output ends. 5/16-28 Threaded ends

JBS is designed specifically for today's jetpowered boats using the Mercury Sport Jet, OMC Turbo Jet, or similar powerplants.

Length	Order No.	Retail
10'	64150	\$174.99
11'	64151	177.99
12'	64152	181.99
13'	64153	185.99
14'	64154	190.99
15'	64155	194.99



\*\*SPECIAL ORDER\*\*

## 43BC Jet Boat Steering Cable (CCX430)

3" Travel - 1/4-28 Threads

Length	Order No. Ret	tail   Length	Order No.	Retail
12'	<b>64166</b> \$119	.99   14'	64168	\$124.99
13'	<b>64167</b> 122	.99   15'	64169	126.99


**Length Order No. Retail** 16' **64170** \$129.99



#### Gate control Cables - CC213

3" Travel - 10/32" Threads

\*\*SPECIAL ORDER\*\*



Navigation Lites

> Steering/ Controls

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

> Steering/ Controls

Hardware/ Fasteners

Covers/ Windshield

Pumps/

Int. Lites
Electric/

Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers Boat

Care Misc./

Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines SEASTAR SOLUTIONS

#### SSC62 QCII Rotary Steering Cable

Replaces SSC72 and SSC61 Cables Replaces Morse 304415



(Does NOT include SA27620 Adapter)

Mfg #SA27620	
<b>Order No. 60637</b>	\$24.99



For Replacement Cable Measure Conduit and ADD 18"

Replaces: Morse Command 290 Rotary Cables, 304411

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	60436	\$164.99	11'	60421THF	\$129.99	16'	60426THF	\$129.99
7'	60417THF	164.99	12'	60422THF	129.99	17'	60427THF	129.99
8'	60418THF	129.99	13'	60423THF	129.99	18'	60428THF	129.99
9'	60419 <sub>THF</sub>	129.99	14'	60424THF	129.99	19'	60429THF	129.99
10'	60420THF	129.99	15'	60425THF	129.99	20'	60430THF	129.99
						22'	60431THF	219.99



## SSC52/SSC290 Steering Cable

For Replacement Cable Measure Conduit and ADD 18"

\*\*SPECIAL ORDER\*\*


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
7'	60545	\$225.99	12'	60550	\$238.99	17'	60555	\$260.99
8'	60546	225.99	13'	60551	244.99	18'	60556	265.99
9'	60547	225.99	14'	60552	247.99	19'	60557	269.99
10'	60548	230.99	15'	60553	251.99	20'	60558	274.99
11'	60549	234.99	16'	60554	256.99			



## SSC130 Command 200 Cable

For Replacement Cable Measure Conduit and ADD 30"

\*\*SPECIAL ORDER\*\*



## "THE RACK" Rack & Pinion Steering Cable SSC124

(Discontinued in 1997)

For Replacement Cable Measure Conduit and ADD 30"

Square Rack





Lites

Navigation

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

> Fuel Lube/

184.99

Motor Care Aux. Brkts/

Tilt/Trim Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder Winches/

Jacks Lites/ Tie Downs

Tires/ Couplers

> **Boat** Care Misc./

Flooring Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines




Rectangular Rack

#### SSC134 Single Rack Cable

(1998 and Newer)

For Replacement Cable Measure Conduit and ADD 30"





60516<sub>THF</sub>



#### SSC135 Dual Rack Cable

For Replacement Cable Measure Conduit and ADD 30"

Length	Order No.	Retail	Length	Order No.	Retail	
11'	60521THF	\$524.99	14'	60524THF	\$544.99	
12'	60522THF	528.99	15'	60525THF	554.99	
13'	60523THF	536.99	16'	60526THF	559.99	



		_	
1	Length	Order No.	Retail
9	17'	60527THF	\$566.99
9	18'	60528THF	574.99
`			

## **TIFLEX**

## M66X Universal Quick Connect Rotary Steering Cable

Stainless steel output fittings for longevity and smooth steering.



Length	Order No.	Length	Order No.
10'	63274THF	16'	63280THF
11'	63275THF	17'	63281THF
12'	63276THF	18'	63282THF
13'	63277THF	19'	63283THF
14'	63278THF	20'	63284THF
15'	$63279_{\text{THE}}$		

**ALL LENGTHS \$135.99** 





Mfg #T71FC	
Order No. 63269	\$106.99

90 Degree **Mounting Bezel** 



Mfg #X34	
<b>Order No. 63267</b>	\$34.99

20 Degree **Mounting Bezel** 



Mfg #X35	
Order No. 63270	\$39.99

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

> Trolling Motor

Gauges

Electronics

Radios

Fuel

Motor Care

Tilt/Trim

Spark Plug Starters

Props Seats/

Pedestals Anchors/

Rod Holde

Winches/ **Jacks** 

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes


Floatation

Ladders

Water Front

Fenders/ Dock Lines

## Rotary Helms (Uses SSC61/SSC62 Cables)



SH5023 Single \$179.99 **Order No. 60274**T

SEASTAR



Safe-T "OC" **Quick-Connect** 

SH5094 Single \$94.99 Order No. 60280<sub>T</sub>



Safe-T "QC" **Quick-Connect** 

SH4952P Dual \$294.99 Order No. 60285<sub>T</sub>



90-Degree Mount (Black) SB27484 **Order No. 60579** 



20-Degree Mount (Black) SB27483 **Order No. 60611** \$44.99



SH5150 Single

**Order No. 60282**T

Safe-T II "NFB" No-Feedback

\$159.99



4.2 Rotary "NFB" No-Feedback

SH4910 Single \$174.99 Order No. 60272<sub>T</sub>



4.2 Rotary "NFB" No-Feedback


SH4920 Dual \$299.99 Order No. 60273<sub>T</sub>



90-Degree Mount (Black) SB27150 Order No. 60580 \$34.99



20-Degree Mount (Black) SB27483 **Order No. 60611** \$44.99



## Tilt Rotary Helms (Use SSC61/SSC62 Cables)



SEASTAR

Safe-T "QC" Quick-Connect SH91523 Single \$139.99 Order No. 60266T

Safe-T II "NFB" No-Feedback SH91190 Single \$184.99 **Order No. 60275**<sub>T</sub>



4.2 Rotary "NFB" No-**Feedback** 



SH91526 Single \$269.99 **Order No. 60270**<sub>T</sub>

4.2 Rotary "NFB" No-Feedback



SH91527 Dual \$349.99 Order No. 60271:



For use with <u>All</u> tilt helms

## **Rack & Pinion Helms**



Single SH5210

84.99

**Order No. 60283**T

SEASTAR

90° Black Mount SB39526 \$30.99 **Order No. 60672** 



20° Wedge Kit SB27449 \$30.99 Order No. 60602



**Friction Device** SA 39531P \$46.99 Order No. 60606

## "Back Mount"

## Use Either SSC134 or SSC135 Dual Cables



Single SH5230



90° Black Mount SB39544 \$30.99 **Order No. 60668** 



20° Wedge Kit SB27449 \$30.99 Order No. 60602

\$169.99 **Order No. 60284**T

### **Tilt** Rack & Pinion Helms

Uses SSC134 Single or SSC135 Dual Cables



"NFB" Tilt Helm (4 turns lock-to-lock) Single SH91630 \$194.99 **Order No. 60279**T



"Back Mount" Tilt Helm Single SH91610 \$114.99 **Order No. 60278**T

**Performance Tilt Unit** SH91800 \$159.99 **Order No. 60264**T



Navigation

Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

> Winches/ Jacks

Lites/ Tie Downs

Tires/

Couplers **Boat** 

> Care Misc./

Flooring

Ski's/Tubes

Floatation

Ladders


Water Front

Fenders/

Dock Lines

SEASTAR SOLUTIONS

#### MECHANICAL STEERING CONNECTION COMPONENTS





Transom Support Mounting Kit for Older Outboards without Tilt Tubes. SA27256

**Order No. 60635** \$224.99

Clamp Block for Outboards SA27055

Order No. 60571 \$136.99



SST Clevis Kit

Mfg# **Description** Order No. Retail 60651 SA27314 Short Bolt Kit \$59.99 SA27329 Long Bolt Kit 60652 54.99

Splashwell Threaded Support Tube W/Ball SA36316


**Order No. 60677** \$55.99

Aluminum Support Tube SA27274





**Order No. 60639** \$34.99 **Boot Only With** Felt Washer SA37868



Order No. 60690 \$15.99

Spent Tube

for Safe-T "TS" Helms

SA35680

SSC61 Cable Adapter for "TS" Threaded Helms SA27620

Order No. 60637 \$24.99 for NFB & Safe-T QC Helms SA38603

Order No. 60692

Spent Tube

\$11.99

**Order No. 60676** \$11.99



#### Cable Gard

One small step to solve one big steering problem. SA39329

\$16.99 **Order No. 60693** 



Hitch Pin & Tag for Ouick-connect Helms SA27245P

Order No. 60621 \$6.99

> Steering/ Controls

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Luhe/

Motor Care
Aux. Brkts/

Tilt/Trim
Spark Plug

Starters

Props

Seats/ Pedestals

Anchors/ Rod Holde

> Winches/ Jacks

Lites/ Tie Downs

Tires/

Couplers Boat

Care Misc./ Flooring

Ski's/Tubes

SKIS/TUDES

Floatation

Ladders

Water Front

Fenders/ Dock Lines

## Link Arms (Plated Steel)

Adjustable ball joints and nylon lock nuts to insure vibration proof locking.

SLA-940F 60-120 H.P. Johnson/Evinrude \$63.99 **Order No. 57830** SLA-950F 60-120 H.P. Mercury 71.99 **Order No. 57831** 






3/8" N.F. thin S.S. nylon lock replacement nuts for all steering link arms. #151 \$2.99 ea.

**Order No. 57874** 

## Clamp Mount Kit

These kits mount on the engine clamp brackets to provide thru tube steering. Freshwater kits include aluminum brackets and plated hardware.

FWK-3477 50 H.P. Johnson/Evinrude \$174.99 **Order No. 57872** 





Standard 3/8" Diameter

Mariner 9.9-15 HP 1982 and newer Suzuki 9.9-15-16-25 HP 1982 and newer John/Evin 9.9-15-25-30-35-40 HP 1977 and newer Yamaha 9.9-15 HP 1984 and newer

## Clamp Mount Kit

This freshwater kit fits under the engine clamps and is designed to prevent motor from jumping off transom. Also prevents transom damage by the clamps. Constructed of aluminum and plated steel.

FWK-3475 \$171.99

**Order No. 57870** 




Fits: 50-140 HP Johnson/Evinrude

## Front Mount Kit

For use when obstructions prevent thru tube installations. Fits over motor mounting bolts. Freshwater kit with aluminum brackets and plated steel hardware.

FWK-3470 \$214.99 Order No. 57867




#### Fits:

Mercury 1980 and newer Black Max Mariner 1980 and newer Fits all Mercury-Mariner 2.4 Suzuki 150-150SS-200 HP 1986 and newer Suzuki 115-140 HP 1987 and newer Johnson 115-140 4-stroke

Steering Link Arm NOT included in this kit





OSM-3798 \$159.99 Order No. 57827



#### **Dual - Same Side**

Dual cable kit for cables installed down same side of boat (port or star-board). Steering tube and all parts are provided for simple hook up.

Stainless steel and gold plated aluminum makes this kit corrosion resistant.

Yamaha 115-220 HP 1984 and newer

Steering Link Arm NOT included in these kits



OSM-3792 \$159.99 Order No. 57823







Mfg No.	Description	Order No.	Retail
161-11	13.5" Lake Series	$25388 \mathrm{TF}$	\$76.99
480-1	14" Black Show Series	$25390  \mathrm{TF}$	129.99
481-1	14" Two-Tone Show Series	$25392 \mathrm{TF}$	129.99



Mfg No.

SW59291

SW59691

SW59401B



"Champion" 13-1/2" Dia. 3/4" Taper

"Stealth" 14" Dia. 3/4" Taper

"Ace" 13-1/2" Dia. 3/4" Taper

**Description** 





Retail

\$59.99

64.99

39.99

90

**Steering Wheel Hardware** 

For helms with tapered shafts SA27454 (Included in bezel kits) \$12.99

**Order No. 60669** 

CORPORATION





Legend

Order No.

60673T

 $60674_{T}$ 

60675T



Contour

Mfg No.	Description	Order No.	Retail
12-2502AC	Viper 13.4" Dia. 3/4" Taper	<b>15595</b> T	\$50.99
12-2800C	Legend 13.5" Dia. 3/4" Taper	<b>15597</b> T	41.99
12-2301AC	Contour 13.75" Dia. 3/4" Taper	<b>15598</b> T	52.99



## Steering Wheel

- Hard black grip with Center Cap
- 12.75" Dia. 3/4" Taper 3" Dish

Mfg #EDG

**Order No. 30634**T \$36.99



## (a) attwood

#### Soft Grip Steering Wheel

- Hard plastic center cap
- 13" Dia. 3/4" Taper 3-3/8" Dish
- Resists UV rays

Mfg #8315-4 Order No. 07151 \$49.99 Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/

Pedestals Anchors/

Rod Holder Winches/

Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Hardware/ **Fasteners** 

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug Starters

Props

Seats/ Pedestals

Anchors/ Rod Holde

Winches/

**Jacks** 

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

## **UFLEX**



#### Nisida Steering Wheel

- 13.8" Dia. 3/4" Taper
- Hub included

Mfg #NISIDA-B/P

Order No. 63295<sub>TF</sub> \$139.99

## TIFLEX



#### NaviTech Power Steering System

Taking the latest technology from the automotive industry, Ultraflex has combined Electronic Power Steering (EPS) with the latest mechanical steering helms and Mach 90 high efficiency steering cable. EPS Steering offers fingertip steering. M90SS high efficiency cable delivers unprecedented performance. Ideal solution for long cable runs and tight bend applications.

- Tilt mechanism: X66 40613M
- Steering Cable Sold Separately
- Automotive steering effort and response
- 10 15 Vdc and 8 15 A nominal current during steering maneuvers
- Supplied with 10 ft electrical harness. It needs a 40 A fuse (to be ordered separately).
- Works with outboard engines Up to 150 hp, maximum 50 mph, no jackplates

ATTENTION: M90 Nav steering cable is suitable for use also with T71FC, T72FC, T73N-RFC, T81FC, T82FC, T83NRFC, T91, T93ZT, T101, T103ZT. Ultraflex steering helms. M66 will not fit the following Uflex helms: T91, T93ZT, T101, T103ZT.

\$1819.99

M90 Steering Cable

#### ALL LENGTHS \$209.99

18'

19'

20'

Length Order No.

63306THF

63307<sub>THF</sub>

63308<sub>THF</sub>

Power Steering Helm Mfg #NTECH-EPS

Order No. 63310<sub>Tw</sub>

Length Order No. Length Order No. 10' 63298<sub>THF</sub> 14' 63302THF 11' 63299<sub>THF</sub> 15' 63303<sub>THF</sub> 63304THF 12' 63300THF 16' 13' 63305<sub>THF</sub> 63301<sub>THF</sub> 17'





For optimal performance, the Panther XPS System should be installed on outboard motors from 75 to 250 HP that are equipped with a "feedback" style helm and single cable steering. Installations may be done on boats with a "nofeedback" style helm as well, however the benefits of the Panther XPS Power Steering will be slightly diminished.

\*\*SPECIAL ORDER\*\*

Panther XPS Power Steering System





This hybrid steering system combines the durability and dependability of cable steering with the ease of automobile-like power steering. It eliminates the effect of prop torque, allowing for easy maneuvering in tight quarters as well as safe and controlled turns at high speeds.

The Panther XPS System gradually reverts to cable steering in case of failure, you are never without steering!

• Includes 2 quarts of specially formulated, fully synthetic hydraulic fluid.

Mfg #	Size	Order No.	Retail
10-7200	Rotary Steering Assist	$57110_{\rm N}$	\$1499.99
10-6106	6' Hose Assembly	$57112_{\mathrm{T}}$	122.99
10-6107	7' Hose Assembly	$57114_{\mathrm{T}}$	134.99
10-6108	8' Hose Assembly	<b>57116</b> <sub>™</sub>	149.99
10-6110	10' Hose Assembly	$57118_{\mathrm{T}}$	164.99



Steering Tube Cleaning Brush




Cleans corroded engine tilt tubes. Constructed of steel wire with 8" shaft. For use with electric drill.

Mfg #TB-10

• Vinyl jacketed twisted steel

• Replaces steering cable

Order No. 57787 \$25.99



#### Steering Cable Boot

Protects against cable freeze-up, rust and corrosion. Extends steering cable life. Keeps steering cable lubricated. Fits most outboard and I/O steering cables.

Mfg #SB-34

**Order No. 57792** \$19.99

ıvlor Made

Chrome plated - length 1-1/2"

Hardware/ Fasteners

Navigation Lites

Covers/

Windshield Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics/

Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

**Props** 

Seats/ Pedestals

Anchors/ Rod Holder

Winches/

Jacks

\$6.99

**PERKO** 

ÜŠĀ :

Lites/ Tie Downs

> Tires/ Couplers

> > **Boat** Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

a attwood



Tiller Line Clamp For 3/16" to 1/4" cable (1-pr/Skin Pack)

Mfg #8043-3

**Order No. 07121** \$19.99





Swivel Tiller Pulley (2/Skin Pack)

Mfg #0565DP

**Order No. 45316**T \$22.99



\$61.99



Tiller Cable

• 3/16" diameter

• 250' Spool

Mfg #51820

**Order No. 62598** 

Swivel Pulley (1/Skin Pack)

Mfg #2906-3

Order No. 06809 \$15.59



Pulley Strap

Mfg #1225

**Order No. 58610** 

(2/card)

Rope Guide Chrome plated zinc 7/8" pulley, 2"x 3/4" base (1/Skin Pack)

Mfg # 1243DP

**Order No. 45480**T \$11.49

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges

Electronics Radios

Spark Plug Starters

Props

Seats/

Pedestals

Anchors/

Rod Holder

Winches/ Jacks

Lites/

Tie Downs Tires/



**Oval Grommet** 

• 1-1/2" x 3" Grommet

Mfg #OG-1 **Order No. 57426** 

\$5.29





#### Cable Boot Grommet

Protects cables, hoses and wires from chafing. Fits into the pass thru hole for steering, electrical and control cables and provides a smooth, chafe free fitting.

Mfg#		Order No.	Retail
CBG-1	Fits 3" cable boot	57401	\$6.29
CBG-2	Fits 2" cable boot	57402	5.79

Fuel

(a) attwood



Split Motorwell Boot 4" Diameter hole

Includes tie for a secure fit. Black rubber construction with polypropylene attachment gasket ring.

Mfg #12820-5

Order No. 09295 \$9.99 CORPORATION



#### Motorwell Boot

For sealed pass-thru of cables, wires and fuel lines. Molded of durable vinyl that resists flex fatigue, gas, oil and UV.

• 4" Boot, covers 4" hole

Mfg #10-15-1

**Order No. 15621** \$6.69



Molded of tough, flexible vinyl. Providing an area to pass cables and wires thru without damage. Both designs hold wires and cables tight to prevent chafing.



Floatation

Ladders

Water Front

_	-	
A		CB
15	4	<b>.</b>
1		

<b>Mfg</b> # UG-1	<b>Description</b> 2-1/4" Utility grommet	Order No. 57425	<b>Retail</b> \$11.59
CB-1	3" Motorwell boot	57394	7.79
CB-2	2" Motorwell boot	57396	6.89
CB-4	4-1/2" Motorwell boot	57397	10.49



#### Cable Loom

- Black polyethylene corrugated loom is durable; split for easy installation.
- For protection of wires on cars, buses, trucks, and boats.
- · Coiled and boxed.
- Temp rating of 93°C (200°F)

Mfg#	Size	Order No.	Retail
05749	1/4" x 100'	19205	\$28.99
05750	3/8" x 100'	19206	28.99
05751	1/2" x 100'	19207	33.99
05752	5/8" x 100'	19209	41.99





Split Wire Conduit

Mfg #	Size	Order No. Retail
16-128-0146B	1/4" x 50'	<b>63627</b> \$17.49
16-128-0386B	3/8" x 50'	<b>63628</b> 17.99
16-128-0126B	1/2" x 50'	<b>63630</b> 20.49
16-128-0586B	5/8" x 50'	<b>63632</b> 24.99
16-128-0346B	3/4" x 50'	<b>63634</b> 26.99
16-128-1006B	1" x 50'	<b>63636</b> 37.99
16-128-1146B	1-1/4" x 50'	<b>63638</b> 60.99
16-128-1126B	1-1/2" x 50'	<b>63640</b> 94.99

Navigation Lites

Hardware/ Fasteners

Covers/

Windshield Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines





Flex is a light weight jacketing for bundling and protecting wires, cables and hoses. Braided from high temperature yarns, Flex offers total protection for wire and cable assemblies. Flex expands to four times its original size.

## Flex Sleeving Spooled

	<u> </u>		
Mfg#	Description	Order No.	Retail
FLX-50	1/2" Flex sleeving - 100' spool	57441	\$93.99
FLX-75	3/4" Flex sleeving - 100' spool	57442	127.99
FLX-150	1-1/2" Flex sleeving - 50' spool	57444	\$125.99
FLX-200	2" Flex sleeving - 50' spool	57445	\$146.99



Rigging Hose Kit • 2" x 5' Hose



Mfg#	Order No.	Retail
18-9883	$89883\mathrm{N}$	\$65.29



Hot Foot

Foot throttle for outboard and inboard engines. A safety feature adaptable to all high performance boats. Uses standard control cables for easy hook-up. Mounts to floor of boat.

Mfg#	Description	Order No.	Retail
HF-1	Fits Most Applications	<b>57358</b> T	\$174.99
HFS-1	Replacement Spring	57354	20.99



Hot Foot Slide Mount

• 5" of Slide

HFM-1



\$81.99

**57360**T



Hot Foot Pro Top Load Foot Throttle

- Patented idle stop for the Ficht & Optimax engines
- Stainless steel return spring
- Teflon bushings on all critical pivot points
- Toe clip for added security.

Mfg#	Description	Order No.	Retail
HF-1T	Fits OMC, Merc/Mariner	<b>57359</b> <sub>T</sub>	\$191.99

Hardware/

Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling Motor

Gauges Electronics

Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation Ladders

Water Front

Fenders/ Dock Lines



#### **Xtreme Series Controls**

- Trim switch
- Neutral interlock and start-in-gear protection for side mount controls
- Neutral engine warm-up feature
- Accepts most every type of OEM and 3300/33C type cable
- Easily adapted to push or pull cable actuation mode

Mfg # CHX8554P CHX8051P	<b>Description</b> Side Mount Control w/o Cutoff-Black Side Mount Control w/Cutoff-Chrome	Order No. 60684 <sub>T</sub> 60687 <sub>T</sub>	<b>Retail</b> \$359.99 399.99
CHX8641P	Top Mount Control w/Cutoff-Black	<b>60685</b> T	\$394.99







#### Single Lever Control

This economical single lever/dual action control with positive detents for shifts uses universal cables. It's an excellent replacement for both outboard and sterndrive controls using universal type cables.

Mfg#	Description	Order No. Retail
CH-2700P	w/Trim Switch	<b>60665</b> T \$299.99
CA-27090P	Neut.Safety Switch	<b>60658</b> <sub>T</sub> 44.99


#### Morse SL-3 - Dual Function, Single Lever Control

A snap to install and a perfect match with any engine; outboards, inboards or sterndrives.

- Firm yet effortless shift and throttle motion
- Port or starboard installation with various cable entry angles
- Easily adapted to push or pull mode without tools
- · Accepts virtually any type of cable
- Push button for neutral engine warm-up
- With emergency cut-off feature available on the side mount model

<b>Mfg</b> # 309473	<b>Description</b> Side Mount Control w/o Trim Switch	Order No. 43176 <sub>T</sub>	<b>Retail</b> \$299.99
315590	Replacement Trim Switch Only	43138	\$19.99
051801-033	Replacement Neutral Safety Switch	43139	21.99







• Made from King StarBoard® marine grade plastic.

Mfg#	Size	Order No.	Retail
950	12"x12"x½"	48004	\$28.99
<b>Mfg</b> # 950 960	12"x24"x½"	48006	56.99





CCX633/CC633/33C Supreme

Ideal For Twin Stations & Difficult Routings

For Outboards, Sterndrives & Inboards

- 10-32 UNF threaded ends 4" Minimum Bend Radius
- Nominal 3" travel • Splined Core for unparalleled smoothness and response



Navigation Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/

Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/

Couplers Boat Care

Misc./ Flooring

Ski's/Tubes


**(**TREME

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64224	\$44.99	12'	<b>🗀</b> 64175	\$53.99	18'	<b>64182</b>	\$63.49
7'	64225	46.49	13'	<b>🕸</b> 64176	55.49	19'	<b>64183</b>	64.49
8'	64171	47.99	14'	<b>🗀</b> 64177	56.99	20'	<b>🔯</b> 64184	66.49
9'	64172	49.49	15'	<b>5</b> 64178	58.49	22'	64185	69.49
10'	<b>64173</b>	50.99	16'	<b>🍲 64179</b>	59.99	24'	64181	72.49
11'	<b>🍲 64174</b>	52.49	17'	<b>64180</b>	61.49			

Universal - CC230/172/3300

Industry standard shift and throttle cable,

3" travel and 10-32" threads.





SEASTAR SOLUTIONS

SEASTAR

Type 33C - Red Jacket

Industry standard shift and throttle cable,

3" travel and 10-32" threads.

Length	Length Order No.	
40'	42780	\$98.99

33C Supreme

The answer to long and complex cable routings...

4" minimum bend radius capability versus 8" min.

bend radius for standard 33C Red Jacket...

High efficiency shift & throttle cable for multiple station use, 3" travel, 10-32 thread.

Length	Order No.	Retail	Length	Order No.	Retail
19'	42859	\$54.99	40'	42880	\$104.99

Gen II Merc Cable - CC189

Industry standard shift and throttle cable, 3" travel.

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64214	\$48.49	15'	64218	\$50.99	18'	64221	\$53.49
13'	64215	49.49	16'	64219	51.99	19'	64222	53.99
14'	64216	49.99	17'	64220	52.49	20'	64223	54.99

Floatation

Ladders

Water Front

> Steering/ Controls

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Mercury 4000 series controls - Gen II CCX189/CC679 Performance Advantage - Engineered to significantly reduce or eliminate cable "Wig-Wag" - Improve the feel of the Mercury 4000 series control



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64195	\$56.99	16'	64199	\$63.49	20'	64203	\$69.99
13'	64196	58.99	17'	64200	64.99	21'	64261	71.49
14'	64197	60.49	18'	64201	66.99	22'	64262	72.99
15'	64198	61.99	l 19'	64202	68.49	l		

Trolling Motor

Gauges

Electronics Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/ Rod Holde

> Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

Boat Care

Misc./ Flooring Mercury/Mariner - CC179/600 Replacement shift and throttle cable for Mariner, Mercury and Mercruiser.





Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>🔯</b> 64064	\$37.49	16'	<b>🍲 64070</b>	\$46.99	22'	64075	\$65.49
11'	<b>🔯</b> 64065	38.99	17'	64071	48.49	24'	64076	69.49
12'	<b>🔯</b> 64066	40.99	18'	64072	49.49	30'	64079	63.99
13'	<b>64067</b>	42.49	19'	64073	50.99	32'	64080	70.99
14'	<b>64068</b>	43.99	20'	64074	51.99	34'	64081	77.99
15'	<b>\$\times 64069</b>	45.49						

Mercury/Mariner 1965 and newer - CCX179/CC635 Performance Advantage - Premium Control Cable can be used with Mercury/Mariner 1965 and newer and late model Force®





Order No. Length Order No. Retail Length Retail Length Order No. Retail 64226 \$47.49 12' 64186 \$55.49 18' 64192 \$64.99 6' 7' 64227 13' 56.99 19' 64193 48.99 64187 66.49 64228 64194 8' 50.99 14' 64188 58.49 20' 67.99 9' 64229 52.49 15' 64189 59.99 22' 64232 72.99 10' 64230 52.49 16' 64190 61.49 24' 64233 76.49 64231 53.99 17' 64191 63.49 11'

Ski's/Tubes Mariner - CC210/630

Replacement cable for Mariner low horsepower engines when used with Mercury controls.





Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	64124	\$57.99	13'	64127	\$62.49	17'	64131	\$68.49
11'	64125	59.49	14'	64128	63.99	18'	64132	69.99
12'	64126	60.99	15'	64129	65.49	19'	64133	71.49
			16'	64130	66.99	20'	64134	72.99

Ladders

Floatation

Water Front

BRP/OMC Series - CCX205/CC636 Extreme replacement for the 479 Series



SEASTAR SOLUTIONS®

KTREME

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64234	\$47.49	12'	64204	\$55.49	18'	64210	\$64.99
7'	64235	48.99	13'	64205	56.99	19'	64211	66.49
8'	64236	50.99	14'	64206	58.49	20'	64212	67.99
9'	64237	52.49	15'	64207	59.99	22'	64240	72.99
10'	64238	52.49	16'	64208	61.49	24'	64242	76.49
11'	64239	53.99	17'	64209	63.49 l			

Navigation

Lites

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/

Rod Holder Winches/

Jacks Lites/

Tie Downs Tires/

Couplers Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

New Style OMC - CC205/479

Replacement shift and throttle cable for Evinrude, Johnson and OMC 1979 to date.

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>64034</b>	\$38.99	16'	<b>🍲 64040</b>	\$44.99	24'	64046	\$74.99
11'	<b>64035</b>	39.99	17'	64041	45.99	28'	64048	62.99
12'	<b>64036</b>	40.99	18'	64042	46.99	36'	64052	99.99
13'	<b>5</b> 64037	41.99	19'	64043	47.49	38'	64053	108.99
14'	<b>64038</b>	42.99	20'	64044	48.49	40'	64054	117.99
15'	<b>64039</b>	43.99	22'	64045	71.99	I		



SEASTAR SOLUTIONS

Old Style OMC - CC170/400

Replacement shift and throttle cables for Evinrude, Johnson and OMC 1978 & earlier

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64000	\$39.49	14'	64008	\$46.49	24'	64016	\$73.99
7'	64001	40.99	15'	64009	47.49	26'	64017	75.99
8'	64002	39.99	16'	64010	48.99	28'	64018	79.99
9'	64003	40.99	17'	64011	49.99	32'	64020	74.99
10'	64004	41.99	18'	64012	50.99	34'	64021	85.99
11'	64005	43.49	19'	64013	51.99	36'	64022	96.99
12'	64006	44.49	20'	64014	52.99	38'	64023	106.99
13'	64007	45.49	22'	64015	69.99			

OMC/Volvo Penta - CCX214	SEASTAR SOLUTIONS*
Volvo Engines using BRP/OMC controls.	TFXTREME

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64250	\$63.99	15'	64253	\$68.49	18'	64256	\$73.49
13'	64251	65.49	16'	64254	69.99	19'	64257	74.99
14'	64252	66.99	17'	64255	71.99	20'	64258	76.49

Hardware/ **Fasteners** 

Covers/ Windshield

Pumps/ Int. Lites

> Electric/ Battery

Trolling

Motor Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug Starters

Props

Seats/ Pedestals

Anchors/

Rod Holder Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

> Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines SEASTAR SOLUTIONS

Ball Joint Assembly Fits shift and throttle universal style cables with 10-32" threads.

Mfg #CA37701P

**Order No. 60683** \$19.99



Clamp/Shim Kit For 3300 universal shift and throttle cables.



Mfg #CA28020P

Order No. 60569 \$12.99



Johnson/Evinrude Connection Kit For use with 400 & 3400 cables on engines 35hp & below. (1973-1978)

Mfg #CA27208P

Order No. 60591T \$69.99



Universal Inboard Connection Kit

For use with universal type cables.

Mfg #CA27024P

**Order No. 60567**T \$64.99



OMC/Johnson/Evinrude

Connection Kit

For use with 400 & 3400 cables on engines over 35hp.(1973-1978)

Mfg #CA27247P

**Order No. 60619**T \$24.99



Johnson/Evinrude/OMC Pre 1978 Connection Kit

For use with universal type cables.

Mfg #CA27321P

**Order No. 60663**T \$34.99



Mercury O/B & I/O Connection Kit For use with universal style cables.

Mfg #CA27319P

**Order No. 60655**T \$25.99



OMC Connection Kit For use with universal cables.



Mfg #CA27320P

**Order No. 60659**T

\$24.99



Mercury Control Adapter

Adapts universal cables for use with Mercury/Mariner controls.

Mfg #301074

**Order No. 43116**T \$84.99



OMC Control Adapter

Adapts universal cables for use with 1979 and later OMC controls.

Mfg #304939

**Order No. 43117**T \$129.99