

The EZY STIK II is a mechanical steering system designed so the operator may be positioned in the front of the boat for better visibility and convenience. This system is rated for engines NOT to exceed 70 HP. Any length not listed can be special ordered.

KITS \$449.99


Length Order No.

8'	18745 ^{THF}
9'	18746 ^{THF}
10'	18747 ^{THF}
11'	18749 ^{THF}
12'	18751 ^{THF}
13'	18753 ^{THF}
14'	18755 ^{THF}
15'	18756 ^{THF}

CABLE ONLY \$219.99

Length Order No.

8'	18760 ^{THF}
9'	18761 ^{THF}
10'	18762 ^{THF}
11'	18764 ^{THF}
12'	18766 ^{THF}
13'	18768 ^{THF}
14'	18770 ^{THF}
15'	18771 ^{THF}



"STIK II" MODEL 840

Ezy-Glide
Inc.
Marine Steering Systems





70 HP MAX.

*Special Order Only
7-10 Day Delivery*

Mfg #	Description	Order No.	Retail
K-060	Replacement Knob	18775 ^{THF}	\$4.99
H-260	Replacement Lever	18776 ^{THF}	27.99
DC-840	Replacement Cover	18777 ^{THF}	6.49
HP-900	Hardware Package	18778 ^{THF}	5.99

E.Z. STEER™


Steering For Your Auxiliary Outboard Motor Steer Your Auxiliary O/B From Your Main Units Steering Wheel



*Use with stern drive or outboard
whether transom mount or extended bracket.
Main motor or auxiliary outboard
may be raised together or independently.
No holes to drill for installations*

*Special Order Only
7-10 Day Delivery*

Mfg No.	Description	Rod Length	Order No.	Retail
EZ-22002	OMC Cobra Outdrive.....	23" to 26"	18704 ^{TF}	\$299.99
EZ-22003	OMC Cobra Outdrive.....	29" to 33"	18708 ^{TF}	299.99
EZ-30002	Mercruiser Alpha One.....	23" to 26"	18712 ^{TF}	299.99
EZ-37002	Mercruiser Alpha One 2nd Generation...	23" to 26"	18722 ^{TF}	299.99
EZ-42002	Volvo II ('89 & Newer).....	23" to 26"	18721 ^{TF}	299.99
EZ-44002	Volvo SX/Cobra.....	23" to 26"	18723 ^{TF}	299.99
EZ-60001	Outboard to Outboard.....	19" to 22"	18724 ^{TF}	299.99
EZ-60002	Outboard to Outboard.....	23" to 26"	18728 ^{TF}	299.99
EZ-60003	Outboard to Outboard.....	29" to 33"	18732 ^{TF}	299.99



Mfg #	Description	Order No.	Retail
10001	19"-22" Short Rod Assy.	18735 ^T	\$164.99
10002	23"-26" Standard Rod Assy.	18736 ^T	164.99
10003	29"-33" Long Rod Assy.	18737 ^T	164.99
50010	Small O/B Bracket	18738 ^T	70.99
60010	Large O/B Bracket	18741 ^T	73.99
18020	SST Bands (2/pk)	18742 ^T	27.49
13200	Quick Disconnect	18743 ^T	16.09


SEASTAR
Pro Series
Hydraulic Steering

The ultimate steering system for high speed single outboards.

Ideal for high-performance boats with single non-power assisted O/B's up to 300 HP and capable of speeds over 70 MPH.

4.25 turns lock to lock. 2.0 cubic inches per revolution.

Hoses NOT included

HK-7400A Hydraulic Steering Kit
HK-7300A Hyd. Steering Kit w/Tilt Helm
Order Part No's. \$1426.95
1-60098, 2-60099, 1-60096, 1-60072
Order Part No's. \$1686.95
1-60098, 2-60099, 1-60097, 1-60072

*John/Evin 65-300 HP 1977-'90 or Honda 115-130 HP 1998 to date: requires different cylinder.


SEASTAR SOLUTIONS
Hydraulic Steering Pro Series

NFB Steering system for boats up to 60 MPH.

The most popular outboard hydraulic steering system offering smooth, super efficient No Feed Back Steering for today's hulls.

It's the #1 system available today for runabouts, center console, cruisers, offshore fishing and many more. Fast, easy installation. 5 turns lock to lock. 1.7 cubic inches per revolution.

Hoses NOT included

HK-6400A3 Hydraulic Steering Kit
Mfg #HK-6400A3
Order No. 60048TF \$1299.99
SEASTAR
SEASTAR SOLUTIONS
Hydraulic Hose Kits

- Measure Hose Path or Existing Cable and ADD 24".



Mfg #	Size	Order No.	Retail
HO5114	14' Hose Set	60054TF	\$119.99
HO5116	16' Hose Set	60056TF	130.99
HO5118	18' Hose Set	60058TF	134.99
HO5120	20' Hose Set	60059TF	134.99

SEASTAR
SEASTAR SOLUTIONS
Pro Helm

Requires 3" cut out on dash.
Complete with elbow fittings.

Mfg #HH5770-3
Order No. 60096TF \$659.99
Pro Sport Tilt Helm

- 5 Wheel positions of tilt.
- 48° tilt range (12° down, 36° up)
- Remote fill point

Mfg #HH6190-3
Order No. 60097TF \$919.99

Standard Hydraulic Cylinder
(Single Engine)

Mfg #HC5345-3
Order No. 60072TF \$695.99
SEASTAR
SEASTAR SOLUTIONS
Hydraulic Steering Oil
Mfg #HA5430H quart
Order No. 60099TF \$24.99
Mfg #HA5440H gallon
Order No. 60100TF \$80.99

Cylinder Spacer Kit

Honda 1998 to Date - 30 & 50 HP

OMC/Suzuki 1998 to Date - 65 & 70 HP

Mercury 1998 to Date - All 40 thru 60 HP

Yamaha 1998 to Date - 40 thru 60, & 90 HP

Suzuki 1998 to Date - 115-140 HP

Force 1985-1994 - 90/150 HP

SEASTAR SOLUTIONS

Mfg #HO5090
Order No. 60086TF \$30.99

 Navigation
Lites

 Steering/
Controls

 Hardware/
Fasteners

 Covers/
Windshield

 Pumps/
Int. Lites

 Electric/
Battery

 Trolling
Motor

Gauges

 Electronics/
Radios

Fuel

 Lube/
Motor Care

 Aux. Brkts/
Tilt/Trim

 Spark Plug/
Starters

Props

 Seats/
Pedestals

 Anchors/
Rod Holder

 Winches/
Jacks

 Lites/
Tie Downs

 Tires/
Couplers

 Boat
Care

 Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

 Water
Front

 Fenders/
Dock Lines

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock LinesSEASTAR
SOLUTIONS®

Hydraulic Steering

HK4200 Hydraulic Steering System for Outboard Powered Boats up to 150 HP

*BayStar is not intended for high speed or performance type boats.

BayStar kits include everything needed for an install. The cylinder utilizes the factory drag link for simplified installation.

3 Easy Steps to order your BayStar system:

- 1) Check helm dimensions: Standard 5" helm requires 3" hole in dash
- 2) Check cylinder dimensions: Is the splashwell wide enough?
Requires 32" splashwell width. 4½ Steering wheel turns, stop to stop.
Provides full engine stop movement.
- 3) Is there enough room in the splashwell for full engine tilt?
Find the dimension of your splashwell. Check them against the minimum splashwell dimension for full engine tilt for your engine and cylinder.

Mfg #HK-4200A-3

Order No. 60046_{TF} \$869.99**BAYSTAR™**SEASTAR
SOLUTIONS®

Cylinder Wrench Kit

Compact design.

Fits 4 and 8 hole end glands.

Mfg #HS5300

Order No. 60087_{TF} \$99.99

Helm Oil Fill Kit

Mfg #HA5438

Order No. 60098_{TF} \$20.99

Replacement vented fill plug

Mfg #HP6126

Order No. 60091_{TF} \$8.49SEASTAR
SOLUTIONS®

Seastar High HorsePower Tiller Bolt

SEASTAR
SOLUTIONS®

Mfg #HA5822

Order No. 60076_{TF} \$24.99

90° Elbow Fitting

Mfg #HF6145

Order No. 60079_{TF} \$34.99SEASTAR
SOLUTIONS®

Hyd. Seal Kit Snap Ring End Caps

Mfg #HS5152

Order No. 60085_{TF} \$69.99SEASTAR
SOLUTIONS®

BayStar Cylinder Seal Kit

Mfg #HP4600

Order No. 60084_{TF} \$109.99

SeaStar Cylinder Seal Kit

Mfg #HS5157 Kit

Order No. 60082_{TF} \$145.99

Mfg #HS5167 Glands Only

Order No. 60081_{TF} \$119.99

Bleed Nipple

Mfg #HF5548 2 per kit

Order No. 60078_{TF} \$24.99

Horizontal Bleeder Tee

Mfg #HF5520 2 per kit

Order No. 60077_{TF} \$74.99

Quad Ring Seal Kit for Helms

Mfg #HP6032

Order No. 60083_{TF} \$11.99SEASTAR
SOLUTIONS®

Hardware Kit for All Cylinders

Mfg #HP6033

Order No. 60080_{TF} \$54.99

Kit Includes:
 2 washers-202300
 1 spcr & boot-828016
 1 adj. nut-828085
 2 spacers-995876
 1 spacer-996689

20 Degree Wedge Kit

Mfg #HA5419

Order No. 60095_{TF} \$89.99



GoTech Hydraulic Outboard Steering System
Steering solution for pontoon boats and other boats with moderate torque. Designed to handle 4-stroke OB engines up to 115HP. Eliminates steering torque that can occur in some mechanical steering applications.

- Max. HP: 115
- Helm: UP 18 F front mount
- Turns Lock-to-Lock: 4.5
- 30' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years



Mfg #	Order No.	Retail
GOTECH 1.0	63240 _{TF}	\$799.99



HyTech Hydraulic Outboard Steering System
Features a unique split tilt tube rod for installation of the cylinder without removing the engine. Steering solution for boats with 150HP engines and under. Includes a composite UP20 helm for effortless steering. Applicable for almost all 2 and 4 stroke OB's. Hytech 1.0 is not suitable for Honda BF115 and BF130 engines and Mercury Optimax™ 75, 90, 115. For these engines HyTech 3.0 is available.

- Max. HP: 150
- Helm: UP 20 F front mount
- Turns Lock-to-Lock: 5
- 40' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years



Mfg #	Order No.	Retail
HYTECH 1.0	63241 _{TF}	\$819.99



ProTech Hydraulic Outboard Steering System

The ProTech is built for longevity and peak performance with a stainless steel helm shaft, heavy duty shaft seals, carbon steel piston, 304 electro polished and passivated stainless link assemblies. Adjustable boss style fittings to allow for easy hose routing.

- Max. HP: 300 • Helm: UP 28 F front mount • Turns Lock-to-Lock: 4.3
- Hoses sold separately • 2 quarts 15SAE oil • Warranty: 2 years

Mfg #	Description	Order No.	Retail
PROTECH 1.0	See Application Chart	63242 _{TF}	\$1159.99
PROTECH 2.0	See Application Chart	63244 _{TF}	1159.99
PROTECH 3.0	See Application Chart	63246 _{TF}	1159.99



Hydraulic Steering Hoses

Consists of a pair of high pressure hoses supplied with preassembled fittings on both ends. Sold as pairs.

Mfg #	Order No.	Retail
KITOB-14'	63262 _{TF}	\$124.99
KITOB-16'	63264 _{TF}	124.99
KITOB-18'	63266 _{TF}	124.99
KITOB-20'	63268 _{TF}	124.99

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock Lines



ProTech Hydraulic Outboard Steering System Application Chart				
Engine	Power	Year	Packaged Kit	Single Cylinder
Evinrude	E75-E90 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Evinrude	E115-E130-E135 2 Stroke V4	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E150-E175-E200 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E200 HO-E225-E250 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E250 HO-E300 2 Stroke V6		Protech 2.0	UC128OBF-2
Honda	BF75-90 4 Stroke	1995- to date	Protech 1.0	UC128OBF-1
Honda	BF115D	1998 - 2009	Protech 3.0	UC128OBF-3
Honda	BF115A	2009-to date	Protech 1.0	UC128OBF-1
Honda	BF130A	1998 - 2005	Protech 3.0	UC128OBF-3
Honda	BF135-150 4 Stroke	2005-to date	Protech 1.0	UC128OBF-1
Honda	BF90-BF150 V-TEC 4 Stroke	2008-to date	Protech 1.0	UC128OBF-1
Honda	BF175-200-250 4 Stroke	2001-to date	Protech 1.0	UC128OBF-1
Johnson	BJ90-115-140 4 Stroke	2001 - 2007	Protech 1.0	UC128OBF-1
Johnson	J90-115 V4 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J150-175 V6 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J200-225 V6 4 Stroke	2004 - 2007	Protech 2.0	UC128OBF-2
Mercury/Mariner	75-90-115-125 Optimax 2 Stroke	2004-to date	Protech 3.0	UC128OBF-3
Mercury/Mariner	135-150-175 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	200-225-250 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	Racing 300 Optimax 2 Stroke	1999 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	100-115-EFI 4 Stroke	2007-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	115-125-150 EFI 2 Stroke	1990 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	225-250 EFI 2 Stroke	2000 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	250 Saltwater EFI 4 Stroke	2007 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	135 Verado L4 4 Stroke	2004 - 2006	Protech 1.0	UC128OBF-1
Mercury/Mariner	150-175-200 Verado L4 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Suzuki	DF70-80-90 4 Stroke	1998-to date	Protech 2.0	UC128OBF-2
Suzuki	DF100-115-140 4 Stroke	1998-to date	Protech 1.0	UC128OBF-1
Suzuki	DF150-175 4 Stroke	2006-to date	Protech 1.0	UC128OBF-1
Suzuki	DF200-DF225-DF250-DF300		Protech 2.0	UC128OBF-2
Tohatsu	115-120-140 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Tohatsu	70-90-115 TLDI 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Yamaha	75C-90 2 Stroke	1998-2008	Protech 2.0	UC128OBF-2
Yamaha	115C-130B 2 Stroke	1990-2008	Protech 2.0	UC128OBF-2
Yamaha	150F-200F-250G 2 Stroke	1996-2007	Protech 2.0	UC128OBF-2
Yamaha	150 HPDI VMAX 2 Stroke	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	175-200-225-250-300 HPDI VMAX 2 St	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	F70	2010-to date		UC128OBF-1P
Yamaha	F90-F100-F115-F150 EFI 4 Stroke	1999-2007	Protech 1.0	UC128OBF-1
Yamaha	F200-F225-F250- F300 4 Stroke	2002-to date	Protech 2.0	UC128OBF-2
Yamaha	F115-F150	2004-to date	Protech 1.0	UC128OBF-1

WARNING: These recommendations should be used as a general reference only. Final selection should be made with the assistance of a qualified installation technician. For any further information please contact our technical service.

Power Purge JR**Power Purge, Jr.**

The Power Purge, Jr. is the quickest way to bleed a SeaStar® or BayStar® system and assure a rock-solid steering feel every time! Dramatically reduces purging time. Increased quality of system purge for solid, responsive steering feel. Fast and efficient set-up; easy to operate. Screens contaminants from oil. Quick connect fittings. Uses a 12-volt boat battery.

Mfg #HA5445-2

Order No. 60093_{TF} \$1199.99

Special Order Only
7-10 Day Delivery

PANTHER**Outboard Stabilizer Clips**

Snap over outboard's hydraulic steering cylinder rods to help keep engine centered during trailering. Fits most cylinder rods 1997 and newer.

Mfg #55-2190

Order No. 57158 \$12.69**Steer-Stop™ Hydraulic Steering Lock**

Locks hydraulic steering when trailering. Clips onto Hydraulic Steering Rams. Keeps engine straight and prevents damage to transom savers.

Mfg #SS-3-DP

Order No. 57323 \$20.99**m-y wedge****Centering Clips**

Helps keep the engine straight during transportation. For hydraulic steering. UV Protected.

Mfg #M-YU123

Order No. 43505_{TF} \$19.99**Ball Joint**

Exclusive design is spring loaded for zero end-play. 3/8-24 Thread.

Mfg #FBJ-9004

Order No. 57860 \$35.99**Quick Disconnect - Zinc**

The ball stud is 3/8-24 thread by 1-7/8" long. Body is tapped for 3/8-24 threaded rod.

Mfg #	Description	Order No.	Retail
99-09028	Quick Disconnect	25270	\$11.99
99-05028	Ball Stud Only w/Hdwr	25274	9.99

PANTHER**SS Auxilliary Motor Bracket Kit**

Kit includes:
 Bracket, Washers, Bolt & Locktite.



Mfg #55-5705

Order No. 57135 \$36.99**PANTHER****SS Drive Bracket**

Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Uflex.



Mfg #55-2950

Order No. 57137_{TF} \$101.99Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock Lines

PANTHER**Auxiliary Motor Steering Kit**

Connects a trolling motor to your main engine.
Easy to install.

Mfg #55-2400

Order No. 57133
 \$40.99
attwood**Motor Steering Kit**

Connects a trolling motor to your main engine.
Easy to install.



Mfg #11663-7

Order No. 09280
 \$26.99
SEASTAR

Retrofittable to Seastar Front Mount Cylinders.
Drive/drag link from kicker motor Not Included.

Kicker Cable Tie Bar

Allows a user to manually steer an auxiliary engine using their existing Seastar hydraulic steering system. Incorporate an *XTREME* cable as the linkage between the two engines.

Features:

- Flexible cable for locations of kicker motor.
- Allows independent trim/tilt of both engines.
- Allows full steering stroke of both engines.

Mfg #	Size	Order No.	Retail
HO6116	16" Cable	60069_{TF}	\$454.99
HO6122	22" Cable	60070_{TF}	459.99



Kicker or Trolling Motor single cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer.



Mfg #HO6010

Order No. 60068_{TF} \$424.99**Universal kicker motor tie bar kit**

This tie bar kit will fit on the front mount cylinder used in all OEM applications.



Mfg #HP6083

Order No. 60092_{TF} \$139.99**PANTHER**

Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Seastar Solutions.

Mfg #55-2750

Order No. 57136_{TF} \$81.99**PANTHER****Universal Kicker Motor Tie Bar Kit**

Kicker or Trolling Motor single cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer.



Mfg #55-2700

Order No. 57134_{TF} \$239.99




Zero Torque Tiller Steering System

Locks out the torque while the boat is not actively being steered. Consists of a hydraulic cylinder with a control valve that opens and closes following the operation made on the handle. The valve closes when the steering effort by the driver is stopped; as a consequence the cylinder locks the steering position.

Features:

- Hydraulic torque lockout
- Safer boat handling operations
- Consistent boat direction
- Fatigue reducer
- Does NOT include Tiller Handle
- 2008 and newer motors



Mfg #	Description	Order No.	Retail
ZTF Tiller Y1	Yamaha 90-115HP	63238 _{TW}	\$1839.99
ZTF Tiller Y2	Yamaha 150-200HP	63239 _{TW}	1839.99



Zero Torque Tiller Steering System

Locks out the torque while the boat is not actively being steered. Consists of a hydraulic cylinder with a control valve that opens and closes following the operation made on the handle. The valve closes when the steering effort by the driver is stopped; as a consequence the cylinder locks the steering position.

Features:

- Suitable for boats up to 150 HP
- Hydraulic torque lockout
- Safer boat handling operations
- Consistent boat direction
- Fatigue reducer
- Includes Mercury "BIG TILLER"



Mfg #ZTF Tiller
Order No. 63248_{TW} \$2899.99



Through Tilt Tube Electro Steer

24' cable allows you to steer your kicker motor from anywhere in the boat. Mounts to your kicker motor in minutes. Does not take up space on your transom. Two button hand-held remote with 24' cable and mounting hardware included.

T-4 requires 9" between motors

Mfg #55-0102
Order No. 56904_{TW} \$541.99

T-5 requires 4" between motors

Mfg #55-0502
Order No. 56913_{TW} \$655.99



Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines

Electro Steering

Frees your hands from the steering wheel and allows you to steer your boat with the push of a button. Steers separate from your main engine. 24' harness. Quick response; quick disconnect. Compact design with waterproof motor. Black anodized finish.

PANTHER

Special Order
5-7 day delivery

Mfg #55-0100A

Order No. 56906^{TW} \$490.99**PANTHER****Wireless Remote Control (Optional)**

200 ft. range. Operates on 12 volt battery. Works on all Panther Steering and Trim & Tilt units. Lanyard included.



Mfg #55-0105

Order No. 57105^{TW} \$171.99**SEASTAR SOLUTIONS®**

SS137
Safe-T QC Steering System

ALL LENGTHS \$224.99

THF

THF

Length	Order No.	Length	Order No.
10'	60101	15'	60106
11'	60102	16'	60107
12'	60103	17'	60108
13'	60104	18'	60109
14'	60105	19'	60110
		20'	60111

SEASTAR SOLUTIONS®

SS132 Safe-T II
Single Cable NFB System

- Compact, rugged rotary helm
- Patented No Feedback Technology
- 3.0 turns lock-to-lock
- Fits Boats up to 24' - non power assisted outboard
- Replaces Teleflex Safe-T without dash modification



T

T

Length	Order No.	Retail	Length	Order No.	Retail
10'	60461	\$280.99	15'	60466	\$293.99
11'	60462	282.99	16'	60467	296.99
12'	60463	285.99	17'	60468	299.99
13'	60464	288.99	18'	60469	301.99
14'	60465	291.99	19'	60470	304.99
			20'	60471	309.99

SEASTAR SOLUTIONS®

SS147 NFB 4.2 Rotary
Single Cable System

ALL LENGTHS
\$285.99

- Fits Boats up to 24' - non power assisted outboard
- Replaces SeaStar Safe-T without dash modification
- Compact, rugged rotary helm
- Patented No Feedback Technology
- 4.2 turns lock-to-lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification & A.B.Y.C. standards



Length	Order No.	Length	Order No.	Length	Order No.
10'	60339^T	14'	60343^T	18'	60347^T
11'	60340^T	15'	60344^T	19'	60348^T
12'	60341^T	16'	60345^T	20'	60349^T
13'	60342^T	17'	60346^T		



RoTech Rotary Steering System

Featuring the T71FC helm with a planetary gear design. Reduces steering effort and delivers more balanced loads on the steering wheel, which improves durability and lost motion. Direct replacement for competing system, requiring no new holes for installation. Fits non-power assisted V-4 and smaller outboards up to 50mph.

- Turns Lock-to-Lock: 3.8 • replacement cable M66 series • Warranty: 2 years.



ALL LENGTHS \$208.99

Length	Order No.	Length	Order No.
10'	63250 _{THF}	16'	63256 _{THF}
11'	63251 _{THF}	17'	63257 _{THF}
12'	63252 _{THF}	18'	63258 _{THF}
13'	63253 _{THF}	19'	63259 _{THF}
14'	63254 _{THF}	20'	63260 _{THF}
15'	63255 _{THF}		

SS141 Back Mount Rack Single Cable System

- Fits Boats up to 24' -- non power assisted outboard
- Back Mount Design for Easy Installation!
- Pre-assembled Rack & Cable • 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft • Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards



ALL LENGTHS \$224.99

Length	Order No.	Length	Order No.	Length	Order No.
8'	60472 _{THF}	13'	60477 _{THF}	17'	60481 _{THF}
9'	60473 _{THF}	14'	60478 _{THF}	18'	60482 _{THF}
10'	60474 _{THF}	15'	60479 _{THF}	19'	60483 _{THF}
11'	60475 _{THF}	16'	60480 _{THF}	20'	60484 _{THF}
12'	60476 _{THF}				



SS151 NFB Rack Single Cable System

- Fits Boats up to 24' -- non power assisted outboard
- Replaces standard SeaStar Rack without dash modification
- Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards



Length	Order No.	Retail	Length	Order No.	Retail
10'	60485	\$316.99	15'	60490	\$319.99
11'	60486	319.99	16'	60491	324.99
12'	60487	322.99	17'	60492	339.99
13'	60488	314.99	18'	60493	342.99
14'	60489	315.99	19'	60494	344.99
			20'	60495	349.99



SS152 NFB Pro Rack Twin Cable System

- Fits Boats up to 24' -- non power assisted outboard
- Replaces standard SeaStar Rack without dash modification
- Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards



Length	Order No.	Retail
12'	60496 _T	\$644.99
13'	60497 _T	649.99
14'	60498 _T	659.99
15'	60499 _T	694.99
16'	60500 _T	699.99

Navigation Lites

Steering/ Controls

Hardware/ Fasteners

Covers/ Windshield

Pumps/ Int. Lites

Electric/ Battery

Trolling Motor

Gauges

Electronics/ Radios

Fuel

Lube/ Motor Care

Aux. Brkts/ Tilt/Trim

Spark Plug/ Starters

Props

Seats/ Pedestals

Anchors/ Rod Holder

Winches/ Jacks

Lites/ Tie Downs

Tires/ Couplers

Boat Care

Misc./ Flooring

Ski's/Tubes

Floatation

Ladders

Water Front

Fenders/ Dock Lines

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders


Water
FrontFenders/
Dock Lines**SSC62 QCII****Rotary Steering Cable**

Replaces SSC72 and SSC61 Cables
Replaces Morse 304415



(Does NOT include SA27620 Adapter)

Mfg #SA27620P

Order No. 60637 \$24.99**Now One SeaStar Cable Fits All These Rotary Helms**

For Replacement Cable Measure Conduit and ADD 18"

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	60416 _{THF}	\$169.99	11'	60421 _{THF}	\$134.99	16'	60426 _{THF}	\$134.99
7'	60417 _{THF}	169.99	12'	60422 _{THF}	134.99	17'	60427 _{THF}	134.99
8'	60418 _{THF}	134.99	13'	60423 _{THF}	134.99	18'	60428 _{THF}	134.99
9'	60419 _{THF}	134.99	14'	60424 _{THF}	134.99	19'	60429 _{THF}	134.99
10'	60420 _{THF}	134.99	15'	60425 _{THF}	134.99	20'	60430 _{THF}	134.99
						22'	60431 _{THF}	224.99

**SSC52/SSC290 Steering Cable**

For Replacement Cable Measure Conduit and ADD 18"

****SPECIAL ORDER******Replaces: Morse Command 290 Rotary Cables, 304411**

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
7'	60545	\$235.99	12'	60550	\$249.99	17'	60555	\$270.99
8'	60546	235.99	13'	60551	252.99	18'	60556	274.99
9'	60547	235.99	14'	60552	256.99	19'	60557	279.99
10'	60548	239.99	15'	60553	261.99	20'	60558	284.99
11'	60549	244.99	16'	60554	265.99			

**SSC130 Command 200 Cable**

For Replacement Cable Measure Conduit and ADD 30"

****SPECIAL ORDER****

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	60532	\$234.99	14'	60536	\$259.99	18'	60540	\$284.99
11'	60533	239.99	15'	60537	264.99	19'	60541	294.99
12'	60534	249.99	16'	60538	274.99	20'	60542	299.99
13'	60535	254.99	17'	60539	279.99			

"THE RACK" Rack & Pinion Steering Cable SSC124

(Discontinued in 1997)

For Replacement Cable
Measure
Conduit and ADD 30"

Square Rack



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	60375 _{THF}	\$204.99	14'	60379 _{THF}	\$226.99	18'	60383 _{THF}	\$249.99
11'	60376 _{THF}	209.99	15'	60380 _{THF}	234.99	19'	60384 _{THF}	254.99
12'	60377 _{THF}	215.99	16'	60381 _{THF}	239.99	20'	60385 _{THF}	259.99
13'	60378 _{THF}	220.99	17'	60382 _{THF}	244.99			



SSC134 Single Rack Cable

(1998 and Newer)

Rectangular Rack

For Replacement Cable
Measure Conduit and ADD 30"



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
9'	60505 _{THF}	\$194.99	13'	60509 _{THF}	\$166.99	17'	60513 _{THF}	\$177.99
10'	60506 _{THF}	197.99	14'	60510 _{THF}	169.99	18'	60514 _{THF}	180.99
11'	60507 _{THF}	200.99	15'	60511 _{THF}	172.99	19'	60515 _{THF}	183.99
12'	60508 _{THF}	164.99	16'	60512 _{THF}	175.99	20'	60516 _{THF}	186.99



SSC135 Dual Rack Cable

For Replacement Cable
Measure
Conduit and ADD 30"



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
11'	60521 _{THF}	\$534.99	14'	60524 _{THF}	\$556.99	17'	60527 _{THF}	\$579.99
12'	60522 _{THF}	544.99	15'	60525 _{THF}	564.99	18'	60528 _{THF}	589.99
13'	60523 _{THF}	549.99	16'	60526 _{THF}	571.99			



M66X Universal Quick Connect Rotary Steering Cable

Stainless steel output fittings for longevity and smooth steering.

ALL LENGTHS \$135.99



Length	Order No.	Length	Order No.
10'	63274 _{THF}	16'	63280 _{THF}
11'	63275 _{THF}	17'	63281 _{THF}
12'	63276 _{THF}	18'	63282 _{THF}
13'	63277 _{THF}	19'	63283 _{THF}
14'	63278 _{THF}	20'	63284 _{THF}
15'	63279 _{THF}		

Single Rotary Steering Helm



Mfg #T71FC
Order No. 63269 \$114.99

90 Degree Mounting Bezel



Mfg #X34
Order No. 63267 \$34.99

20 Degree Mounting Bezel



Mfg #X35
Order No. 63270 \$39.99

Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock Lines

Rotary Helms (Uses SSC61/SSC62 Cables)



**Safe-T "TS"
Threaded-Spigot**

SH5023P Single \$185.99
Order No. 60274_T




**Safe-T "QC"
Quick-Connect**

SH5094-1P Single \$94.99
Order No. 60280_T



**Safe-T "QC"
Quick-Connect**


SH4952P Dual \$289.99
Order No. 60285_T



90-Degree Mount (Black) SB27484P
Order No. 60579 \$29.99




20-Degree Mount (Black) SB27483P
Order No. 60611 \$44.99




**Safe-T II "NFB"
No-Feedback**

SH5150P Single \$159.99
Order No. 60282_T




**4.2 Rotary "NFB"
No-Feedback**

SH4910P Single \$169.99
Order No. 60272_T



**4.2 Rotary "NFB"
No-Feedback**

SH4920P Dual \$294.99
Order No. 60273_T



90-Degree Mount (Black) SB27150P
Order No. 60580 \$35.99



20-Degree Mount (Black) SB27483P
Order No. 60611 \$44.99



Tilt Rotary Helms (Use SSC61/SSC62 Cables)



Safe-T "QC" Quick-Connect
SH91523-1P Single \$139.99
Order No. 60266_T

**Safe-T II "NFB"
No-Feedback**
SH91190P Single \$179.99
Order No. 60275_T



**4.2 Rotary
"NFB" No-
Feedback**



SH91526P Single \$264.99
Order No. 60270_T

4.2 Rotary "NFB" No-Feedback



SH91527P Dual \$344.99
Order No. 60271_T

**Performance
Tilt Unit**



SH91800P \$164.99
Order No. 60264_T

For use with All tilt helms



Rack & Pinion Helms

"Back Mount"

Use Either SSC134 or SSC135 Dual Cables



Single SH5210P
79.99
Order No. 60283_T



90° Back Mount
SB39526P \$30.99
Order No. 60672



20° Wedge Kit
SB27449P \$30.99
Order No. 60602



Friction Device
SA 39531P \$49.99
Order No. 60606



Single SH5230P
\$164.99
Order No. 60284_T



90° Back Mount
SB39544P \$34.99
Order No. 60668



20° Wedge Kit
SB27449P \$30.99
Order No. 60602



Tilt Rack & Pinion Helms

Uses SSC134 Single or SSC135 Dual Cables



"NFB" Tilt Helm
(4 turns lock-to-lock)
Single SH91630P
\$194.99
Order No. 60279_T




"Back Mount" Tilt Helm
Single SH91610P \$114.99
Order No. 60278_T


Performance Tilt Unit
SH91800P \$164.99
Order No. 60264_T



MECHANICAL STEERING CONNECTION COMPONENTS




Transom Support Mounting



Transom Support Mounting Kit for
Older Outboards without Tilt Tubes.
SA27256P

Order No. 60635 \$225.99



Clamp Block for Outboards
SA27055P

Order No. 60571 \$138.34



SST Clevis Kit

Mfg #	Description	Order No.	Retail
SA27314P	Short Bolt Kit	60651	\$60.99
SA27329P	Long Bolt Kit	60652	51.99

Splashwell Threaded
Support Tube W/Ball
SA36316P



Order No. 60677 \$59.99

Aluminum
Support Tube
SA27274P



Order No. 60639 \$34.99



SSC61 Cable Adapter
for "TS" Threaded Helms SA27620P
Order No. 60637 \$24.99



Spent Tube
for NFB & Safe-T QC Helms
SA38603P

Order No. 60692 \$11.99



Spent Tube
for Safe-T "TS" Helms
SA35680P

Order No. 60676 \$11.99




Cable Gard
snaps easily over
the tilt tube nut.

Cable Gard's
unique wiper
keeps dirt out
of the tilt tube.

Cable Gard
One small step to
solve one big steering
problem. SA39329P

\$19.99
Order No. 60693



Hitch Pin & Tag for
Quick-connect Helms
SA27245P

Order No. 60621 \$6.99

Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock Lines**Standard 3/8" Diameter**

SLA-940F	60-120 H.P. Johnson/Evinrude	\$65.99	Order No. 57830
SLA-950F	60-120 H.P. Mercury	73.99	Order No. 57831

**Link Arms (Plated Steel)**

Adjustable ball joints and nylon lock nuts to insure vibration proof locking.




3/8" N.F. thin S.S. nylon lock replacement nuts for all steering link arms. #151

\$2.99 ea.

Order No. 57874

**Clamp Mount Kit**

These kits mount on the engine clamp brackets to provide thru tube steering. Freshwater kits include aluminum brackets and plated hardware.




FWK-3477 50 H.P. Johnson/Evinrude \$178.99 **Order No. 57872**

**Fits:**

Mariner 9.9-15 HP 1982 and newer
Suzuki 9.9-15-16-25 HP 1982 and newer
John/Evin 9.9-15-25-30-35-40 HP 1977 and newer
Yamaha 9.9-15 HP 1984 and newer

**Clamp Mount Kit**

This freshwater kit fits under the engine clamps and is designed to prevent motor from jumping off transom. Also prevents transom damage by the clamps. Constructed of aluminum and plated steel.




FWK-3475 \$176.99

Order No. 57870

**Front Mount Kit**


For use when obstructions prevent thru tube installations. Fits over motor mounting bolts. Freshwater kit with aluminum brackets and plated steel hardware.



Fits: 50-140 HP Johnson/Evinrude FWK-3470 \$216.99 **Order No. 57867**


Fits:

Mercury 1980 and newer Black Max
Mariner 1980 and newer
Fits all Mercury-Mariner 2.4
Suzuki 150-150SS-200 HP 1986 and newer
Suzuki 115-140 HP 1987 and newer
Johnson 115-140 4-stroke

**Dual - Same Side**

OSM-3798 \$164.99
Order No. 57827

Steering Link Arm NOT included in this kit

**Dual - Same Side**

Dual cable kit for cables installed down same side of boat (port or star-board). Steering tube and all parts are provided for simple hook up. Stainless steel and gold plated aluminum makes this kit corrosion resistant.

Yamaha 115-220 HP 1984 and newer

Steering Link Arm NOT included in these kits



OSM-3792 \$164.99
Order No. 57823

GRANT[®]**25388****25390****25392**

Mfg No.	Description	Order No.	Retail
161-11	13.5" Lake Series	25388_{TF}	\$79.99
480-1	14" Black Show Series	25390_{TF}	104.99
481-1	14" Two-Tone Show Series	25392_{TF}	104.99

**Champion****Ace**

Mfg No.	Description	Order No.	Retail
SW59291B	"Champion" 13-1/2" Dia. 3/4" Taper	60673_T	\$59.99
SW59691B	"Ace" 13-1/2" Dia. 3/4" Taper	60675_T	39.99

Steering Wheel Hardware

For mechanical helms
with tapered shafts
SA27454P
(Included in bezel kits)

\$12.99**Order No. 60669****DetMar
CORPORATION****Viper****Legend****Contour**

Mfg No.	Description	Order No.	Retail
12-2502AC	Viper 13.4" Dia. 3/4" Taper	15595_T	\$43.99
12-2800C	Legend 13.5" Dia. 3/4" Taper	15597_T	36.99
12-2301AC	Contour 13.75" Dia. 3/4" Taper	15598_T	45.99

**JIF^{LLC}
JIF MARINE^{LLC}****Steering Wheel**

- Hard black grip with Center Cap
- 12.75" Dia. 3/4" Taper - 3" Dish



Mfg #EDG
Order No. 30634_T \$39.99

attwood**Soft Grip Steering Wheel**

- Hard plastic center cap
- 13" Dia. 3/4" Taper - 3-3/8" Dish
- Resists UV rays



Mfg #8315-4
Order No. 07151 \$49.99

Navigation
LitesSteering/
ControlsHardware/
FastenersCovers/
WindshieldPumps/
Int. LitesElectric/
BatteryTrolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor CareAux. Brkts/
Tilt/TrimSpark Plug/
Starters

Props

Seats/
PedestalsAnchors/
Rod HolderWinches/
JacksLites/
Tie DownsTires/
CouplersBoat
CareMisc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
FrontFenders/
Dock Lines

UFLEX**Nisida Steering Wheel**


- 13.8" Dia. 3/4" Taper
- Hub included

Mfg #NISIDA-B/P

Order No. 63295_{TF} \$139.99**UFLEX****NaviTech Power Steering System**

Taking the latest technology from the automotive industry, Ultraflex has combined Electronic Power Steering (EPS) with the latest mechanical steering helms and Mach 90 high efficiency steering cable. EPS Steering offers fingertip steering. M90SS high efficiency cable delivers unprecedented performance. Ideal solution for long cable runs and tight bend applications.

- Tilt mechanism: X66 - 40613M
- Steering Cable Sold Separately
- Automotive steering effort and response
- 10 - 15 Vdc and 8 - 15 A nominal current during steering maneuvers
- Supplied with 10 ft electrical harness. It needs a 40 A fuse (to be ordered separately).
- Works with outboard engines Up to 150 hp, maximum 50 mph, no jackplates



ATTENTION: M90 Nav steering cable is suitable for use also with T71FC, T72FC, T73N-RFC, T81FC, T82FC, T83NRFC, T91, T93ZT, T101, T103ZT. Ultraflex steering helms. M66 will not fit the following Uflex helms: T91, T93ZT, T101, T103ZT.

M90 Steering Cable**ALL LENGTHS \$208.99**

Power Steering Helm **SO**

Mfg #NTECH-EPS

Order No. 63310_{TW} \$1819.99

Length	Order No.	Length	Order No.	Length	Order No.
10'	63298_{THF}	14'	63302_{THF}	18'	63306_{THF}
11'	63299_{THF}	15'	63303_{THF}	19'	63307_{THF}
12'	63300_{THF}	16'	63304_{THF}	20'	63308_{THF}
13'	63301_{THF}	17'	63305_{THF}		

PANTHER XPS**Panther XPS Power Steering System**

This hybrid steering system combines the durability and dependability of cable steering with the ease of automobile-like power steering. It eliminates the effect of prop torque, allowing for easy maneuvering in tight quarters as well as safe and controlled turns at high speeds.

The Panther XPS System gradually reverts to cable steering in case of failure, you are never without steering!

- Includes 2 quarts of specially formulated, fully synthetic hydraulic fluid.

For optimal performance, the Panther XPS System should be installed on outboard motors from 75 to 250 HP that are equipped with a "feedback" style helm and single cable steering. Installations may be done on boats with a "no-feedback" style helm as well, however the benefits of the Panther XPS Power Steering will be slightly diminished.

****SPECIAL ORDER****

Mfg #	Size	Order No.	Retail
10-7200	Rotary Steering Assist	57110_N	\$1499.99
10-6106	6' Hose Assembly	57112_T	135.99
10-6107	7' Hose Assembly	57114_T	148.99
10-6108	8' Hose Assembly	57116_T	164.99
10-6110	10' Hose Assembly	57118_T	177.99

*Additional Hose Assembly sizes available, call for details.



Oval Grommet
• 1-1/2" x 3" Grommet

Mfg #OG-1-DP
Order No. 57426 \$5.99



Split Motorwell Boot
4" Diameter hole
Includes tie for secure fit. Black rubber construction with polypropylene attachment gasket ring.

Mfg #12820-5
Order No. 09295 \$9.99



Rigging Flange
• Use with 2" ID hose
• Rigging flange hose union

Mfg #RFHU-1
Order No. 57408 \$14.99



Tough, flexible vinyl. Pass cables and wires thru without damage.
Both designs hold wires and cables tight to prevent chafing.



UG



CB




CBG

Mfg #	Description	Order No.	Retail
UG-1-DP	2-1/4" Utility grommet	57425	\$11.99
CB-1-DP	3" Motorwell boot	57394	\$8.99
CB-2-DP	2" Motorwell boot	57396	8.49
CB-4-DP	4-1/2" Motorwell boot	57397	12.49
CBG-1	Grommet fits 3" cable boot	57401	\$6.49
CBG-2	Grommet fits 2" cable boot	57402	5.99



Steering Cable Boot
Protects against cable freeze-up, rust and corrosion. Extends steering cable life. Keeps steering cable lubricated. Fits most outboard and I/O steering cables.

Mfg #SB-34
Order No. 57792 \$19.99



Steering Tube Cleaning Brush



Cleans corroded engine tilt tubes. Constructed of steel wire with 8" shaft. For use with electric drill.

Mfg #TB-10
Order No. 57787 \$26.99



Tiller Cable
• 3/16" diameter
• 250' Spool
• Replaces steering cable
• Vinyl jacketed twisted steel



Mfg #51820
Order No. 62598 \$73.99



Tiller Line Clamp
For 3/16" to 1/4" cable
(1-pr/Skin Pack)

Mfg #8043-3
Order No. 07121 \$19.99



Pulley Strap
Chrome plated - length 1-1/2"
(2/card)

Mfg #1225
Order No. 58610 \$8.99

Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines



Cable Loom

- Black polyethylene corrugated loom is durable; split for easy installation.
- For protection of wires on cars, buses, trucks, and boats.
- Coiled and boxed.
- Temp rating of 93°C (200°F)




Mfg #	Size	Order No.	Retail
05749	1/4" x 100'	19205	\$29.99
05750	3/8" x 100'	19206	33.99
05751	1/2" x 100'	19207	37.99
05752	5/8" x 100'	19209	41.99



Split Wire Conduit

Mfg #	Size	Order No.	Retail
16-128-0146B	1/4" x 50'	63627	\$18.99
16-128-0386B	3/8" x 50'	63628	18.99
16-128-0126B	1/2" x 50'	63630	21.99
16-128-0586B	5/8" x 50'	63632	25.99
16-128-0346B	3/4" x 50'	63634	27.99
16-128-1006B	1" x 50'	63636	39.99
16-128-1146B	1-1/4" x 50'	63638	61.99
16-128-1126B	1-1/2" x 50'	63640	96.99



Flex is a light weight jacketing for bundling and protecting wires, cables and hoses. Braided from high temperature yarns, Flex offers total protection for wire and cable assemblies. Flex expands to four times its original size.

Flex Sleeving Spooled

Mfg #	Description	Order No.	Retail
FLX-50	1/2" Flex sleeving - 100' spool	57441	\$99.99
FLX-75	3/4" Flex sleeving - 100' spool	57442	134.99
FLX-150	1-1/2" Flex sleeving - 50' spool	57444	\$124.99
FLX-200	2" Flex sleeving - 50' spool	57445	154.99



89761



63642



Rigging Hose

Mfg #	Description	Order No.	Retail
18-9883Black	Hose Kit - 2" x 5'	89883B_N	\$65.49
18-9883White	Hose Kit - 2" x 5'	89883W_N	65.49
18-9761Black	Hose Flange	89761_N	11.99
18-9761White	Hose Flange	89761W_N	8.99
16-126-2003B	Hose - 2" x 10'	63642	54.99
16-126-2003W	Hose - 2" x 10'	63641	59.99



Hot Foot Slide Mount

- 5" of Slide



Mfg #HFM-1
Order No. 57360_T \$84.99



Hot Foot Pro Top Load Foot Throttle

- Patented idle stop for Ficht & Optimax engines
- Stainless steel return spring
- Teflon bushings on all critical pivot points
- Toe clip for added security.
- **Fits OMC, Merc/Mariner**

Mfg #HF-1T
Order No. 57359_T \$199.99



Hot Foot

Foot throttle for outboard and inboard engines. A safety feature adaptable to all high performance boats. Uses standard control cables for easy hook-up. Mounts to floor of boat.



Mfg #	Description	Order No.	Retail
HF-1	Fits Most Applications	57358_T	\$189.99
HFS-1	Replacement Spring	57354	20.99



Xtreme Series Controls

- Trim switch
- Neutral interlock and start-in-gear protection for side mount controls
- Neutral engine warm-up feature
- Accepts most every type of OEM and 3300/33C type cable
- Easily adapted to push or pull cable actuation mode



Mfg #	Description	Order No.	Retail
CHX8554P	Side Mount Control w/o Cutoff-Black	60684_T	\$359.99
CHX8051P	Side Mount Control w/Cutoff-Chrome	60687_T	409.99
CHX8641P	Top Mount Control w/Cutoff-Black	60685_T	\$399.99



Single Lever Control

This economical single lever/dual action control with positive detents for shifts uses universal cables. It's an excellent replacement for both outboard and sterndrive controls using universal type cables.



Mfg #	Description	Order No.	Retail
CH-2700P	w/Trim Switch	60665_T	\$309.99
CA-27090P	Neut.Safety Switch	60658_T	44.99



Morse SL-3 - Dual Function,
Single Lever Control Accessories
Replacement Neutral Safety Switch

Mfg #051801-033

Order No. 43139 \$21.99



No Longer Available.
Accessories only.



Shift & Throttle Control Mounting Board

• Made from King StarBoard® marine grade plastic.

Mfg #	Size	Order No.	Retail
950	12"x12"x1/2"	48004	\$28.99
960	12"x24"x1/2"	48006	57.99

Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines

CCX633/CC633/33C Supreme












Ideal For Twin Stations & Difficult Routings

For Outboards, Sterndrives & Inboards

- 10-32 UNF threaded ends • 4" Minimum Bend Radius
- Nominal 3" travel • Splined Core for unparalleled smoothness and response










XTREME

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64224	\$45.99	12'	 64175	\$54.99	18'	 64182	\$64.99
7'	64225	47.99	13'	 64176	56.99	19'	 64183	65.99
8'	64171	48.99	14'	 64177	57.99	20'	 64184	67.99
9'	64172	50.99	15'	 64178	59.99	22'	64185	70.99
10'	 64173	51.99	16'	 64179	61.99	24'	64181	73.99
11'	 64174	53.99	17'	 64180	62.99			

Universal - CC230/172/3300

Industry standard shift and throttle cable,
3" travel and 10-32" threads.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	 64094	\$46.99	15'	 64099	\$51.99	20'	64104	\$56.99
11'	 64095	47.99	16'	 64100	52.99	22'	64105	60.99
12'	 64096	47.99	17'	64101	53.99	24'	64106	62.99
13'	 64097	48.99	18'	64102	54.99	38'	64113	95.99
14'	 64098	50.99	19'	64103	55.99	40'	64114	100.99



Type 33C - Red Jacket

Industry standard shift and throttle cable,
3" travel and 10-32" threads.

Length	Order No.	Retail
40'	42780	\$98.99

33C Supreme

The answer to long and complex cable routings...
4" minimum bend radius capability versus 8" min.
bend radius for standard 33C *Red Jacket*...



High efficiency shift & throttle cable for
multiple station use, 3" travel, 10-32 thread.

Length	Order No.	Retail
19'	42859	\$54.99

Gen II Merc Cable - CC189

Industry standard shift and throttle cable, 3" travel.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64214	\$53.99	15'	64218	\$55.99	18'	64221	\$58.99
13'	64215	53.99	16'	64219	56.99	19'	64222	59.99
14'	64216	54.99	17'	64220	57.99	20'	64223	60.99

Mercury 4000 series controls - Gen II CCX189/CC679

Performance Advantage - Engineered to significantly reduce or eliminate cable "Wig-Wag" - Improve the feel of the Mercury 4000 series control








XTREME


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64195	\$57.99	16'	64199	\$63.99	20'	64203	\$70.99
13'	64196	59.99	17'	64200	65.99	21'	64261	72.99
14'	64197	60.99	18'	64201	67.99	22'	64262	73.99
15'	64198	62.99	19'	64202	68.99			

Mercury/Mariner - CC179/600

Replacement shift and throttle cable for Mariner, Mercury and Mercruiser.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	 64064	\$43.99	15'	 64069	\$ 51.99	20'	64074	\$ 58.99
11'	 64065	44.99	16'	 64070	52.99	22'	64075	72.99
12'	 64066	46.99	17'	64071	54.99	24'	64076	76.99
13'	 64067	48.99	18'	64072	55.99	30'	64079	63.99
14'	 64068	49.99	19'	64073	57.99	34'	64081	77.99

Mercury/Mariner 1965 and newer - CCX179/CC635

Performance Advantage - Premium Control Cable can be used with Mercury/Mariner 1965 and newer and late model Force®


TFXTREME

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64226	\$47.99	12'	64186	\$55.99	18'	64192	\$65.99
7'	64227	49.99	13'	64187	57.99	19'	64193	66.99
8'	64228	51.99	14'	64188	58.99	20'	64194	68.99
9'	64229	52.99	15'	64189	60.99	22'	64232	73.99
10'	64230	52.99	16'	64190	62.99	24'	64233	76.99
11'	64231	54.99	17'	64191	63.99			

Mariner - CC210/630

Replacement cable for Mariner low horsepower engines when used with Mercury controls.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	64124	\$60.99	13'	64127	\$65.99	17'	64131	\$71.99
11'	64125	62.99	14'	64128	66.99	18'	64132	73.99
12'	64126	63.99	15'	64129	68.99	19'	64133	74.99
			16'	64130	70.99	20'	64134	76.99

 Navigation
Lites

 Steering/
Controls

 Hardware/
Fasteners

 Covers/
Windshield

 Pumps/
Int. Lites

 Electric/
Battery

 Trolling
Motor

Gauges

 Electronics/
Radios

Fuel

 Lube/
Motor Care

 Aux. Brkts/
Tilt/Trim

 Spark Plug/
Starters

Props

 Seats/
Pedestals

 Anchors/
Rod Holder

 Winches/
Jacks

 Lites/
Tie Downs

 Tires/
Couplers

 Boat
Care

 Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

 Water
Front

 Fenders/
Dock Lines

BRP/OMC Series - CCX205/CC636

Extreme replacement for the 479 Series










Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64234	\$47.99	12'	64204	\$55.99	18'	64210	\$65.99
7'	64235	49.99	13'	64205	57.99	19'	64211	66.99
8'	64236	51.99	14'	64206	58.99	20'	64212	68.99
9'	64237	52.99	15'	64207	60.99	22'	64240	73.99
10'	64238	53.99	16'	64208	62.99	24'	64242	76.99
11'	64239	54.99	17'	64209	63.99			

New Style OMC - CC205/479

Replacement shift and throttle cable for Evinrude, Johnson and OMC 1979 to date.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	 64034	\$44.99	16'	 64040	\$50.99	24'	64046	\$82.99
11'	 64035	45.99	17'	64041	51.99	28'	64048	62.99
12'	 64036	46.99	18'	64042	52.99	36'	64052	99.99
13'	 64037	47.99	19'	64043	53.99	38'	64053	108.99
14'	 64038	48.99	20'	64044	54.99	40'	64054	117.99
15'	 64039	49.99	22'	64045	78.99			

Old Style OMC - CC170/400

Replacement shift and throttle cables for Evinrude, Johnson and OMC 1978 & earlier



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	64000	\$44.99	14'	64008	\$51.99	24'	64016	\$78.99
7'	64001	45.99	15'	64009	52.99	26'	64017	82.99
8'	64002	44.99	16'	64010	53.99	28'	64018	85.99
9'	64003	45.99	17'	64011	54.99	32'	64020	74.99
10'	64004	46.99	18'	64012	55.99	34'	64021	85.99
11'	64005	47.99	19'	64013	56.99	36'	64022	96.99
12'	64006	48.99	20'	64014	58.99	38'	64023	106.99
13'	64007	50.99	22'	64015	75.99			

OMC/Volvo Penta - CCX214

Volvo Engines using BRP/OMC controls.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	64250	\$64.99	15'	64253	\$69.99	18'	64256	\$73.99
13'	64251	65.99	16'	64254	70.99	19'	64257	75.99
14'	64252	67.99	17'	64255	72.99	20'	64258	77.99



Ball Joint Assembly
Fits shift and throttle universal
style cables with 10-32" threads.



Mfg #CA37701P
Order No. 60683 \$19.99



Clamp/Shim Kit
For 3300 universal shift
and throttle cables.



Mfg #CA28020P
Order No. 60569 \$12.99



Johnson/Evinrude Connection Kit
For use with 400 & 3400 cables on
engines 35hp & below. (1973-1978)



Mfg #CA27208P
Order No. 60591_T \$69.99



**Universal Inboard
Connection Kit**
For use with universal type cables.



Mfg #CA27024P
Order No. 60567_T \$65.99



**OMC/Johnson/Evinrude
Connection Kit**
For use with 400 & 3400 cables on
engines over 35hp.(1973-1978)



Mfg #CA27247P
Order No. 60619_T \$24.99



**Johnson/Evinrude/OMC Pre 1978
Connection Kit**
For use with universal type cables.



Mfg #CA27321P
Order No. 60663_T \$34.99




Mercury O/B & I/O Connection Kit
For use with universal style cables.



Mfg #CA27319P
Order No. 60655_T \$25.99




OMC Connection Kit
For use with universal cables.



Mfg #CA27320P
Order No. 60659_T \$24.99




Mercury Control Adapter
Adapts universal cables for use with
Mercury/Mariner controls.



Mfg #301074
Order No. 43116_T \$84.99



OMC Control Adapter
Adapts universal cables for use with
1979 and later OMC controls.



Mfg #304939
Order No. 43117_T \$129.99

Navigation
Lites

Steering/
Controls

Hardware/
Fasteners

Covers/
Windshield

Pumps/
Int. Lites

Electric/
Battery

Trolling
Motor

Gauges

Electronics/
Radios

Fuel

Lube/
Motor Care

Aux. Brkts/
Tilt/Trim

Spark Plug/
Starters

Props

Seats/
Pedestals

Anchors/
Rod Holder

Winches/
Jacks

Lites/
Tie Downs

Tires/
Couplers

Boat
Care

Misc./
Flooring

Ski's/Tubes

Floatation

Ladders

Water
Front

Fenders/
Dock Lines