



ReliaMax Batteries

Maximum reliability for your operating conditions.





- 18-month product replacement warranty
- Premium plate anchor bonding for superior vibration resistance
- Lead/Calcium alloy helps reduce maintenance requirements
- Reinforced ribbed case reduces case distortion
- Fold-down handle eases installation
- Manifold lid vent technology for superior liquid retention



Reliable power.
Long life.

Thermo King ReliaMax Batteries.

Choose the battery your operating conditions demand.

Thermo King's heavy duty ReliaMax batteries provide reliable cranking power in even the harshest conditions. Because battery life is directly related to environmental temperature, it's essential to choose the correct battery for your operating conditions to maximize battery life. Lower cold

cranking amp (CCA) batteries will outlast higher CCA batteries in the same operating conditions, so choose only the CCA necessary. Thermo King offers ReliaMax batteries in 750 and 925 CCA.



Choose
925N

- Cold weather starting requires more Cold Cranking Amps
- Choose ReliaMax 925N batteries for confident starts below 0°F
- ReliaMax 925N is the right battery for reefer engine starting in extreme cold



Choose
750S

- Hot weather requires less CCA, increased plate thickness and greater electrolyte capacity
- These factors maximize the cycle life of your battery
- ReliaMax 750S is the right battery for reefers operating in moderate and hot environments

ReliaMax Battery Performance

Part Number	Cold Cranking Amps	Reserve Capacity @25 AMPS (minutes)	Weight (lbs.)
925N Cold - Warm			
203-732 Post (203-736 Canada)	925	180	60
203-733 Stud (203-737 Canada)	925	180	60
750S Warm - Hot			
203-730 Post (203-734 Canada)	750	180	59
203-731 Stud (203-735 Canada)	750	180	59

Choose the right Thermo King ReliaMax battery for your operating conditions



- **925N** Cold - Warm
- **750S** Warm - Hot

Warranty

18-month product replacement warranty. See your Thermo King dealer for full warranty details.



Also Available:

For the Ultimate in Battery Performance Choose EON

With an expected 5- to 8-year service life, the EON saves you the time and money of battery replacements.

- 4-year full-replacement warranty (see your Thermo King dealer for full warranty details)
- 5-8 year service life
- Corrosion-free terminals
- 1150 CCA
- 210-minute reserve capacity

Part Number

Threaded stud	203-550
Smooth post.....	203-551



Providing equipment and services to manage controlled-temperature environments for food and other temperature-sensitive products, our Climate Control Technologies sector encompasses both transport and stationary refrigeration solutions. Our product brands include Thermo King®, a world leader in transport temperature control systems, and Hussmann®, a manufacturer of refrigeration and food merchandising equipment.

www.thermoking.com www.hussmann.com www.ingersollrand.com

TK 53810-8-PL (7-07)

©2007 Ingersoll-Rand Company
Printed in U.S.A. on Recycled Paper