United TRAILERS

RACE TRAILERS



BUILT FOR THE LONG HAUL

MEETING THE NEEDS OF RACERS FOR OVER 25 YEARS





United Trailers has built over 140,000 trailers to our customers satisfaction.

Our knowledgeable dealers use their years of experience to your advantage by working with you to custom design and build the trailer that is right for you.

United Trailers has researched and worked with race team members to learn the best ways to build race trailers. This research pays off in a better product for you, and has helped us develop a variety of products and an extensive list of options to meet your needs for today and tomorrow.


You can count on your United Trailers dealer to work with you every step of the way to help design and build a trailer that fits your needs and your budget. That's our promise to you.



Units may be shown with optional features. Please see your dealer for current standard specifications and options. We reserve the right to change specifications at any time, without incurring obligation.

United TRAILERS

THE DIFFERENCE IS IN THE DETAILS.



1. Raising and lowering the ramp door is easy with the powerful torsion spring assist.


The rear corner posts and header are made of 12 gauge steel to give the ramp door a solid framework.

Trailer-rated radial tires and axles provide maximum performance and safety.

Rubber torsion axles with E-Z Lube Hubs® are standard. All models come standard with electric brakes.

Double "I" beam is run front to back on units with 6000 lb. axles and up for added strength.

Heavy-duty steel square outriggers are welded to the outer wall for added stability and strength.




8. Grommets are used where the wires pass through the steel to prevent electrical shorts.

18. 16 gauge steel strapping is used for diagonal bracing on trailers with at least 3' of extra height.

17. 14 gauge steel top rails are used to frame a stronger, straighter roof line.

16. United uses hat post or tube construction depending on sidewall height.



15. 16 gauge steel roof bows and 16 gauge steel wall posts provide solid upright support.

14. Two heavy-duty steel I-beams provide a solid foundation for your trailer.

13. 13 gauge steel cross-members run between the I-beams to support the floor. 16" spacing is standard with 12" spacing as an option. Trailers built with 6" I-beams use 5-1/2" crossmembers and trailers built with 8" I-beams use 7-1/2" crossmembers. Matching crossmembers to the I-beam helps maintain structural rigidity.

12. All walk-in door framing is 1" x 3" rectangular channel for a straighter perimeter.

11. A 2-speed crank jack is standard on goosenecks with a hydraulic jack as an option for effort free leveling.



7. An extra wallpost is added to the front and rear of each wheel area, as necessary, to provide added strength for the wall.

9. The lower section of every trailer frame is sprayed with a special protective undercoating.

10. On "tag" units, a 6" tubular steel tongue is standard. A third member is added for any of the following conditions:
- Trailers with a GVWR of 9,800 lbs. or more
- Trailers with an extended tongue
- Trailers with a pintle eye coupler



STANDARDS & OPTIONS


STANDARDS & OPTIONS	UXT w\ Finish Line Pkg. "Good"		UXT w\ Racer Special Pkg. "Good"		Super Hauler "Better"		Xtreme "Best"	
	TAG	FW/GN	TAG	FW/GN	TAG	FW/GN	TAG	FW/GN
FRAME AND HITCH								
Steel Uni-Body Construction	•	•	•	•	•	•	•	•
16" On-Center Floor, Wall, and Ceiling Framing	•	•	•	•	•	•	•	•
Protective Undercoating on Lower Frame	•	•	•	•	•	•	•	•
Beavertail *	•	•	•	•	•	•	•	•
7-Way Molded Plug	•	•	•	•	•	•	•	•
2-5/16" Coupler	•	GN	•	GN	•	GN	•	GN
2" Adjustable Pin Box on Fifth Wheel Models	na	FW	na	FW	na	FW	na	FW
Safety Chains	•	GN only	•	GN only	•	GN only	•	GN only
Framing for 36" Wide x 30" Tall Generator Door Opening	•	•	opt	opt	opt	opt	opt	opt
TIRES AND AXLES								
E-Z Lube Hubs®	•	•	•	•	•	•	•	•
Radial Tires and White Mod Wheels	•	•	•	•	•	•	•	•
Electric Brakes	•	•	•	•	•	•	•	•
Independent Torsion Suspension Axles	•	•	•	•	•	•	•	•
INTERIOR								
6'-6" Interior Height **	•	•	•	•	•	•	•	•
3/8" Plywood Interior Wall Liner	•	•	•	•	•	•	•	•
White Aluminum Overlay on Interior Walls	opt	opt	opt	opt	•	•	•	•
3/4" Plywood Floor	•	•	•	•	•	•	•	•
White Vinyl Ceiling	•	•	•	•	•	•	•	•
Insulated Ceiling	opt	opt	•	•	•	•	•	•
(4) Heavy-Duty D-Rings	•	•	opt	opt	opt	opt	opt	opt
EXTERIOR								
Aluminum Exterior	.030	.030	.030	.030	.030	.030	.050	.050
Glued Exterior Metal Installed w\ Drive Rivets on Seams	opt	opt	opt	opt	opt	opt	•	•
Aluminum Treadplate Stoneguard	24"	Yes	24"	Yes	24"	Yes	24"	Yes
Aerodynamic Front Cap	•	•	•	•	na	na	na	na
Radius Front Top	opt	opt	•	•	•	•	•	•
Bright Aluminum on Radius Front Top	opt	opt	•	•	•	•	•	•
Aluminum Fenders or Flares	•	•	•	•	•	•	•	•
One-Piece Aluminum Top Rail (On 8' & 8.5' wide models)	na	na	na	na	•	•	•	•
4" Aluminum Bottom Rail	opt	opt	opt	opt	•	•	•	•
Bright Aluminum Front Corners	•	•	•	•	•	•	•	•
Cast Top Front Corners	opt	opt	opt	opt	•	•	•	•
Bright Aluminum Rear Door Opening	•	•	opt	opt	opt	opt	•	•
(1) Non-Powered Roof Vent	•	•	opt	opt	opt	opt	opt	opt
DOORS								
48" Side Door with RV Door Lock	•	•	opt	opt	opt	opt	opt	opt
48 Side Door with Barlock	•	•	•	•	opt	opt	opt	opt
48" Double Solid RV Side Door	opt	opt	opt	opt	opt	opt	•	•
Ramp Door with Beavertail *	•	•	•	•	•	•	•	•
Recessed Cam Locks in Rear Ramp Door	opt	opt	opt	opt	•	•	•	•
12 VOLT ELECTRICAL								
L.E.D. Tail Lights and Clearance Lights	•	•	•	•	•	•	•	•
Chrome Finish Bezels for Tail Lights and Clearance Lights	opt	opt	opt	opt	opt	opt	•	•
(2) 12-Volt LED Loading Lights With Switch	•	•	opt	opt	opt	opt	opt	opt
(2) 12-Volt Dome Lights w\ Switch	•	•	•	•	•	•	•	•

Note: *8' wide models are approximately 93-1/4" wide and the 8.5' wide models are approximately 100" wide.*
** On trailers 14' and shorter, the "beavertail" is not available!*
*** On trailers with 6" I-Beam, there will be 2" additional interior height.*

4 POST HYDRAULIC LIFT SYSTEM

Shown is a 46' unit with 54" of extra height and the optional Car Platform.





With the **4 Post Hydraulic Lift System**, the width between the wheel wells limits the maximum car width to 81". The hydraulics are operated by a 12 volt deep cycle battery, so AC power is not required to raise and/or lower the vehicle at all times. The number of times that the hoist may be operated on battery power depends on the type of battery, the weight of the vehicle and the current charge of the battery.





(Above left) shown with a white Gemini 4 post lift (black also available) in the down position with upper platform and ladder access. 110V 8' fluorescents which come with the Racer Special package provide plenty of lighting when connected to shore power or an optional generator and 12V recessed dome lights (optional) are also available while 12V surface mounted dome lights are standard. (Above right) shows lift in up position.

CUSTOMIZATION IS OUR SPECIALTY



Triple Spread Axles Shown



Tandem Super Spread Axles Shown

Below is a trailer with an upper platform for added storage and a custom cabinet configuration with a motor door forward of the closet and a tire cabinet across from the base cabinet and overhead cabinet.



Below shows one of our popular cabinet configurations with a closet and "L" base cabinet which can house a winch to assist in loading and unloading your vehicles. The cabinets are shown in our matte black finish which is one of many didfferent color choices.



Left and Upper Left are optional triple spread and tandem super spread axles to help support those larger loads.

Available Colors

White	Metallic Colors: Windstar Silver
Dove Gray	Pewter
Polished & Matte Black	Charcoal
Burgundy	Indigo Blue
Cargo Green	Champagne
Red	
Orange	
Yellow	

Please Note: Metallic colors may vary in shades.

POPULAR OPTONS AND PACKAGES AVAILABLE



Super Hauler shown with extra clearance lights, hydraulic jack, and tapered nose.

United Trailers makes it easy to purchase the right trailer with the right options for your budget. We provide hundreds of available options and get pre-packaged options for a great value to ensure you have exactly what you need in your trailer.

FINISH LINE PACKAGE

Our Finish Line Package includes:

- 48″ Side door with RV door lock
- Ramp door with spring assist
- On units 20´ and longer, a "beavertail" is included for easy loading
- 4 - Heavy duty D-rings
- 2 - 12-volt LED loading lights with switch
- Bright aluminum rear hoop (rear corners & header) on rear door framing
- 1 - Non-powered roof vent
- White vinyl ceiling



UXT With Finish Line Package

Racer Special PACKAGE

Our UXT Racer Special Package includes:


- 48″ Side door
- Ramp door with beavertail and spring assist
- Flat front with bright aluminum on wrap from front to roof
- Insulated white vinyl ceiling

RACERS' PACKAGE

Our Racers' Package includes:

- 1 - Generator door (36" x 30")
- Standard or deluxe aluminum cabinet package
- 3 - Fluorescent lights (4' or 8' double tubes)
- 4 - 110-volt duplex inside recepts
- 1 - 110-volt exterior GFI recept
- 4 - Heavy duty recessed D-rings
- 50 amp electric panel w/ lifeline and hatch
- 1 - Set 3-way switches


RACE TRAILER OPTIONS




With an inside ladder, roof hatch and observation deck*, you can get a bird's eye view of the racing activities. The roof hatch and ladder are separate options.



Recessed cam locks provide a stong hold to the ramp door with a flush design. Pad locks can be used for further security of your equipment.



Fold down step



Slide out step






Interiors can be fitted with stainless steel tool boxes (upper left), refrigerators, furnaces, and microwaves (upper right) for added convenience.



Get a jump door to make a quick getaway after loading your car.



The hydraulic jack is recommended for your race trailer. It is faster, easier and made for heavy use.



A Sunchaser 9100 series awning allows an automatic dump of water with the build in gas shocks so you can spend more time playing and less time worrying about your awning.



Ramps over the wheel wells allow you to carry vehicles with an outside-to-outside dimension of up to 95" wide.

RACE TRAILER OPTIONS



Generator Box Mounted on Front Bunk



Bard A/C Mounted on Front Bunk

(picture shows Bard unit covered with optional white aluminum)



Roof Mounted Air Conditioning *

Work in comfort with a roof mounted air conditioning and heating unit.



Keeping the generator in a separate compartment helps keep it quiet. The generator door keeps it handy for maintenance and repairs.





Custom lighting configurations are available on all of our race trailers. You can add extra tail lights, docking lights, additional clearance lights, 12V LED loading lights, and recessed or swing-out Quartz lights to name a few.



MaxxAir Vent cover allows the roof vent to remain open in the rain and while traveling.



Non-powered roof vent

Roof Vent

Choose from:

1. Non-powered (no fan)
2. 12-volt DC powered fan
3. 110-volt AC powered fan

* Due to maximum height limitations, units with 48" or 54" extra height may not be able to have an observation deck or roof mounted air conditioning unit installed.







Custom living quarters are avialable through Sierra Custom Interiors (see www.sierrainteriors.com). United will finish your garage section of the trailer to your specifications and sends it to Sierra for the living quarters selection of your choice.

Many more options available! Please see your United Trailers dealer for details.

RACE TRAILER OPTIONS



Be ready for action with your custom cabinets, tire racks, and air lines!

Several standard cabinet layout options are available and custom layouts are available, if required. Our skilled craftsmen have years of experience building customized cabinets for the racing industry. In addition to cabinets in the front of the trailer, another popular option is for cabinets to be installed over the wheel wells, to help maximize space utilization.



Air line connectors on a base cabinet with a stainless steel countertop



Custom tire racks



Tire cabinet

Many more options available! Please see your United Trailers dealer for details.



Folding ladder in open position. When not in use, ladder folds flat against wall.

SECURE YOUR CARGO



Heavy Duty D-Ring



Light Duty Tie-Down


E-Track
With our popular E-track mounted in the floor and walls, you have extreme flexibility and peace of mind when securing your cargo.



E-Track Clip-In Straps
These attach to the E-Track for the attachment of tie-down straps.

RACE TRAILER OPTIONS

In a Hurry for Your Trailer? We have a HUGE six bay options building to serve you faster!



FLOORING OPTIONS




Marble-look Vinyl
Classy and clean looking, this is an easy to maintain floor.

Black And White Vinyl
Sporty, durable and attractive, this is a favorite among motorsports buffs.

Aluminum Tread Plate
You can't beat this for a heavy-duty and good looking floor that stands up to the toughest punishment.

.080 Smooth Aluminum
Great for a clean looking, yet tough and durable floor.

European Coin
Popular among the racing industry



Black Raised Coin Floor



In-Floor Spare Tire Well



Notch in Platform with Angled Removable Ladder from Main Floor to Bunk at Riser

POPULAR LIGHTING OPTIONS




Recessed Thinline Fluorescent Lights in Platform with Recessed Dome Lights



Thinline Fluorescent Lights Recessed in Interior Sidewalls



Swing out Quartz lights allow powerful exterior lighting.



Recessed Quartz lights can be added to the rear or sides of the trailer.



Angled Docking Lights



LED Mid Ship Turn Signal



12V LED loading lights provide good lighting with only being connected to your vehicle or having an on-board battery.

ACCESSORIES FOR SPRINT CAR TRAILERS



Cannonball Track with Hoists



Superwinch 5000



Air Reel



Electric Reel



Superwinch in Cabinet



Tray and Wing Hangers



Nose Wing Brackets



Axle Racks



Header Brackets



Steering Gear Mount

YOUR CHOICE: GOOD, BETTER, *BEST*

GOOD

UXT By United Trailers

Finish Line



UXT

Shown with Finish Line Package

UXT Standard Key Features:

6'6" Interior Height
Dexter Torsion Axles
.030 Aluminum Exterior
Radial Tires
One Piece Aluminum Roof on 8' & 8.5 wide models
3/4" Plywood Floor With 25 Year Warranty
3/8" Plywood Walls
24" Stoneguard
32" Side Door
Protective Undercoat
Bright Aluminum Front Corners
Two Dome Lights With Switch
16" On Center Floor, Ceiling And Walls
LED Lights

BETTER

Super Hauler By United Trailers



Super Hauler

Super Hauler Standard Key Features:

6'6" Interior Height
Dexter Torsion Axles
.030 Aluminum Exterior
Radial Tires
3/4" Plywood Floor With 25 Year Warranty
3/8" Plywood Walls
24" Stoneguard
48" Blank RV Side Door
Protective Undercoat
Bright Aluminum Front Corners
Two Dome Lights With Switch
16" On Center Floor, Ceiling And Walls
LED Lights
Bright Aluminum on Radius Front Top
4" Aluminum Bottom Rail
Aluminum Top Rail
Insulated Ceiling
White Aluminum Overlay on Interior Walls
Recessed Cam Locks in Rear Ramp Door
Cast Top Front Corners

BEST

Xtreme By United Trailers



Xtreme

Xtreme Standard Key Features:

6'6" Interior Height
Dexter Torsion Axles
.050 Aluminum Exterior
Radial Tires
3/4" Plywood Floor With 25 Year Warranty
3/8" Plywood Walls
24" Stoneguard
48" Double Solid RV Side Door
Protective Undercoat
Bright Aluminum Front Corners
Two Dome Lights With Switch
16" On Center Floor, Ceiling And Walls
LED Lights
Bright Aluminum on Radius Front Top
4" Aluminum Bottom Rail
Aluminum Top Rail
Insulated Ceiling
White Aluminum Overlay on Interior Walls
Recessed Cam Locks in Rear Ramp Door
Cast Top Front Corners
Chrome Finish Bezels for Tail and Clearance Lights
Screwless Exterior w/ Drive Rivets on Seams

Units may be shown with optional features. Please see your dealer for current standard specifications and options. We reserve the right to change specifications at any time, without incurring obligation.

THE UNITED FAMILY OF RACE TRAILERS



XTREME By United Trailers



*Optional Tapered Nose Shown

SUPER HAULER By United Trailers



UXT By United Trailers

Your Authorized United Trailers Dealer:

DEXTER AXLE

NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS

Find Us On facebook

25 YR. FLOOR WARRANTY

United Trailers
19985 County Road 8 • Bristol, IN 46507
Phone: 574.848.7088 • Toll Free: 800.637.2592
www.united-trailers.com