



## *Remote Status Light and Combination Displays*

*Monitor reefer status and fuel level from the driver's seat.*





# Stay on top of your reefer's status with just a glance in the rear view

## Remote Status Light Displays

- Helps avoid expensive out-of-fuel shutdowns
- For use with all Thermo King SB trailer units with SR-2 controllers (Status Only Display works with TGVI or newer controllers)
- Solid state design - sealed against elements with no bulbs to replace
- Feature high-visibility LED lights and an auto-dimming feature for night driving
- Available in 3 configurations

## Fleet Facts

Running out of fuel is a common and expensive problem that is preventable with the Fuel Combo display.

### Preventable expenses include:

- High cost unscheduled service call-outs for priming.
- Risk of battery, alternator, and starter damage due to repeated attempts without fuel.

## Triple Combo Display

### Light Sensor

Lights automatically dim for better night visibility.

### Functioning Properly

Illuminates the white "T" when unit is functioning properly with no alarm codes

### Check Alarm Code

Amber "K" is illuminated when the unit has a "check alarm code" but is still functioning. Unit should be checked at earliest convenience.

### Shutdown Alarm


Bottom row of amber and white LEDs are illuminated when unit has shutdown alarm. Requires immediate attention.

### Temperature Reading

Shows temperature or "dF" when zone is defrosting. Temp readout can be set for direct or mirror viewing. Reads out in degrees celsius or fahrenheit, depending on the SR-2 controller settings.

### Compartment Indicators

LEDs indicate which compartment temperature reading refers to (up to 3).



tatus


mirror!



### Fuel Level


LED display shows fuel level. As fuel is consumed, white LEDs go out. When fuel level drops below 25% only amber LEDs remain illuminated. When fuel drops below 15%, one amber LED and the amber "K" are lit for check alarm status.

## Also Available in Two Additional Configurations:



### Status Only Display

Provides on-road visibility to basic functions, including check alarm codes and shutdown alarms.



### Fuel Combo Display

Offers all features of Status Only display, plus fuel level display and low fuel, check alarm and shutdown alarms.

## Ordering Information

Display	Status & Alarms	Fuel Level	Temperature	Fuel Tank Gauge Kit	Part #
Status Only	✓				400980
Status Only (Flush)	✓				400981
Fuel Combo	✓	✓			400982
Fuel Combo	✓	✓		✓	400983
Triple Combo	✓	✓	✓		400979
Triple Combo	✓	✓	✓	✓	400978

All displays are corner-mount except where noted. 1-year parts warranty.



Providing equipment and services to manage controlled-temperature environments for food and other temperature-sensitive products, our Climate Control Technologies sector encompasses both transport and stationary refrigeration solutions. Our product brands include Thermo King®, a world leader in transport temperature control systems, and Hussmann®, a manufacturer of refrigeration and food merchandising equipment.

[www.thermoking.com](http://www.thermoking.com)   [www.hussmann.com](http://www.hussmann.com)   [www.ingersollrand.com](http://www.ingersollrand.com)

TK 53935-8-PL (02-08)

©2008 Ingersoll-Rand Company  
Printed in U.S.A. on Recycled Paper