

Outboard Engine Oil

Yamalube® 2M- Two Stroke for Outboards

NMMA® TC-W3®-Certified, 2M premium two stroke blend delivers superior lubrication and anti-wear/anti-rust protection for outboard engines operating in demanding marine environments. Provides the highest level of protection on the market. Semi-synthetic oil with an exclusive additive blend works to guard against ring stick and carbon build up, while special additives minimize wear. This oil is designed for the most grueling conditions two stroke outboards face. Whether it's extended full-throttle operation, engine- punishing "out of the hole" acceleration, or hour after hour of trolling, this oil can take it. With its extreme level of performance, Yamalube 2M offers the best everyday protection, too. *Not recommended for WaveRunner® Personal Watercraft or Sport Boats.*



YAMALUBE 4M FC-W® Full Synthetic SAE 5W-30

Group IV fully synthetic oil offers our best outboard lubrication and performance, and it's FC-W® rated by the National Marine Manufacturers Association (NMMA®). Contains all of the benefits of mineral oil based Yamalube 4M, with increased lubricity for lower friction levels and potentially improved fuel economy. Specific marine additives help combat rust, corrosion, varnish, and wear; all while providing high levels of bearing protection, resistance to foaming, and lubrication.



Yamalube 4M FC-W® for Four Stroke Outboards

In order for an oil to be approved by the NMMA® to hold its highest rating for marine engine oils, FC-W® (Four Cycle – Water cooled) it must pass a multitude of tests. Passenger car oils don't pass these tests, which is why it's important to use NMMA®-Certified Yamalube 4M FC-W®. Automotive oils do not usually run at 6000 rpm. Yamaha Outboard engines were designed to run at full throttle (5500 to 6000 rpm) all day long. At this speed it is critical that engine oil not foam. Foaming reduces lubricity which can lead to wear and over time this can lead to failure. Yamalube 4M FC-W® has the best blend of anti-foam technology available.



YAMALUBE® Oil	Quart Bottles (Minimum Order Qty 12)	One Gallon Bottles (Minimum Order Qty 4)	2.5 Gallon Bottles (Minimum Order Qty 2)	55 Gallon Drum (Minimum Order Qty 1)
2M Two Stroke Oil	LUB-2STRK-M1-12	LUB-2STRK-M1-04	LUB-2STRK-M1-02	LUB-2STRK-M1-55
4M FC-W® 05W-30	LUB-05W30-FC-12	LUB-05W30-FC-04		
4M FC-W® 10W-30	LUB-10W30-FC-12	LUB-10W30-FC-04		LUB-10W30-FC-55
4M FC-W® 20W-40	LUB-20W40-FC-12	LUB-20W40-FC-04		LUB-20W40-FC-55

- General Information
- Rigging Estimate Guide (Diagrams)
- Rigging Components
- Electrical Components
- Engine Accessories
- Propellers
- Maintenance Items
- Oils & Lubes**
- Detailing & Trailer Supplies
- Accessories & Apparel
- Generators & Accessories

Outboard Oil Change Kits

Yamaha's oil change kits are designed for the mobile service dealers to provide an easy, all in one oil change package. They're also perfect for the do-it-yourself customer. One stop, one box, and your customer is back on the water. Large, Mid Range, and Medium Kits have a minimum order quantity of 4. Small oil change kits have a minimum order quantity of 6.



Production Years	Model	Oil Change Capacity	05W30 Kit	10W-30 Kit	20W-40 Kit	Min. Order Qty.	Kit Contents
'10-	VF250, VF225, VF200	7.1 Qts.	LUB-MRNSH-KT-05			2	VMAX SHO Kit: 8 quarts of oil, oil filter, and drain screw gasket.
'10-	4.2L V6 Offshore Outboards	6.7 Qts.		LUB-MRNXL-KT-10		2	Extra Large Kit: 7 quarts of oil, oil filter, and drain screw gasket.
'10-	4.2L (B & C) F225 ~ F350	6.7 Qts.			LUB-MRNXL-KT-20		
'05-'10	F250A&B	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20	4	Large Kit: 6 quarts of oil, oil filter, and drain screw gasket
'08-'10	F225 Sport	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20		
'02-'10	F225	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20		
'02-'10	F200	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20		
13-	F200 (In Line)	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20	4	Mid Range Kit: 5 quarts of oil, oil filter, and drain screw gasket.
14-	F175	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20		
13-	VF150	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20		
'04-	F150	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20		
'15-	VF115	3.4 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	4	Medium Kit: 4 quarts of oil, oil filter, and drain screw gasket
'15-	F115	3.4 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'00-'14	F115	3.9 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'99-'02	F100	5.0 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'03-	F90	3.4 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'99-'02	F80	5.0 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'03-	F75	3.4 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21		
'10-	F70	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'03-	T60	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	6	Small Kit: 3 quarts of oil, oil filter, and drain screw Gasket
'02-	F60	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'96-	T50	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'95-	F50	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'09-	F40A	2.1 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'99-'08	F40	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		
'01-'06	F30	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20		

Pumps and Spouts

Multi-Purpose Gallon Pump

Universal style gallon-size container pump. Fits standard oil containers with a 1-1/2" neck. A marine lower unit fitting and all-purpose fitting are also included.

ACC-PUMP0-02-GL



Multi-Purpose Quart Pump

Universal style quart-size container pump. Fits standard oil containers with a 1-1/8" neck. A marine lower unit fitting and all-purpose fitting are also included.

ACC-PUMP0-00-QT



5-Gallon Pail Pump

Use with 5-gallon pails of lube. Comes with special marine lower unit fitting and an all-purpose fitting for filling gearcases.

LUB-PUMP0-05-GL



Manual 55-Gallon Drum Pump

Use with 55-gallon drums of Yamalube.

ACC-11000-39-99



Oil Extractor Pump

Make changing the oil on your four stroke personal watercraft, snowmobile, ATV, boat, lawn mower, etc. clean and hassle free. Holds up to 6 liters (1.5 gal) in this sturdy portable container. Pump included.

SBT-OILEX-TR-CT



General Information

Rigging Estimate Guide (Diagrams)

Rigging Components

Electrical Components

Engine Accessories

Propellers

Maintenance Items

Oils & Lubes

Detailing & Trailer Supplies

Accessories & Apparel

Generators & Accessories



15 Liter Oil Extractor

This extractor is designed to extract fluids from inaccessible or confined areas. It is ideal for oil changes. To measure how much you have extracted, each calibrated line on the wall is about one liter with a total capacity of 15 liters.

SBT-15LEX-TR-10



Ratio Rite®

Provides measures for 16:1- 50:1 mixtures, and cc./oz./pt. for fills.

ABA-RATIO-RI-TE



Disposable Funnel

This paper funnel is great as either a shop tool or as an accessory to an oil change kit.

ACC-FLDFU-NN-EL

Fuel Additives

What's Good for the Environment Can Be Bad for Your Engine.

Ethanol-enriched (E-10) fuels help to improve air quality, which is why the federal government has mandated their increased use. However, unlike fuels of the past, E-10 fuels are known to absorb moisture, either from the air or from standing water in the bottoms of fuel tanks. They also generate corrosive sulfate salts that can attack metal components in a fuel system, clogging filters and resulting in other performance issues. Because of these known weaknesses, E-10 fuels require special care and treatment, whether your engine is in constant use or in storage. The Yamalube Care Products line includes formulations that help combat the potential harmful side-effects of E-10 fuels, ensuring high performance, lower ownership costs and a long life for your Yamaha.



Ring Free PLUS

Exclusive, synthetic PLUS formula provides superior deposit control; cleaning fuel injectors, carburetors, intake valves, intake ports and combustion chambers. Contains metal filmers to help protect fuel system components like silver solder, copper, aluminum and steel from the corrosive effects of ethanol sulfate salt.

- 32 oz. Bottle (Qty. 6*) ACC-RNGFR-PL-32**
- 12 oz. Bottle (Qty. 12*) ACC-RNGFR-PL-12**



Fuel Stabilizer & Conditioner PLUS

Strongly recommended for E-10 fuels, this alcohol-free formula helps prevent fuel oxidation and phase separation. Use continuously to help keep fuel fresh, potent and free from gum and varnish for up to one year of storage. Its metal filmers provide extensive protection for steel and aluminum components.

- 32 oz. Bottle (Qty. 6*) ACC-FSTAB-PL-32**
- 12 oz. Bottle (Qty. 12*) ACC-FSTAB-PL-12**



** Ordered individually with a minimum order quantity*

- General Information
- Rigging Estimate Guide (Diagrams)
- Rigging Components
- Electrical Components
- Engine Accessories
- Propellers
- Maintenance Items
- Oils & Lubes**
- Detailing & Trailer Supplies
- Accessories & Apparel
- Generators & Accessories

Grease



Molybdenum Disulfide

This extreme-pressure grease lubricates high loads at various speeds. Non-corrosive, it's water-resistant, exhibiting low-friction properties that protect against wear and galling in difficult operating conditions.

10 oz. Tube (Qty. 12*) ACC-MOLDM-GS-10




Marine Grease

Especially formulated to resist wash-off and extreme heat and pressure, and prevent corrosion and rust. (NLGI® 2) Lithium soap based.

10 oz. Tube (Qty. 12*) ACC-GREAS-10-CT

14 oz. Cartridge (Qty. 10*) ACC-GREAS-14-CT



Multi-Purpose Grease

Specially formulated to resist extreme pressure, water and corrosion. (NLGI® 2)

1 lb. Tub (Qty. 6*) ACC-MLTPR-GR-00



WR No. 2 Grease

Provides water resistance, rust protection, lubrication and heat resistance. Specially designed for four stroke oil pump seals, drive shaft splines and drive shaft bushing area. For four stroke and two stroke applications.

90790-74046-00



* Ordered individually with a minimum order quantity

Power Trim & Tilt

Premium formula is nonfoaming and resists heat and pressure found in power trim, tilt and power steering systems for smooth operation. Meets Yamaha factory requirements.

Quart Bottle (Qty. 12*) ACC-PWRTR-MF-32
10 oz. Tube (Qty. 12*) ACC-PWRTR-MF-10



Marine Lower Unit Gear Lube HD

Special formulation required for use in V8 F300-F350 V6 VMAX SHO® 200-250, and 4.2L Offshore gearcases. (Not recommended for use in any other Yamaha outboard.)

Quart Bottle (Qty. 12*) ACC-GLUBE-HD-QT
Gallon Bottles ACC-GLUBE-HD-GL
5 Gallon Pail ACC-GLUBE-HD-05



Gearcase Lube

Rust and corrosion inhibitors protect outboard gearcase components. (Not for use on V8 outboards.)

10 oz. Tube (Qty. 12*) **ACC-GEARL-UB-10**
 Quart Bottle (Qty. 12*) **ACC-GEARL-UB-QT**
 Gallon Bottle (Qty. 4*) **ACC-GEARL-UB-GL**
 5 Gallon Pail **ACC-GEARL-UB-05**
 55 Gallon Drum **ACC-GEARL-UB-55**



* Ordered individually with a minimum order quantity

General Information

Rigging Estimate Guide (Diagrams)

Rigging Components

Electrical Components

Engine Accessories

Propellers

Maintenance Items

Oils & Lubes

Detailing & Trailer Supplies

Accessories & Apparel

Generators & Accessories

Yamabond® Adhesives



Yamabond® 4 Marine

This silicone-based liquid gasket fills gaps to prevent leaks. Pressure and oil resistant.

3 oz. Tube **ACC-BOND4-MA-00**



Yamabond® 5

Coat mechanical joints with this liquid gasket before assembly to prevent leaks.

2.5 oz. Tube **ACC-YAMAB-ON-D5**



Yamabond® 6B

Has high viscosity and excellent swelling, and works effectively for joint surfaces that have a larger clearance.

3.5 oz. Tube **ACC-YAMAB-ND-6B**



Yamabond® 7

High-strength, synthetic rubber adhesive formulated for grips, throttle pipes and lever handles, without damaging rubber.

10 gram Tube **ACC-YAMAB-ON-D7**



Yamabond® 1386

Used for camshaft caps on four stroke outboard engines.

15 ml Bottle **ACC-YAMBD-13-86**

Threadlock



Yamabond® Blue Threadlocker

This medium-strength anaerobic threadlocking agent prevents nuts and bolts from loosening due to vibration. This primerless threadlocker is easy to use. Can be used where service manual calls for Loctite® 242™.

ACC-YAMBD-P2-42



Yamabond® Red Threadlocker

This high-strength anaerobic threadlocking agent prevents nuts and bolts from loosening. This primerless threadlocker is easy to use. This product is for use where the service manual states "Use LT 271."

ACC-YAMBD-P2-71

Shop Supplies



Yamaha Internal Engine Cleaner
For dealer purchase only. The best product offered by Yamaha for carbon removal. Ordered by case, 1 on order equals 6 bottles.

Quart bottle (Qty. 6*)
ACC-CLEAN-D1-00



Carburetor Cleaner Dip
Use this concentrated solution with water as a dip for cleaning metal that has been varnished by old gasoline. Also removes dirt, grime and gum.

Quart Bottle (Qty. 12*)
ACC-CARBC-LE-NR



EFI Engine Storage Fogging Oil
Equally distributes fogging oil to cylinders in EFI engines with single-throttle bodies, protecting pistons, cylinder walls and valves from moisture, salt water and combustion acids for up to 1 year of storage.

Quart Bottle (Qty. 6*)
ACC-STORR-IT-32



Stor-Rite Engine Fogging Oil
Lubricates and protects internal engine components. Critical for proper winterization and during extended storage periods.

12 oz. Can (Qty. 12*)
ACC-STORE-RI-TE



Combustion Chamber Cleaner
Use to remove carbon and other contaminants from cylinders, pistons, rings and valves. A great inclusion into your seasonal maintenance. Clean engines last longer.

13 oz. Can (Qty. 12*)
ACC-CMBSN-CL-NR



LubezAll
This popular lube is back and completely reformulated. Now an aerosol synthetic grease with PTBE, it's a high quality multipurpose lubricant.

11 oz. Can (Qty. 12*)
ACC-LUBZA-LL-00



Brake & Contact Cleaner
Use this product to clean off brake dust from critical brake components and quickly clean parts leaving them residue free.

13 oz. Can (Qty. 12*)
ACC-BRKCT-12-00



Battery Terminal Cleaner & Protector
This strong water-based cleaner with acid-alkali indicator removes corrosive build-up on battery terminal posts to help increase power output and extend battery life. Simply rinses off with water and leaves terminals coated with a residual protective film.

13 oz. Can (Qty. 12*)
ACC-BATTCLN-PR

* Ordered individually with a minimum order quantity



External Engine Cleaner

Powerful engine degreaser and engine cleaner powers off grease, mud and grime. Safe on most rubber, plastic and painted metal surfaces.

15 oz. Can (Qty. 12*)
ACC-ENGCL-NR-00



Yamashield™

Designed to create a non-conductive shield on surfaces that are exposed to the elements. This shield will reduce the effects of moisture on metal components and electrical connections. (Replaces Boeshield T-9® Protectant and Lubricant ACC-T9SPR-AY-00)

13 oz. Can (Qty. 12*)
ACC-YAMSH-LD-00



Precision Parts Cleaner

Designed to meet all the demands of a fast-drying, powerful cleaner. Formulated to remove oil, grease, and other contaminants. Quickly and easily cleans engine parts, internal and external components, ignitions, electrical components, spark plugs, or any use where a fast-drying cleaner that leaves no residue is needed.

12.5 oz. Can (Qty. 12*)
ACC-PPCPT-CL-NR



Silicone Spray Protectant & Lubricant

General-purpose lubricant that helps to protect metals against rust and corrosion. Conditions and protects neoprene, rubber and other surfaces from environmental effects.

11 oz. Can (Qty. 12*)
ACC-SLCNS-PR-AY



Hand Cleaner

This hand cleaner powers through dirt, grease, and grime to give your hands a smooth clean feeling. Also available in a one-gallon bottle, for use with our wall mounted dispenser.

15 oz. (Qty. 12*)

ACC-HNDCL-NR-00

4 liters (Qty. 4*)

ACC-HNDCL-NR-01

Dispenser

ACC-HNDCL-NR-DS



Carburetor and Choke Cleaner

A combination of powerful solvents designed to remove gum, varnish, carbon and other contaminants. This unique formula cleans internal and external carburetor components including jets, venturi, tubes, intake valves, linkages and carburetor bodies. Extra-heavy propellant creates a powerful charged spray for hard to reach areas.

12.5 oz. Can (Qty. 12*)
ACC-CARBS-PR-AY

* Ordered individually with a minimum order quantity