

ULTIMA SERIES™ ULTIMATE PERFORMANCE

RESIDENTIAL ZERO-TURNS

Cub Cadet®



GET MORE FROM YOUR ZERO-TURN.

Visit cubcadet.ca to see our full range of accessories,
get in-depth product details, reviews and ratings, and learn about the full strength of your Cub Cadet® machine.

TABLE OF CONTENTS

ULTIMA SERIES™	4
ULTIMA Z™	8
ULTIMA ZS™	10
ULTIMA ZTX™	12
ULTIMA ZTXS™	14
ATTACHMENTS & ACCESSORIES	16
SPECIFICATIONS	18

ULTIMA SERIES™



EXPERIENCE MOWING LIKE NEVER BEFORE:
THE ULTIMA SERIES™.

ULTIMA SERIES

THE ULTIMATE ALL-AROUND MOWING EXPERIENCE.





FORGED FOR STRENGTH AND DURABILITY

A: Continuous tubular steel frame

B: Choose from Ultima Series™ models featuring a premium Cub Cadet® 547cc Single Cylinder Engine with IntelliPOWER® technology, or Twin cylinder Kawasaki® engines

ALL AROUND COMFORT

C: Spring seat suspension

D: Ample legroom on all units

E: Over-molded rubber grips, foam hand grips, or intuitive Soft-Touch steering wheel with adjustable steering column

F: Automotive-inspired, comfortable and adjustable high-back seat

STEERING OPTIONS DESIGNED TO MEET YOUR NEEDS

LAP BARS

Overmolded and adjustable rubber hand grips designed to minimize vibration.

STEERING WHEEL

Cub Cadet®'s exclusive Synchro-Steer™ technology offers professional-grade precision, control, and stability, providing a familiar user experience even on hills up to 20 degrees.





CUT QUALITY

G: Choose from stamped or fabricated decks, available on select Ultima Series™ models

H: 15 quarter-inch deck height adjustments

I: Offset front axle on all lap bar units designed for precise trimming

J: Turf Master® or Turf Armor rear tires, designed for stability and traction

MAINTAIN WITH EASE

K: Maintenance-free spindles

L: Hinged floor pan for maintenance needs

M: Strong warranty,† including deck shell and frame

† For warranty details and exclusions, visit cubcadet.ca or see your local dealer

A BOLD EVOLUTION.

Step up to the enhanced strength, comfort, and precise cut of the Ultima Series™ Z™.

THE ULTIMA SERIES™ Z™

GAS

- Z2 - 42" - 54"
- Z3 - 50" - 60"

(See page 18 for more details)

LAP BAR ZERO TURN

CUSTOM COMFORT SEAT

Comfortably mow with an automotive-style, bolstered high-back seat designed to minimize vibration.

MULTI ANGLED TIRE TREAD

Designed with a durable compound to provide reliable traction.

STEP ASSIST

Climb aboard using a strong steel side step.

Available on select Ultima Series™ Z™ models

FRONT CASTER SUSPENSION

Ride in ultimate comfort thanks to a front caster suspension that delivers up to 1050 lbs. of shock absorption to help reduce vibration.

Available on select Ultima Series™ Z™ models

ULTIMA TOUGH 2" X 2" TUBULAR STEEL FRAME

Forged for enhanced strength and durability.

TOW HEAVY LOADS

STABILITY ON ROUGH TERRAIN

SMOOTH RIDE



STEP UP TO STEERING CONTROL.

The Ultima ZS™ steps up the mowing experience with Cub Cadet® patented Synchro-Steer™ technology. Engineered to provide 4-wheel control and stability for straight-line mowing on hillsides and slopes up to 20 degrees—all backed by the strength, comfort and cut quality of a Cub Cadet® zero-turn.

THE ULTIMA SERIES™ ZS™

GAS

- Z2 42-50S
- Z3 50-60S

(See page 19 for more details)

STEERABLE ZERO TURN
Synchro-Steer™ technology

EFFORTLESS DRIVEABILITY

4-Wheel control and unrivaled stability for straight line mowing on hillside and slopes.

DESIGNED FOR PRODUCTIVITY

Greater control means less overlap and eliminates the need for 3-point turns.

TACKLING 20-DEGREE HILLS

Synchro-Steer™ Technology is engineered for precision, control, and stability on challenging terrain. Don't back down from hills and slopes up to 20-degrees.



CUSTOMER RATING ★★★★★

"Perfect lawn mower! This lawn mower has made my lawn look better than ever! The grass is perfect every time I use it. The steering wheel is simple to use to maneuver the lawn mower around obstacles such as my kids' swing set and trampoline."

ULTIMA SERIES™
Incentivized Review

STEP UP TO THE CHALLENGE.

The commercial-grade build of this zero-turn is engineered for strength and durability so you can comfortably cut through challenging conditions.

THE ULTIMA SERIES™ ZTX™

GAS

- ZTX4 - 48" - 60"
- ZTX6 - 54" - 60"

(See page 19 for more details)

STRENGTH ON DECK

Built on a 1.5" x 3" tubular frame featuring a 10-gauge steel fabricated AeroForce Max™ deck with side, top and leading-edge reinforcements and bagging capabilities. You're equipped with the right amount of strength and rigidity for precise cut quality.

POWERFUL PERFORMANCE

The commercial-grade KOHLER® and Kawasaki® engines paired with Hydro-Gear® transmission provide max speeds up to 14.4 kmh to get the job done quickly.

KOHLER® engines available on ZTX4 models; Kawasaki® engines available on ZTX6 models.

COMMAND WITH COMFORT

Polymer seat isolators, isolated front caster suspension and a high-back seat in 20" or 24" options with padded armrests designed for a smooth and quiet ride.

VERSATILITY

Standard LED headlights, rollover protection and rear tow hitch paired with a full line of attachments allows you to build the ideal zero turn.

Attachments sold separately.

STRONG WARRANTIES†

4-Year and/or 800 hours residential limited warranty (whichever occurs first) / Lifetime frame limited warranty / Lifetime deck shell limited warranty / 4-Year and/or 800-hours commercial (whichever occurs first) limited warranty.†



† For warranty details and exclusions, visit cubcadet.ca or see your local dealer.



ULTIMATE STEERING PRECISION.

THE ULTIMA SERIES™ ZTXS™

GAS

- ZTXS4 - 48" - 60"
- ZTXS5 - 54" - 60"
- ZTXS6 - 60"

(See page 19 for more details)

Synchro-Steer™ technology

The Cub Cadet® Ultima ZTXS™, the machine that brings proprietary Synchro-Steer™ technology to the proven Ultima Series™ platform. Engineered for precision and confident control on varying terrain and hills—all backed by the strength, comfort and cut quality of a Cub Cadet® zero-turn. The commercial-grade features of the Ultima ZTXS™ zero-turns are designed for fast turning and efficient maneuverability through challenging conditions.

EXCELLENT CONTROL

Step up your control from traditional lap bars with Synchro-Steer™ technology. The familiar steering wheel combined with four-wheel control makes for precision, maneuverability and stability on a variety of terrains including hills up to 20 degrees.

STRENGTH ON DECK

Built on a 1.5" x 3" tubular frame featuring a 10-gauge steel fabricated AeroForce Max™ deck with side, top and leading-edge reinforcements and bagging capabilities, you're equipped with the right amount of strength and rigidity for precise cut quality.

VERSATILITY

Standard LED headlights, rollover protection and rear tow hitch paired with a full line of attachments allows you to build the ideal zero turn.

Attachments sold separately.

COMMAND WITH COMFORT

Polymer seat isolators, isolated front caster suspension and a high-back seat in 20" or 24" options with padded armrests designed for a smooth and quiet ride up to 14.4 kmh with minimal vibration.

STRONG WARRANTIES†

4-Year and/or 800 hours residential limited warranty (whichever occurs first) / Lifetime frame limited warranty / Lifetime deck shell limited warranty / 4-Year and/or 800-hours commercial (whichever occurs first) limited warranty.†



† For warranty details and exclusions, visit cubcadet.ca or see your local dealer.

CUSTOMER RATING ★★★★★

"Best purchase I've made in a long time! I love this machine! It's heavy duty, comfortable, and grips on hills like you wouldn't believe. It's easy to drive and the controls are simple. I previously had a (another brand) zero turn and although it was a great machine, this thing will cut circles around it."

Customer from Pittsburgh, PA | ULTIMA SERIES™ ZTXS5 54

Incentivized Review



THE RIGHT TOOLS DESIGNED FOR YOUR TASK.

Dial up the versatility of your zero-turn by adding hardworking attachments that help you tackle your landscape with confidence and ease, year after year.

ATTACHMENTS & ACCESSORIES

(Sold separately)



BAGGER SYSTEM

Engineered for breakthrough bagging performance with double and triple bagger options available.

Available for select models



ALL-SEASON PLOW

Designed to fit the Ultima Z™ and Ultima ZTX™, this 52", 12-gauge steel blade can move snow, dirt, gravel and mulch with a single handle that lets the operator adjust the angle of the blade from the seat.

GENUINE PARTS. GENUINE ADVANTAGE.

Cub Cadet® Genuine Parts are the only parts designed and engineered to meet Cub Cadet® original equipment standards.



STRIPING KIT

Designed for professional-grade stripes while delivering a precise cut.



ARMREST KIT

Adjustable armrests designed for operator comfort.



MULCH KIT

Mulch kits cut grass into fine pieces that can be returned to your lawn to help keep it healthy.



ULTIMA SERIES	21″ 42 IntelliPOWER®	22″ 42	22″ 46	22″ 50	22″ 54	23″ 50	23″ 54	23″ 60
ENGINE								
Engine Type	547cc Single Cylinder IntelliPOWER®	21.5 hp** V-Twin Kawasaki® FR651V		23 hp** V-Twin Kawasaki® FR691V		24 hp** V-Twin Kawasaki® FR730V		
Fuel Tank Capacity	13.2 L							
DRIVE SYSTEM								
Transmission	Dual Hydro-Gear® EZT 2200					Dual Tuff Torq® TZ 350		
Forward / Reverse Speeds	Up to 11.2 kmh / 5.6 kmh					Up to 12 kmh / 5.6 kmh		
CONTROLS								
Steering	Lap bar							
Mow in Reverse	—							
Parking Brake	Integrated system in lap bar					Standard lever		
CUTTING DECK								
Deck Construction	13-gauge stamped deck	11-gauge Aeroforce™ fabricated deck						
Cutting Width / Blades	42″ / twin blade		46″ / twin blade	50″ / triple blade	54″ / triple blade	50″ / triple blade	54″ / triple blade	60″ / triple blade
Deck Cutting Height	1″ - 4.5″							
Anti-Scalping Wheels	2 front			2 front / 1 nose roller				
Deck Blade Engagement	Electronic fingertip engagement							
Deck Lift	Foot-operated / 15 positions / dial adjust							
Deck Wash	SmartJet™ high-pressure deck washing system	—						
Spindle Construction	Sealed ball bearing spindles / maintenance-free							
CHASSIS								
Frame	Square 2″ x 2″ tubular upper and lower frame structure							
Front Caster Mounts	Rectangular 2″ x 2.5″ square frame / offset							
ROPS	—							
Front (2) / Rear Tires (2)	11″ x 6″ - 5″ (smooth) 20″ x 8″ - 8″ (Turf Master®)	11″ x 6″ - 5″ (smooth) 20″ x 8″ - 8″ (Turf Armor)		11″ x 6″ - 5″ (smooth) 20″ x 10″ - 8″ (Turf Armor)		11″ x 6″ - 5″ (smooth) 20″ x 12″ - 8″ (Turf Armor)		
Rear Tow Hitch	—	Standard						
COMFORT								
Seat	18″ high-back adjustable seat with suspension system	20″ high-back adjustable seat with head bolster and suspension system						
Steering	Foam grips	Yellow & Black overmolded soft-touch ergonomic grips						
Floor Mat	—	Standard						
ADDITIONAL FEATURES								
Additional Features	Cup holder, multi-tool, removable floor pan	Cup holder, hour meter, LED light bar, side step, multi-tool, removable floor pan						
WARRANTY*								
Warranty	3-Year unlimited hours residential limited warranty / Lifetime frame limited warranty / 3-Year unlimited hours deck shell limited warranty*	3-Year unlimited hours residential limited warranty / Lifetime frame limited warranty / Lifetime deck shell limited warranty*						

ULTIMA SERIES	ZT1 42 IntelliPOWER®	ZT™ 42S	ZT™ 46S	ZT™ 50S	ZT™ 60S	ZTX4 48	ZTX4 54	ZTX4 60	ZTX6 54	ZTX6 60
ENGINE										
Engine Type	547cc Single Cylinder IntelliPOWER®	21.5 hp** V-Twin Kawasaki® FR651V		23 hp** V-Twin Kawasaki® FR691V	24 hp** V-Twin Kawasaki® FR730V	24 hp* V-Twin KOHLER® KT-Pro 7000 Series	26 hp* V-Twin KOHLER® KT-Pro 7000 Series		25.5 hp** V-Twin Kawasaki® FX801	
Fuel Tank Capacity	13.2L					20.8L				
DRIVE SYSTEM										
Transmission	Dual Hydro-Gear® EZT 2200			Dual Tuff Torq® TZ 350		Dual Hydro-Gear® ZT 3100			Dual Hydro-Gear® ZT 3400	
Forward / Reverse Speeds	Up to 11.3 kmh / 5.6 kmh			Up to 12.9 kmh / 5.6 kmh		Up to 12.9 kmh / 5.6 kmh			Up to 14.4 kmh / 5.6 kmh	
CONTROLS										
Steering	Steering wheel with Synchro-Steer™ technology			Steering wheel with Synchro-Steer™ technology		Lap bar				
Mow in Reverse	RevTEK™ reverse mowing technology			RevTEK™ reverse mowing technology		Standard				
Parking Brake	Standard lever			Standard lever		Integrated system in lap bars				
CUTTING DECK										
Deck Construction	13-gauge stamped deck	11-gauge AeroForce™ fabricated deck		11-gauge AeroForce™ fabricated deck		10-gauge AeroForce Max™ fabricated / 2-gauge reinforcement / 7-gauge side wraps / skid plate				
Cutting Width / Blades	42″ / twin blade		46″ / twin blade	50″ / triple blade	54″ / triple blade	48″ / triple blade	54″ / triple blade	60″ / triple blade	54″ / triple blade	60″ / triple blade
Deck Cutting Height	1″ - 4.5″			1″ - 4.5″		1″ - 4.75″ / 5″ transport				
Anti-Scalping Wheels	2 front		2 front / 1 nose roller	2 front / 1 nose roller		2 front deck wheels	2 front / 1 nose roller			
Deck Blade Engagement	Electronic fingertip engagement			Electronic fingertip engagement		Electronic fingertip engagement				
Deck Lift	Foot-operated / 15 positions / dial adjust			Foot-operated / 15 positions / dial adjust		Foot-operated / 16 positions / dial adjust / transport mode				
Deck Wash	SmartJet™ high-pressure deck washing system	—		—		—				
Spindle Construction	Sealed ball bearing spindles / maintenance-free			Sealed ball bearing spindles / maintenance-free		Sealed ball bearing spindles / maintenance-free				
CHASSIS										
Frame	Square 2″ x 2″ tubular upper and lower frame structure			Square 2″ x 2″ tubular upper and lower frame structure		Rectangular 1.5″ x 3″ tubular upper and lower frame structure				
Front Caster Mounts	Rectangular 2″ x 2.5″ square frame			Rectangular 2″ x 2.5″ square frame		Rectangular 1.5″ x 3″ tubular frame / offset		Rectangular 1.5″ x 3″ tubular frame / offset / front caster suspension		
ROPS	—			—		Standard				
Front (2) / Rear Tires (2)	13″ x 6.5″ - 6″ (Turf Master®) 20″ x 8″ - 8″ (Turf Master®)	13″ x 6.5″ - 6″ (Turf Armor) 20″ x 8″ - 8″ (Turf Armor)		13″ x 6.5″ - 6″ (Turf Armor) 20″ x 12″ - 8″ (Turf Armor)		13″ x 6.5″ - 6″ (smooth) 22″ x 12″ - 12″ (Turf Master®)			13″ x 6.5″ - 6″ (smooth) 24″ x 12″ - 12″ (Turf Master®)	
Rear Tow Hitch	—	Standard		Standard		Standard				
COMFORT										
Seat	18″ high back knob adjustable seat	20″ high-back ajustable seat with head bolster and suspension system		20″ high-back ajustable seat with head bolster and suspension system		20″ high-back adjustable seat with cushioned armrests, ball-bearing seat slide and suspension system		24″ high back adjustable seat with cushioned armrests, ball-bearing seat slide and full suspension system		
Steering	Yellow & Black overmolded soft-touch ergonomic grips			Yellow & Black overmolded soft-touch ergonomic grips		Overmolded soft-touch grips				
Floor Mat	—	Standard		Standard		Standard				
ADDITIONAL FEATURES										
Additional Features	Cup holder, multi-tool, removable floor pan	Cup holder, hour meter, LED light bar, side step, multi-tool, removable floor pan		Cup holder, hour meter, LED light bar, side step, multi-tool, removable floor pan		Cup holder, dual LED headlights, removable floor pan, hour meter				
WARRANTY*										
Warranty	3-Year unlimited hours residential limited warranty / Lifetime frame limited warranty / Lifetime deck shell limited warranty*			3-Year unlimited hours residential limited warranty / Lifetime frame limited warranty / Lifetime deck shell limited warranty*		4-Year and/or 800 hours residential limited warranty (whichever occurs first) / Lifetime frame limited warranty / Lifetime deck shell limited warranty / 4-Year and/or 800-hours commercial (whichever occurs first) limited warranty*				

ULTIMA SERIES	ZTXS4 48	ZTXS4 54	ZTXS4 60	ZTXS5 54	ZTXS5 60	ZTXS6 60
ENGINE						
Engine Type	24 hp* V-Twin KOHLER® KT-Pro 7000 Series	26 hp* V-Twin KOHLER® KT-Pro 7000 Series		24 hp** V-Twin Kawasaki® FS730		25.5 hp** V-Twin Kawasaki® FX801
Fuel Tank Capacity	20.8L					
DRIVE SYSTEM						
Transmission	Dual Hydro-Gear® ZT 3100			Dual Hydro-Gear® ZT 3200		Dual Hydro-Gear® ZT 3400
Forward / Reverse Speeds	Up to 12.9 kmh / 5.6 kmh			Up to 13.6 kmh / 5.6 kmh		Up to 14.4 kmh / 5.6 kmh
CONTROLS						
Steering	Steering wheel with Synchro-Steer™ technology					
Mow in Reverse	RevTEK™ reverse mowing technology					
Parking Brake	Standard lever					
CUTTING DECK						
Deck Construction	10-gauge AeroForce Max™ fabricated / 2-gauge reinforcement / 7-gauge side wraps / skid plate					
Cutting Width / Blades	48″ / triple blade	54″ / triple blade	60″ / triple blade	54″ / triple blade	60″ / triple blade	
Deck Cutting Height	1″ - 4.75″ / 5″ transport					
Anti-Scalping Wheels	2 front deck wheels	2 front / 1 nose roller				
Deck Blade Engagement	Electronic fingertip engagement					
Deck Lift	Foot-operated / 16 positions / dial adjust / transport mode					
Deck Wash	—					
Spindle Construction	Sealed ball bearing spindles / maintenance-free					
CHASSIS						
Frame	Rectangular 1.5″ x 3″ tubular upper and lower frame structure					
Front Caster Mounts	Rectangular 1.5″ x 3″ tubular frame / offset					
ROPS	Standard					
Front (2) / Rear Tires (2)	13″ x 6.5″ - 6″ (smooth) 22″ x 12″ - 12″ (Turf Master®)			13″ x 6.5″ - 6″ (smooth) 23″ x 12″ - 12″ (Turf Master®)		13″ x 6.5″ - 6″ (smooth) 24″ x 12″ - 12″ (Turf Master®)
Rear Tow Hitch	Standard					
COMFORT						
Seat	20″ high-back adjustable seat with cushioned armrests, ball-bearing seat slide and suspension system	24″ high-back adjustable seat with cushioned armrests, ball-bearing seat slide and suspension system				
Steering	Soft-Touch steering wheel with adjustable steering column					
Floor Mat	Standard					
ADDITIONAL FEATURES						
Additional Features	Cup holder, dual LED headlights, removable floor pan, hour meter					
WARRANTY*						
Warranty	4-Year and/or 800 hours residential limited warranty (whichever occurs first) / Lifetime frame limited warranty / Lifetime deck shell limited warranty / 4-Year and/or 800-hours commercial (whichever occurs first) limited warranty*					

* For full warranty details, visit cubcadet.ca or see your local dealer

* As required by KOHLER®, all power levels are stated in gross horsepower at 3600 RPM per SAE J1940 as rated by engine manufacturer

** As required by Kawasaki®, horsepower tested in accordance with SAE J1995 and rated in accordance with SAE J2723 and certified by SAE International.

Turf Master® is a registered trademark of The Carlstar Group LLC
Kawasaki® is a registered trademark of Kawasaki Jukogyo Kabushiki Kaisha
KOHLER® is a registered trademark of Kohler Co.
Tuff Torq® is a registered trademark of Kanzaki Kokyukoki Mfg. Co. Ltd
Hydro-Gear® is a registered trademark of Hydro-Gear Limited Partnership

YOUR AUTHORIZED CUB CADET® DEALER MAKES YOUR EXPERIENCE EVEN BETTER.

Cub Cadet® dealers know their equipment. And they know how to take care of it and their customers. For financing offers and the expertise you can only find from professionals who sell and service Cub Cadet® equipment every day.

SUPPORT AS STRONG AS OUR MACHINES
Dedicated dealer support.
Visit cubcadet.ca or call toll-free 1-800-668-1238.

facebook.com/cubcadet CubCadetCA cubcadetna



Images may not reflect dealer inventory and/or unit specifications.

This brochure is for advertisement purposes only. The product depictions are not meant to be used or relied upon as a substitute for the safety and use information that is published in the respective operator's manual. Before operating the machine, read, understand and follow all instructions in the manual and on the machine. Specifications are subject to change without notice.

© 2026 Cub Cadet | Printed in Canada