


# Arborist Products

2024 Micro Catalog



## Included Inside

CLIMBING ROPE  
RIGGING ROPE  
GEAR & ROPE STORAGE  
THROWLINE EQUIPMENT  
PRUSIKS  
SLINGS & LOOPS  
SPEEDLINE KITS  
CLIMBING CARABINERS

RIGGING CARABINERS  
ASCENT/DESCENT  
MECHANICALS  
LANYARDS & FLIPLINES  
SADDLES  
HANDSAWS  
POLESAWS

+ SpeedCut Nano Conversion Guide

**OREGON**®



## In This Catalog

The blend of Arborist products in this catalog focuses on the at-height climbing, rigging and cutting essentials demanded by treecare professionals across the industry.

- CLIMBING ROPE
- RIGGING ROPE
- GEAR & ROPE STORAGE
- THROWLINE EQUIPMENT
- PRUSIKS
- SLINGS & LOOPS
- SPEEDLINE KITS
- CLIMBING CARABINERS
- RIGGING CARABINERS
- ASCENT/DESCENT
- MECHANICALS
- LANYARDS & FLIPLINES
- SADDLES
- HANDSAWS
- POLESAWS

## Also Available

Arborists, utility workers and landscaping professionals depend on a wide variety of products - often unique to their job and region. Don't see the equipment you need? Just ask! We probably have access to it.

- BAR & CHAIN
- BOOKS & EDUCATION
- BUCKETS, LIFTS & CRANES
- CABLING & BRACING
- CHIPPERS & GRINDERS
- CLOTHING, SAFETY & PPE
- PLANT HEALTHCARE
- PLANTING
- WINCHING
- SAWS & TOOLS
- OUTDOOR EQUIPMENT PARTS
- CHEMICALS & OIL
- TRIMMER LINE
- AND MUCH MORE...

# Product Categories

Helmet Systems

Communications

PPE

Bar & Chain

Saddles & Chest Rigs

First Aid

Carabiners

Lanyards

Saws & Scabbards

Chainsaw  
Pants & Chaps

Spikes & Climbers


Climbing & Rigging Rope



## Informed and Dependable Supply

Outdoor professionals expect from their suppliers what is expected of them: Timely and knowledgeable service, tailored to meet unique customer needs.

With access to the largest arborist product mix in the nation, we are confident in our ability to outfit your company - large or small.



# SpeedCut Nano





Specifically designed for an arborist's saw, this Low Profile, closed system can bring a new level of energy to your existing 1-3 HP saw.

**SPEEDCUT™ NANO CONVERSION KITS**  
Equipping your saw is made easy with conversion kits tailored to the top pro saw models.

**INCREASED SPEED**  
Optimized cutter and chain design provides up to 24% faster cutting speed, compared to 3/8" LP (Oregon® 90PX).

**LONGER RUN TIME**  
SpeedCut™ Nano provides increased cutting efficiency, extending your run time on a single tank of gas or battery – including up to 10% more cuts per charge on cordless saws.

**SMOOTHER CUTS**  
Designed to reduce chatter, SpeedCut™ Nano chain features a specialized dual raker system that reduces vibration for the smoothest boring cuts.



Low-Friction Ring  
AGLFR2-BLUE



## Brand Highlight

# ALL GEAR

All Gear, Inc. specializes in exclusive products for the Utility, Arborist, Construction and Heavy-Duty Marine industries. Relying exclusively on resellers and OEM's for sales, All Gear can focus on developing innovative products via environmentally-conscious manufacturing processes. Powered by RBI's distribution network, All Gear is positioned to be your #1 vendor, by leading with competitive pricing, consistent inventory and fast delivery across all service markets. Trust All Gear products as your core professional-grade climbing, rigging and at-height gear solution.



Husky Bull Rope  
Eye Slings  
AGBRES5810CS

Husky Bull Rope  
AGBR34150HMP

Husky 12 Multi Pro  
AG12SP12200MB

Double-Locking  
Carabiner (30kN)  
AGCBCTD

HMPE Super Rigging Loops  
AG32SS1224



# ROPE - CLIMBING



## ALL GEAR 1/2" 12-STRAND

SKU	Rope	Diameter	Length	ABS
AG12SP12150RW	Forestry Pro	1/2"	150'	7,300 lbs.
AG12SP12200RW	Forestry Pro	1/2"	200'	7,300 lbs.



12.7mm 12-Strand 100% Premium Polyester with 4-Strand 100% Polyester Paralell Core to keep rope firm and round

## ALL GEAR 1/2" 16-STRAND

SKU	Rope	Diameter	Length	ABS
AG16SP12120S	Safetylite	1/2"	120'	8,580 lbs.
AG16SP12150S	Safetylite	1/2"	150'	8,580 lbs.
AG16SP12200S	Safetylite	1/2"	200'	8,580 lbs.
AG16SP12120N	Neolite	1/2"	120'	8,580 lbs.
AG16SP12150N	Neolite	1/2"	150'	8,580 lbs.
AG16SP12200N	Neolite	1/2"	200'	8,580 lbs.
AG16SP12120BOY	Bazooka	1/2"	120'	8,560 lbs.
AG16SP12150BOY	Bazooka	1/2"	150'	8,560 lbs.
AG16SP12200BOY	Bazooka	1/2"	200'	8,560 lbs.

16-Strand Polyester Jacket with an 8-Strand Nylon Core Braided Under Tension.



Safetylite



Neolite



Bazooka

## ALL GEAR 7/16" 11.2MM 24-STRAND

SKU	Rope	Diameter	Length	ABS
AG24SP716120PPB	Purple Haze	7/16"	120'	6,300 lbs.
AG24SP716150PPB	Purple Haze	7/16"	150'	6,300 lbs.
AG24SP716150BGG	Ramborista	7/16"	150'	6,300 lbs.

16-Strand Braided Polyester Core and a Neon Colored 3-Strand Twisted Core Double Braid Polyester Cover



Purple Haze



Ramborista




Rocket

## ALL GEAR 7/16" 11.8MM 24-STRAND

SKU	Rope	Diameter	Length	ABS
AG24SP118150PGG	Mardi Gras	11.8mm	150'	6,700 lbs.
AG24SP118150ROG	Cherry Bomb II	11.8mm	150'	6,700 lbs.
AG24SP118150BGG	Blue Craze II	11.8mm	150'	6,700 lbs.

16-Strand Braided Polyester Core with a Neon Colored 3-Strand Twisted Core 24-Strand Double Braid Polyester Cover



Mardi Gras



Cherry Bomb II



Blue Craze II

## COURANT 16 & 24-STRAND

SKU	Rope	Diameter	Length	ABS
MHF30BZC045	Kanopa	12.1mm	45m	6,969 lbs.
MHF30BZC060	Kanopa	12.1mm	60m	6,969 lbs.
MJF30CZC045	Komora	11.7mm	45m	6,745 lbs.
MJF30CZC060	Komora	11.7mm	60m	6,745 lbs.
MH730JZC045	Kalimba	11.9mm	45m	7,868 lbs.
MH730JZC050	Kalimba	11.9mm	50m	7,868 lbs.
MH730JZC060	Kalimba	11.9mm	60m	7,868 lbs.



Kanopa 16-Strand



Kalimba 24-Strand



Komora 16-Strand

ABS = Average Breaking Strength | MBS = Minimum Breaking Strength



# ROPE - CLIMBING

## SAMSON ARBORFREAK 16-STRAND

SKU	Rope	Diameter	Length	ABS
380032101260	Redwood	1/2"	120'	8,100 lbs.
38003210126100	Redwood	1/2"	120'*	8,100 lbs.
380032101560	Redwood	1/2"	150'	8,100 lbs.
38003210156100	Redwood	1/2"	150'*	8,100 lbs.
380032102060	Redwood	1/2"	200'	8,100 lbs.
38003210206100	Redwood	1/2"	200'*	8,100 lbs.
380032106030	Redwood	1/2"	600'	8,100 lbs.
380032501260	Pine	1/2"	120'	8,100 lbs.
38003250126100	Pine	1/2"	120'*	8,100 lbs.
380032501560	Pine	1/2"	150'	8,100 lbs.
38003250156100	Pine	1/2"	150'*	8,100 lbs.
380032502060	Pine	1/2"	200'	8,100 lbs.
38003250206100	Pine	1/2"	200'*	8,100 lbs.



Arborfreak Redwood



Arborfreak Pine

## SAMSON 24-STRAND

SKU	Rope	Diameter	Length	ABS
458032601260	Hyperclimb "Hot"	11.7mm	120'	6,500 lbs.
45803260126100	Hyperclimb "Hot"	11.7mm	120'*	6,500 lbs.
458032601560	Hyperclimb "Hot"	11.7mm	150'	6,500 lbs.
45803260156100	Hyperclimb "Hot"	11.7mm	150'*	6,500 lbs.
458032602060	Hyperclimb "Hot"	11.7mm	200'	6,500 lbs.
45803260206100	Hyperclimb "Hot"	11.7mm	200'*	6,500 lbs.
502030001560	Voyager SD	11.8mm	150'	8,000 lbs.
502030002060	Voyager SD	11.8mm	200'	8,000 lbs.
501028001560	Velocity SD	7/16	150'	6,000 lbs.
501028002060	Velocity SD	7/16	200'	6,000 lbs.
503032001260	Vortex SD	1/2"	120'	8,000 lbs.
50303200126100	Vortex SD	1/2"	120'*	8,000 lbs.
503032001560	Vortex SD	1/2"	150'	8,000 lbs.
50303200156100	Vortex SD	1/2"	150'*	8,000 lbs.
503032002060	Vortex SD	1/2"	200'	8,000 lbs.
50303200206100	Vortex SD	1/2"	200'*	8,000 lbs.



Hyperclimb "HOT"



Voyager SD



Velocity SD



Vortex SD


## TEUFELBERGER

SKU	Rope	Diameter	Length	MBS
2215151	Tachyon	7/16"	150' w/splice	5,000 lbs.
2215201	Tachyon	7/16"	200' w/splice	5,500 lbs.



## YALE

SKU	Rope	Diameter	Length	ABS
BM150S	Blue Moon	11.7mm	150' w/splice	6,500 lbs.
BM200S	Blue Moon	11.7mm	200' w/splice	6,500 lbs.



\*Rope comes with spliced eye

# ROPE - RIGGING




## ALL GEAR HUSKY BULL ROPE

SKU	Diameter	Length	ABS
AGBR12150	1/2"	150'	10,500 lbs.
AGBR12200	1/2"	200'	10,500 lbs.
AGBR916150	9/16"	150'	14,000 lbs.
AGBR916200	9/16"	200'	14,000 lbs.
AGBR58150	5/8"	150'	19,500 lbs.
AGBR58200	5/8"	200'	19,500 lbs.
AGBR34150	3/4"	150'	23,000 lbs.
AGBR34200	3/4"	200'	23,000 lbs.
AGBR78150	7/8"	150'	32,000 lbs.
AGBR78200	7/8"	200'	32,000 lbs.



AGBR12



AGBR916




AGBR58

Exceeds the Strength of Double Braid Polyester or Nylon  
Husky Urethane Coating for Excellent Resistance to Abrasion

## ALL GEAR HUSKY MULTI PRO BULL ROPE

SKU	Diameter	Length	ABS
AGBR12150HMP	1/2"	150'	10,500 lbs.
AGBR12200HMP	1/2"	200'	10,500 lbs.
AGBR58150HMP	5/8"	150'	19,500 lbs.
AGBR58200HMP	5/8"	200'	19,500 lbs.
AGBR34150HMP	3/4"	150'	23,000 lbs.
AGBR34200HMP	3/4"	200'	23,000 lbs.



AGBR58



AGBR34

## ALL GEAR 12-STRAND PURE POLYESTER

SKU	Diameter	Length	ABS
AG12SP58150RW	5/8"	150'	11,000 lbs.
AG12SP58200RW	5/8"	200'	11,000 lbs.
AG12SP34150RW	3/4"	150'	18,000 lbs.
AG12SP34200RW	3/4"	200'	18,000 lbs.



## ALL GEAR 3-STRAND POLYESTER

SKU	Diameter	Length	ABS
AG3STP12150B	1/2"	150'	5,750 lbs.
AG3STP12200B	1/2"	200'	5,750 lbs.
AG3STP58150R	5/8"	150'	9,350 lbs.
AG3STP58200R	5/8"	200'	9,350 lbs.
AG3STP341500	3/4"	150'	11,300 lbs.
AG3STP342000	3/4"	200'	11,300 lbs.



AG3STP12



AG3STP34

100% Premium Polyester with Blue Husky Urethane™ Coating

## TEUFELBERGER SIRIUS

SKU	Diameter	Length	MBS	Color
7380003	12mm / 1/2"	200'	7,860 lbs.	Red/Wht
7380005	14mm / 9/16"	150'	11,680 lbs.	Org/Wht
7380006	14mm / 9/16"	200'	11,680 lbs.	Org/Wht
7380009	16mm / 5/8"	200'	14,160 lbs.	Ylw/Wht



7380003



7380009

The 32-plait polyester sheath makes Sirius highly abrasion resistant and easy to knot



# ROPE - RIGGING

## SAMSON STABLE BRAID HYDROPHOBIC COATED DRY

SKU	Diameter	Length	MBS
813032801560	1/2"	150'	8,800 lbs.
813032802060	1/2"	200'	8,800 lbs.
813040101560	5/8"	150'	13,900 lbs.
813040102060	5/8"	200'	13,900 lbs.
813048401560	3/4"	150'	17,300 lbs.
813048402060	3/4"	200'	17,300 lbs.

Revolutionary hydrophobic coating reduces water uptake in rope by 95% - keeping it lighter and safer in wet conditions.

Featuring:  
**samsonDRY™**



Stable Braid with Samson Dry only available in specific colors per rope width

## SAMSON STABLEBRAID UV COATED BLUE

SKU	Diameter	Length	MBS
SB12150	1/2"	150'	8,800 lbs.
SB12200	1/2"	200'	8,800 lbs.
SB916150	9/16"	150'	11,300 lbs.
SB916200	9/16"	200'	11,300 lbs.
SB58150	5/8"	150'	13,900 lbs.
SB58200	5/8"	200'	13,900 lbs.
SB34150	3/4"	150'	17,300 lbs.

Double-braid, 100 percent polyester rigging rope that is exceptionally low stretch, abrasion-resistant



Each rope width of UV-Coated Stable Braid is offered in Yellow, Blue, Red and Orange

## samsonDRY



### WATER ABSORPTION = WEIGHT INCREASE

Polyester or nylon rope soaked in a bucket of water can absorb enough liquid to increase its weight by 45% - making a 15lb 200' hank of double braid climbing line over 22lbs. SamsonDry hydrophobic technology reduces the water uptake to less than 5%, making that same hank of rope only 15.5lbs when soaking wet. Now you can work safer and drier using the climbing ropes you already know and trust.


SamsonDry hydrophobic technology is currently available on Samson V-Series and Stable Braid premium climbing and rigging lines.



## YALE POLYDYNE

SKU	Diameter	Length	MBS
93132ZMH150XB	1/2"	150'	11,952 lbs.
93136ZMD150XB	9/16"	150'	14,355 lbs.
93140ZMC150XB	5/8"	150'	20,070 lbs.


Constructed with a polyester sleeve over a nylon core



## YALE PORTLAND BRAID

SKU	Diameter	Length	MBS
YPB58150	5/8"	150'	13,662 lbs.
YPB34150	3/4"	150'	17,000 lbs.

High-strength, abrasion-resistant double-braid polyester rope



# STORAGE - ROPE/GEAR



## ROPE BAGS

SKU	Description	Capacity
<b>BUCK</b>		
45691G1-200	Rope Bag Mesh w/ Hard Bottom	200' of 1/2" rope
4569PR2-225	Rope Bag w/ Pockets - Red	225' of 5/8" rope
<b>COURANT</b>		
PSCRBVA	Cross Rope 23/36L Lemon	23/36 Liter
PSCRFBA	Cross Rope 23/36L Tactical Black	23/36 Liter
PSAMBYA	Dock Rope Bag 60L Lemon	60 Liter
PSAMRYA	Dock Rope Bag 60L Red	60 Liter
PSAMFBA	Dock Rope Bag 60L Tactical Black	60 Liter
<b>DMM</b>		
B122BLK-45	Transit Rope Bag	45 Liter
<b>EDELRID</b>		
883170281380	Cask Hard Bottom Rope Bag 28L	28 Liter
883180551380	Cask Hard Bottom Rope Bag 55L	55 Liter
<b>NOTCH</b>		
40025	Pro 250 Bag 28L	28 Liter
<b>WEAVER ARBORIST</b>		
0807152	Collapsible Basic Rope Bag Blue	26 Liter
0807156	Deluxe Rope Bag Red	150' of 1/2" rope
0807161	Bull Rope Deployment Bag	200' of 5/8" rope
08-07153-GY	HD Collapsible Basic Rope Bag Grey	150' of 1/2" or 9/16" rope
08-07157-GY	HD Collapsible Deluxe Rope Bag Grey	150' of 1/2" or 9/16" rope
08-07162-GY	HD Collapsible Bull Rope Bag	45 Liter
08410-00	Cavern Gear Bag	70 Liter



PSCRBVA



PSCRFBA



B122BLK-45



883170281380



0807152



08410-00

## GEAR BAGS

SKU	Description	Capacity
<b>COURANT</b>		
PSCPBYA	Cross Pro 54L - "Lemon/Black"	54 Litre
PSCPBLC	Cross Pro 54L - "Fresh Blue"	54 Litre
PSCPRED	Cross Pro 54L - "Red"	54 Litre
PSCPFBFA	Cross Pro 54L - "Tactical Black"	54 Litre
PSCPDXL	Cross Pro XL 75L - "Red"	75 Litre
PSCPBKXL	Cross Pro XL 75L - "Tactical Black"	75 Litre
<b>NOTCH</b>		
99383	450 Bag 35L	35 Litre
99327	Approach Gear Bag 50L	50 Litre
53444	Pro Access Bag 60L	60 Litre



PSCPBYA



PSCPBLC



PSCPRED



PSCPFBFA



PSCPDXL



Cross Pro Open View  
(Gear not included)



# THROWLINE GEAR

## THROW WEIGHTS

SKU	Brand	Description
AGTB10B0	ALL GEAR	10oz Throwbag Blk/Org
AGTB12BY	ALL GEAR	12oz Throwbag Blk/Ylw
AGTB14BG	ALL GEAR	14oz Throwbag Blk/Grn
AGTB16-BR	ALL GEAR	16oz Throwbag Blk/Red
NTW-10	NOTCH	Throw Weight 10oz
NTW-12	NOTCH	Throw Weight 12oz
NTW-14	NOTCH	Throw Weight 14oz
NTW-16	NOTCH	Throw Weight 16oz
08-98318-HP	WEAVER	Throwbag 12oz Hot Pink
08-98319-HP	WEAVER	Throwbag 14oz Hot Pink
0898323	WEAVER	Bullet w/ Loop -Throwbag 10oz
0898324	WEAVER	Bullet w/ Loop -Throwbag 12oz
0898325B0	WEAVER	Bullet w/ Loop -Throwbag 14oz
08-98320-HP	WEAVER	Bullet w/ Loop - Throwbag 16oz



AGTB12BY AGTB10B0



NTW-16 NTW-14 NTW-12 NTW-10

Available in multiple colors.

## THROW LINE

SKU	Brand	Description
AGPTL18200	ALL GEAR	Target Line 1/8" x 200'
AGDPTL25180	ALL GEAR	Bulls Eye 2.5mm x 180'
AGTL175180	ALL GEAR	Jet Set 1.75mm x 180'
AGTL22180	ALL GEAR	Jet Set 2.2mm x 180'
Z811017	SAMSON	Zing-It Throwline 1.75mm x 180'
Z811022	SAMSON	Zing-It Throwline 2.2mm x 180'
C1527-150	TEUFELBERGER	dynaGLIDE Throwline 1.8mm x 150' Green
C1527-200	TEUFELBERGER	dynaGLIDE Throwline 1.8mm x 200' Green
C1525-150	TEUFELBERGER	dynaGLIDE Throwline 1.8mm x 150' Orange
C1525-200	TEUFELBERGER	dynaGLIDE Throwline 1.8mm x 200' Orange



NTW-16

AGPTL18200

Z811017

Jet Set

## THROWLINE KITS

SKU	Brand	Description
AGTB12&PTL18200	ALL GEAR	12oz bag w/1/8" x 200' Target Line
AGTB12&DPTL25180	ALL GEAR	12oz bag w/2.5mm x 180' Bulls Eye Throwline
AGTB12&TL22180	ALL GEAR	12oz bag w/2.2mm x 180' Jet Set Throwline
AGTB14&PTL18200	ALL GEAR	14oz bag w/1/8" x 200' Target Line
AGTB14&DPTL25180	ALL GEAR	14oz bag w 2.5mm x 180' Bulls Eye Throwline
AGTB14&TL22180	ALL GEAR	14oz bag w/2.2mm x 180' Jet Set Throwline
AGTB16&PTL18200	ALL GEAR	16oz bag w/1/8" x 200' Target Line
AGTB16&DPTL25180	ALL GEAR	16oz bag w/2.5mm x 180' Bulls Eye Throwline
AGTB16&TL22180	ALL GEAR	16oz bag w/2.2mm x 180 Jet Set Throwline



AGTB12&PTL18200

AGTB12&DPTL25180

## THROWLINE STORAGE

SKU	Brand	Description
FALTEIMER	GOOD RIGGING	Throwline Cube
99445	NOTCH	Pop Box Throwline Storage
0807190	WEAVER	Throwline Cube Throwline Storage
08402-99	WEAVER	Nesting Throwline Bag Charcoal



0807190


08402-99

# PRUSIKS



## ALL GEAR

SKU	Description	Diameter	Length
AGDBPTV826	Friction 8 - Eye to Eye Prusik	8mm	26"
AGDBPTV828	Friction 8 - Eye to Eye Prusik	8mm	28"
AGDBPTV830	Friction 8 - Eye to Eye Prusik	8mm	30"
AGDBPTV832	Friction 8 - Eye to Eye Prusik	8mm	32"
AGDBPTV1026	Friction 10 - Eye to Eye Prusik	10mm	26"
AGDBPTV1028	Friction 10 - Eye to Eye Prusik	10mm	28"
AGDBPTV1030	Friction 10 - Eye to Eye Prusik	10mm	30"
AGDBPTV1032	Friction 10 - Eye to Eye Prusik	10mm	32"



All Gear prusiks feature double-braid Polyester and Technora over Vectran. This provides high heat absorption to protect both your prusik and climbing line.

## @ HEIGHT

SKU	Description	Diameter	Length
3413304 SEWN	Donaghy's Armor-Prus Poly Hitch Cord Prusik	8mm	30"
3352052.375	Yale Beeline Split Tail Prusik	10mm	60"
3413284 SEWN	Donaghy's Armor-Prus Poly Hitch Cord Prusik	8mm	28"
3235304	Teufelberger epiCORD E-E Prusik	9mm	30"
3231284	Teufelberger HRC ThermaShield Prusik	8mm	28"
3142051G	Samson ArborMaster 3" Girth Eye Prusik	12mm	60"



## SPYDER

SKU	Description	Diameter	Length
36540	Sewn Prusik	10mm	28"
36541	Sewn Prusik	10mm	30"
36542	Sewn Prusik	10mm	32"
36543	Sewn Prusik	10mm	34"




36541

Constructed with a Technora outer sheath which is chemical, flame and wear resistant.

## TEUFELBERGER

SKU	Description	Diameter	Length
7350802	Ocean Poly E2E Prusik	8mm	30"
7350808	Ocean Poly E2E Prusik	8mm	34"
7351007	Ocean Poly E2E Prusik	10mm	25.5"
7351010	Ocean Poly E2E Prusik	10mm	31.5"
7351011	Ocean Poly E2E Prusik	10mm	35.5"



7351007

Polyester & aramid cover and a polyester core makes this rope highly abrasion resistant, grippy, and heat resistant.

## YALE

Part #	Description	Diameter	Length
3352244	Beeline Prusik	10mm	24"
3352284.375	Beeline Prusik	10mm	28"
3352304.375	Beeline Prusik	10mm	30"



3352284.375


Blended poly/Technora cover provides extra protection for the 12 strand core in this line.



# SLINGS & LOOPS

## ALL GEAR SOFT RING SLINGS

SKU	Dia.	Length	WLL
AGSR12S-1210	1/2"	10'	1,980 lbs
AGSR12S-5810	5/8"	10'	2,880 lbs
AGSR12S-3410	3/4"	10'	3,780 lbs
AGSR12S-7810MG	7/8"	10'	5,760 lbs



## ALL GEAR RING TO RING SLINGS

SKU	Dia.	Length	WLL
AG12SP12RR-30	1/2"	30'	1,980 lbs
AG12SP58RR-40	5/8"	40'	2,880 lbs
AG12SP34RR-50	3/4"	50'	3,780 lbs



## ALL GEAR ROPE CHAIN SLINGS

SKU	Dia.	Length	WLL
AGRCS12S-128	1/2"	8'	1,980 lbs
AGRCS12S-5810	5/8"	10'	2,880 lbs
AGRCS12S-3410	3/4"	10'	3,780 lbs



## ALL GEAR DEAD EYE SLINGS

SKU	Dia.	Length	WLL
AG12SPES5812	5/8"	12'	2,880 lbs
AG12SPES3415	3/4"	5'	3,780 lbs
AG12SPES7815	7/8"	15'	5,780 lbs



## ALL GEAR PRO FORCE CRANE SLINGS

SKU	Dia.	Length	WLL
AGBRCS1220	1/2"	20'	3,510lbs
AGBRCS1225	1/2"	25'	3,510 lbs
AGBRCS1230	1/2"	30'	3,510 lbs
AGBRCS91620	9/16"	20'	3,870 lbs
AGBRCS91625	9/16"	25'	3,870 lbs
AGBRCS91630	9/16"	30'	3,870 lbs
AGBRCS5820	5/8"	20'	6,120 lbs
AGBRCS5825	5/8"	25'	6,120 lbs
AGBRCS5830	5/8"	30'	6,120lbs




# SLINGS & LOOPS



## ALL GEAR HUSKY WHOOPIE SLINGS

SKU	Dia.	Adjustable Length	WLL
AG12SPWS5837	5/8"	3' - 7'	2,160 lbs
AG12SPWS3448	3/4"	4' - 8'	2,835 lbs
AG12SPWS34411	3/4"	4' - 11'	2,835 lbs



Ballistic nylon chafe sleeve added at wear points for extended life

## ALL GEAR LOOPIE SLINGS

SKU	Dia.	Adjustable Length	WLL
AG12SPLS12-2-5	1/2"	2-5'	2,227 lbs
AG12SPLS58-3-8	5/8"	3-8'	3,240 lbs
AG12SPLS34-3-9	3/4"	3-9'	4,252 lbs

Husky Urethane™ Coating is resistant to abrasion

Ballistic nylon outer jacket at the eye for extended life



AG12SPLS58-3-8

Protective Sleeve on wear point greatly extends the life of your sling

## ALL GEAR REDIRECT SLINGS

SKU	Dia.	Length	WLL
AG12SPRS125	1/2"	5'	1,980 lbs
AG12SPRS585	5/8"	5'	2,880 lbs
AG12SPRS346	3/4"	6'	3,780 lbs

Husky Urethane™ Coating is resistant to abrasion



AG12SPRS585

AG12SPRS125

Protective Sleeve on wear point extends sling life

Redirects a load to a desired landing point

## @HEIGHT RIGGING SLING

SKU	Description	Dia.	Length
7131101	Samson Stable Braid	1/2"	10'
7131121	Samson Stable Braid	1/2"	12'
7133101	Samson Double Braid	5/8"	10'
7134141	Samson Double Braid	3/4"	14'



7131101

## SAMSON WHOOPIE SLINGS

SKU	Dia.	Adjustable Length
WS0486	3/4"	3.5' - 6'
WS1062	3/4"	3.5' - 10'
WS1462	3/4"	3.5' - 14'

Permanently tagged with capacity and workload limits



Adjustable, load rated two eye lifting sling

Permanent eye splice at one end, adjustable eye at the other to adapt to loads of various sizes

## SAMSON TENEX DEADEYE SLINGS

SKU	Dia.	Length	MBS
7123083	1/2"	8'	11,800 lbs.
7121301	1/2"	10'	11,800 lbs.
7125161	5/8"	16'	16,900 lbs.
7126141	3/4"	14'	11,800 lbs.

Lightweight and strong; easy to knot  
For attaching rigging blocks and tools to stems and branches of trees.



7126141

## ALL GEAR LOOPS

SKU	Dia.	Length	WLL
<b>NYLON WORK LOOPS</b>			
AGNWL26	1"	26"	7,000 lbs.
AGNWL36	1"	36"	7,000 lbs.
AGNWL40	1"	40"	7,000 lbs.
AGNWL48	1"	48"	7,000 lbs.

SKU	Dia.	Length	WLL
<b>HMPE SUPER LOOPS</b>			
AG32SS1224	1/2"	24"	16,000 lbs.
AG32SS1236	1/2"	36"	16,000 lbs.
AG32SS1248	1/2"	48"	16,000 lbs.

Nylon work loops feature high strength nylon webbing  
Super loops feature 100% HMPE 32 Strand





## ALL GEAR SPEEDLINE KITS

Our H.T. SpeedLine Kit offers 16,000 lb. tensile when used as a rigging loop or 5,000 lb. tensile when used with the snap hook in a speed line (girth hitch) configuration. Designed to easily add or remove snap hooks. This kit comes with five 1/2" HMPE rigging loops in either 26" or 40" with Locking Aluminum Snap Hooks connected by a Girth Hitch Loop. Comes with a Storage Rope Loop for easy saddle attachment.

SKU	Description
AGSLK540	1/2" x 40" H.M.P.E. kit. 5 pieces - Red
AGSLK526	1/2" x 26" H.M.P.E. kit. 5 pieces - Blue
AGSLKC10	Combo of (5) 26" pieces and (5) 40" pieces



## CMI SPEEDLINE KIT W/BAG

SKU	Description
SPEEDKIT1	(3) 30" pieces & (7) 24" pieces

*Each are bar tacked tubular webbing that has small eyes captured by a nonlocking carabiner.*



## KONG SPEEDLINE KIT W/BAG

SKU	Description
9X0000110KK	5pc- (2) 80cm (2) 120cm (1) 150cm

*An aluminum carabiner with a simple locking mechanism for security, coupled with a stainless steel contact points that interface with cordage*



## NOTCH SPEEDLINE KIT

SKU	Description
NSL40KIT8	3 each of 26" and 40" pieces
NSL40KIT9	6 each of 26" and 40" pieces

*The aluminum double-action snap hook is girth-hitched to a 26" or 40" tubular Nylon sling for easy replacement and long service life.*



## WEAVER SPEEDLINE KIT

SKU	Description
08650-80	10pc (6) 36" & (4) 30" pieces

*Constructed of tubular nylon webbing, Weaver loop runners serve as medium-duty choker straps for tree work and climbing.*



# CARABINERS & SNAP HOOKS



## ALL GEAR

SKU	Description	Weight Rating	Gate Style
AGCBMPO	ULTRA VIOLET - Climbing Carabiner Aluminum 21mm Opening, 108mm Height, 65mm Width, 75g Weight	24kN	Twist Gate
AGCBM00	ORANGE - Climbing Carabiner	24kN	Twist Gate
AGCBMGO	GREEN - Climbing Carabiner	24kN	Twist Gate
AGCBBO	BLACK - Climbing Carabiner	24kN	Twist Gate
AGCBGO	GUNMETAL - Climbing Carabiner	24kN	Twist Gate
AGCBGD	D- Shaped Aluminum Carabiner - Blue	24kN	Twist Gate
AGCBCTO	Oval Climbing Carabiner	24kN	Twist Gate
AGCBOS	Auto Lock - Steel Oval Rigging Carabiner Steel - 17mm Opening, 106mm Height, 58mm Width, 188g Weight	25kN	Twist Gate
AGCBPS	Twist Lock - Pear Shaped Rigging Carabiner	16kN	Twist Gate



AGCBMPO

AGCBM00



AGCBGO

AGCBPS

## DMM

SKU	Description	Weight Rating	Gate Style
A327	Ultra O - Locksafe - Aluminum Carabiner - 19mm Opening, 73g Weight	25kN	Twist Gate
A327-P3	Ultra O - Locksafe - Alum Carabiner - 3 Pack	25kN	Twist Gate
A307	Shadow Locksafe Alum Carabiner - 17mm Opening, 62mm x 102mm, 58g Weight	24kN	Twist Gate
A307-P3	Shadow Locksafe Alum Carabiner - 3 Pack	24kN	Twist Gate
A597	Perfect-O- Alum Carabiner 5mm Opening, 95mm x 56mm, 66g Weight	24kN	Twist Gate



AA327-P3

A597

## EDELRID

SKU	Description	Weight Rating	Gate Style
737280003290	HMS Bulletproof Triple FG - Alum - 21g Weight	25kN	Twist Gate



737280003290

## KONG

SKU	Description	Weight Rating	Gate Style
411MD099PKK	X-Large Steel - Double Locking Carabiner 26.5mm Opening, 240g Weight	50kN	Screw Gate
411MP0999KK	X-Large Steel - Triple Locking Carabiner 265g Weight	50kN	Twist Gate
711MA0RDPK	X-Large Aluminum Screw Sleeve Carabiner Red	30kN	Screw Gate



411MD099PKK

## ROCK EXOTICA

SKU	Description	Weight Rating	Gate Style
C1A	Pirate Auto-Lock - Alum - HMS/Pear Shape Orange - 22mm Opening, 2.85oz Weight	24kN	Twist Gate
C1A-B	Pirate Auto-Lock - Alum - HMS/Pear Shape Black - 22mm Opening, 2.85oz Weight	24kN	Twist Gate
C1WEA	Pirate WireEye Auto-Lock - Alum - HMS/Pear Orange - 25mm Opening, 2.9oz Weight	26kN	Twist Gate
M31TL SILVER	rockSteel Auto-Lock (Stainless Steel) 30mm Opening, 8.8oz Weight	50kN	Twist Gate



C1WEA



# CARABINERS & SNAP HOOKS

## ALL GEAR

SKU	Description
AGACB	Accessory Carabiner - Non-Locking, Not for Climbing or Life Support
AGDSHP	Deputy Saddle Hook - Purple, Tool-racking Carabiner compatible w/most saddles
AGDSHB	Deputy Saddle Hook - Black, Tool-racking Carabiner compatible w/most saddles
SNAP HOOKS	
AGSL-SHA	Double Locking Aluminum Snap Hook 23kN
AGSL-SHAB	Double Locking Aluminum Snap Hook 27kN



AGACB

AGDSHP

AGDSHB

## @HEIGHT

SKU	Description
SH906A	ISC Small Double-Action Snaphook - 28kN; Eye Diameter 20mm



## DMM

SKU	Description
A531RD	XSRE Mini Carabiner - Red - 4kN
A531GR	XSRE Mini Carabiner - Green - 4kN
A531LG	XSRE Mini Carabiner - Lime - 4kN
A531TQ	XSRE Mini Carabiner - Turquoise - 4kN
A531PR	XSRE Mini Carabiner - Purple - 4kN
A482CBMG	XSRE Lock Captive Bar Mini Carabiner - Grey
AB482CBGR	XSRE Lock Captive Bar Mini Carabiner - Green

*Not for climbing or life support.*



XSRE Mini Carabiners  
Multiple colors available - stock may vary

A482CBMG

A482CBGR

## EDELRID

SKU	Description
737800001380	Pure Slider Carabiner



## KONG

SKU	Description
765M10BD0KK	Bent Gate Paddle - Alum - 7kN, Tool holder, hold extra length of lanyard.



### CARABINER SHAPES

Combinations of weight limit, gate style and shape often tell how a carabiner was designed to be used.



#### D-Shaped

Balanced, older design. Strong spine axis



#### Offset D

Modern, strong design. Most popular shape for climbing



#### Pear

Widest basket allows for larger knots and more rope



#### Oval

Commonly used for rigging. Good generalist shape

### LOCKING GATE STYLES

Life support, climbing and anchoring carabiners all need a locking mechanism. Some are designed to be easier and/or more secure. Here are some common styles of lock, though many come with brand-specific names.

#### Screw Gate



#### Tripe-Action Gates



(DMM Locksafe™)

# RIGGING HARDWARE & PULLEYS



## ISC BLOCKS

SKU	Description	WLL
RP048A1 GREEN	Compact Rigging 1/2"	3,800 lbs.
RP051A1 RED	Aluminum 5/8"	4,400 lbs.
RP052A1	2.2 Ton Alum Block 3/4"	4,400 lbs.



RP048A1 GREEN



RP051A1 RED

## ALL GEAR PULLEYS

SKU	Description	WLL
AGTAMP	Triple Attachment Micro Pulley	32 kN
AGHCP510	Hitch Climber Pulley Kit 10mm x 30" Prusik, 2 Triple Action Alum Carabiners, 1 Triple Micro Pulley	32 kN (Micro Pulley)



AGTAMP



AGHCP510

## CMI PULLEYS

SKU	Description	MBS
RP110	CMI Micro Pulley	7000 lbs.



## DMM PULLEYS & SWIVELS

SKU	Description	MBS
PUL100	Hitch Climber Triple Attachment Pulley	30 kN
PUL110	Pinto Pulley - Red (small)	35 kN
PUL120	Pinto Rig - Purple (large) Rigging Pulley	50 kN
PUL500	Hitch Climber Eccentr Red	32 kN
SW100	Axis Swivel (small) Blue	36 kN
SW200	Axis Swivel (large) Red	50 kN



PUL100



PUL110



PUL500

## US RIGGING SWIVEL

SKU	Description	MBS
USRDSL	Double Swivel	40 kN



WLL = Working Load Limit | MBS = Minimum Breaking Strength



## @HEIGHT

SKU	Description	Compatible Rope Diameter	Length
8541104	Rope Wrench Double Eye Tether 9.5"	6mm	9.5"
8541ST4	Rope Wrench Double Eye Tether 12"	6mm	12"
8541ST4P	Rope Wrench Double Tether - Breast Cancer Pink 12"	6mm	12"



8541104



8541ST4P

## ISC

SKU	Description	Compatible Rope Diameter
RP283	Rope Wrench 13mm w/tether	13mm - 1/2"
RP280A1	Rope Wrench 11-13mm - Red	11-13mm   7/16" - 1/2"
RP280B1	Rope Wrench 11-13mm - Black	11-13mm   7/16" - 1/2"
RP280F1	Rope Wrench 11-13mm - Gold	11-13mm   7/16" - 1/2"
RP280C1	Rope Wrench 11-13mm - Purple	11-13mm   7/16" - 1/2"



RP283



RP280A1

## NOTCH

SKU	Description	Compatible Rope Diameter
53420	Rope Runner Pro	not on website
51258	Rope Wrench Flow Tether Combo	11-13mm   7/16" - 1/2"
41603	Flow Adj Rope Wrench	11-13mm   7/16" - 1/2"
54440	Fusion Rope Wrench Tether - Only	11-13mm   7/16" - 1/2"



RP280A1



41603

## ROCK EXOTICA

The Akimbo is a versatile mid-line attachable friction device that allows climbers to ascend and descend a stationary or moving rope system without changing equipment, and without detaching from your saddle. Adjustable settings allow for optimal performance with a range of climber weights and rope diameters.

SKU	Compatible Rope Diameter	WLL*
AKIMBO	11.5mm - 13mm	220 lbs or 286 lbs

\* Rope selection will determine working load limit of the Akimbo.



## ROPE LOGIC

SKU	Description
SPLICING-39774	Tether Single Eye
SPLICING-39775	Tether Double Eye



SPLICING-39774



SPLICING-39775

## @HEIGHT

SKU	Description
8511084ST	Sterling ANSI TIP 3-Ring Crane Sling - 48"

# ASCENT/DESCENT



## CAMP

SKU	Description	Rope Diameter
3261	Turbofoot Evo - Right	8mm-13mm
3262	Turbofoot Evo - Left	8mm-13mm

## CLIMBING TECHNOLOGY

SKU	Description	Rope Diameter
2D654D RIGHT	Quick Step Foot Ascender - Right	8mm-13mm
2D654S LEFT	Quick Step Foot Ascender - Left	8mm-13mm

## CMI

SKU	Description	Rope Diameter
FTASCR	Foot Ascender - Right	9mm-16mm
FTASCL	Foot Ascender - Left	9mm-16mm



## EDELRID

SKU	Description	Rope Diameter
882500000170	Foot Cruiser Ascender - Right	8mm-13mm
882490000060	Foot Cruiser Ascender - Left	8mm-13mm



## ISC

SKU	Description	Rope Diameter
RP227A1	Stryder Foot Ascender - Right	8mm-13mm
RP228A1	Stryder Foot Ascender - Left	8mm-13mm

## KONG

SKU	Description	Rope Diameter
87609006DKK	Futura Foot Work - Right (Orange)	8mm-13mm
97609N06SKK	Futura Foot Work - Left (Black)	8mm-13mm



## NOTCH

SKU	Description	Rope Diameter
41001	Jet Step Foot Ascender	8mm-13mm



## SAKA

SKU	Description	Rope Diameter
SAKAFLD	Foldable Knee Ascender	9mm-13mm
SAKA	Knee Ascender	9mm-13mm
SAKAMINI	Mini Knee Ascender	9mm-13mm



## WEAVER

SKU	Description	Rope Diameter
0898110	Weaver HAAS Velox Ascent System - Regular	8mm-13mm
0898111	Weaver HAAS Velox Ascent System - Short	8mm-13mm





# LANYARDS & FLIPLINES

## ALL GEAR ADJUSTABLE LANYARDS

SKU	Diameter	Length
AGDBC12AL3-6	1/2"	3' - 6'
AGDBC12AL4-8	1/2"	4' - 8'



Double braid adjustable

AGDBC12AL3-6



AGDBC12AL4-8

## ALL GEAR POSITIONING LANYARD KITS

SKU	Lanyard Kit	Diameter	Length
AGPL1610S-RG	Safetylite	1/2"	10'
AGPL1610N-RG	Neolite	1/2"	10'
AGPL1610BOY-RG	Bazooka	1/2"	10'
AGPL1612S-RG	Safetylite	1/2"	12'
AGPL1612N-RG	Neolite	1/2"	12'
AGPL1612BOY-RG	Bazooka	1/2"	12'

16 Strand lanyard w/ ANSI Aluminum Snap Hook, Rope Grab, Aluminum Carabiner & Chafe Sleeve



AGPL1610-RG

## ALL GEAR MICRO PULLEY WORK POSITIONING LANYARD KITS

SKU	Strand	Diameter	Length
AGMPPL1210	16	1/2"	10'
AGMPPL1215	16	1/2"	15'
AGMPPL11810	24	11.8mm	10'
AGMPPL11815	24	11.8mm	15'

Coupled w/Friction Prusik and 2 Alum Carabiners



AGMPPL1210



AGMPPL1215



AGMPPL11810

## POSITIONING LANYARDS

4312143S1	@HEIGHT	Yale 7/16mm Blue Moon Lanyard 7/16mm x 14' w/ USR Red Aluminum Rope Snap to Tight Eye
4312103S1	@HEIGHT	Yale 7/16mm Blue Moon Lanyard 7/16mm x 10' w/ USR Red Aluminum Rope Snap to Tight Eye
LBBZ50PB	COURANT	Flexbee Work Positioning Lanyard - 11.5mm x 5m Lanyard w/Mova Pulley, Axxis TL Carabiner, Phoenix Prusik
KTUPLAN12	STERLING	Ultimate Positioning Lanyard
7350240	TEUFELBERGER	HipSTAR Flex Light 11.5mm x 5m Lanyard w/Pulley, prusiks, and 2 Alum Carabiners



LBBZ50PB



7350240

## WIRE CORE LANYARDS/FLIPLINES

SKU	Brand	Description
LACG50BE	COURANT	Stileo Wire Core Adj Lanyard 12mm x 5m 16 strand poly sheath with Twister, Rope Grab and Carabiner
75192	SPYDER	Steel Wire Core Flipline Kit 1/2" x 10' Includes lanyard, rope grab, HMS Carabiner, Alum Swivel Snap
75193	SPYDER	Steel Wire Core Flipline Kit 1/2" x 12' Includes lanyard, rope grab, HMS Carabiner, Alum Swivel Snap
SCTTFLTA10	STERLING	TriTech Flipline w/Sewn Eye & Steel Snap 10' Great alternative to wire core line - (no wire)
SCTTFLTA12	STERLING	TriTech Flipline w/Sewn Eye & Steel Snap 12' Great alternative to wire core line - (no wire)
FLA1610	US RIGGING	Wire Core Flipline 1/2" x 10' Wire Core Lanyard w/dbl locking snap and thimble eyes
FLA1612	US RIGGING	Wire Core Flipline 1/2" x 12' Wire Core Lanyard w/dbl locking snap and thimble eyes
93532A4010XB	YALE	Maxi-Flip 1/2" x 10' w/ISC Swivel Snap Terminated thimble eyes w/ ISC Swivel Snap



LACG50BE



75192



FLA1610

# SADDLES



## BUCK 1371 HARNESS

SKU	Size	Size Specifications
1371S	Small	Waist: 28"-32"   Leg: 23"-32"
1371M	Medium	Waist: 32"-36"   Leg: 24"-35"
1371L	Large	Waist: 36"-40"   Leg: 25"-37"



## BUCK BUCKCRAFT HARNESS

SKU	Size	Size Specifications
17911S	Small	Waist: 28"-32"
17911M	Medium	Waist: 32"-36"
17911L	Large	Waist: 36"-40"
17911XL	X-Large	Waist: 40"-44"



## DMM KINISI SADDLE

SKU	Size	Size Specifications
HC611	Small	Hip: 25"-33"   Leg: 17"-23"
HC612	Medium	Hip: 31"-40"   Leg: 18"-25"
HC613	Large	Hip: 35"-48"   Leg: 20"-29"



## COURANT KOALA V1.3 HARNESS

SKU	Size	Size Specifications
RELOHRSC	Small	Waist : 60cm-100cm   Thigh: 55cm-85cm
RELOHRMLC	Medium	Waist: 75cm-105cm   Thigh: 60cm-95cm
RELOHRXLC	Large	Waist: 95cm-120cm   Thigh 70cm-100cm





## EDELRID TREEREX HARNESS

SKU	Size	Size Specifications
887020142190	Medium	Waist: 27" - 43"   Leg: 19.69" - 25.59"
887020152190	X-Large	Waist: 33" - 48"   Leg: 22" - 28"



## WEAVER COUGAR SADDLE

SKU	Size	Size Specifications
0801085XS	Extra Small	D to D: 18"   Approx. Waist: 26" - 34"
0801085SM	Small	D to D: 20"   Approx. Waist: 30" - 38"
0801085MD	Medium	D to D: 22"   Approx. Waist: 32" - 40"
0801085LG	Large	D to D: 24"   Approx. Waist: 36" - 44"



## WEAVER STRATUS HARNESS

SKU	Size	Size Specifications
08100-40-00	Small	Waist: 27"-34"
08100-50-00	Medium	Waist: 34"-40"
08100-60-00	Large	Waist: 40"-47"



## NOTCH SENTINEL HARNESS

SKU	Size	Size Specifications
BSNTL-1	Medium	Waist: 25"-36"   Thigh: 23"-35"
BSNTL-2	Large	Waist: 36"-44"   Thigh: 25"-37"



# HAND SAWS



## FANNO

SKU	Description	Blade Length
Fi1311C	13" Curved Pruning Saw w/Scabbard	13"



## JAMESON

SKU	Description	Blade Length
HS-13TE-0	Tri Cut Hand Saw Orange 13"	13"



## NOTCH

SKU	Description	Blade Length
40710	Legacy Hand Saw & Scabbard 13"	13"



## SILKY

BIGBOY		
SKU	Description	Blade Length
754-36	BigBoy Pro Outback Edition	14.2"

GOMBOY		
SKU	Description	Blade Length
752-24	Gomboy Pro Outback Edition	10.6"

POCKETBOY		
SKU	Description	Blade Length
750-17	Pocketboy Pro Outback Edition	6-3/4"

ZUBAT		
SKU	Description	Blade Length
746-33	Zubat Ultimate Professional Pruning Saw	13"
747-33	Zubat Ultimate Replacement Blade	13"
27030	Zubat 300mm	11.8"
27130	Zubat 300mm Replacement Blade	11.8"
27033	Zubat 330mm	13"
27133	Zubat 330mm Replacement Blade	13"

LEG STRAPS		
SKU	Description	
5060414	Silky Elastic Velcro Leg Straps (pair)	



## SAWPOD

SKU	Description
SAWPOD	Sawpod Leg Mount





# POLE SAWS & PRUNERS

## JAMESON SAWS

SKU	Description
FGC-6F	6' FG Base Pole
FGC-6	6' FG Extension Pole
JE-6F	6' JE Base Pole*
JE-6	6' JE Extension Pole*
BL-6F	6' BL Base Pole*
BL-6	6' BL Extension Pole*
JA14	Pruner Head
PS-3FP	Saw Head with Center Blade Mount

\*OSHA-Compliant 100V Tested



JE-6 / JE-6F



BL-6 / BL-6F



JA14



PS-3FP

## JAMESON FG POLE SAW KIT

- This tree trimming kit includes everything you need to get the job done in one convenient package.
- The heavy-duty JA fixed-pulley pruner offers a side-cut capacity of 1-1/4 inches.
- The Barracuda Tri-Cut saw blade features impulse-hardened teeth and comes with a pole adapter to easily switch from saw to pruner.
- The FG Series fiberglass hollow core poles offer a strong yet lightweight solution without sacrificing control or bending strength.
- Two poles are included for a maximum 12-foot reach.

SKU	Description
FG-6PKG-1	FG Pole Saw Kit with JA-14 Pruner



## NOTCH

NABASU	
SKU	Description
4373-42	20' Tele Polesaw



KIRU	
SKU	Description
2276-39	13' Tele Polesaw



SENTEI	
SKU	Description
4177-39	21' Tele Polesaw
3177-39	16' Tele Polesaw



## PHOENIX PRUNERS

SKU	Description
40022	Hand Pruners (bucket)
40012	Hand Pruners



# OREGON BAR & CHAIN FOR ARBORISTS



## Oregon Bar & Chain Fitment Stihl & Husqvarna Conversion Chart

STIHL					
Model	Bar Length	Oregon Bar	Stihl Chain #	Oregon Chain #	Pitch / Gauge
MS170 / MS180 / MS192 MS194T MS194CE / MS201T MS201C	12"	120SXEA074	63 PM 44	91VXL044G	3/8" LP / .050
	14"	140SXEA074	63 PM 50	91VXL050G	3/8" LP / .050
	16"	160SXEA074	63 PM 55	91VXL055G	3/8" LP / .050
	14"	144MLEA074	61 PMM3-50	90PX050G	3/8" LP / .043
	16"	164MLEA074	61PMM3-55	90PX055G	3/8" LP / .043
MS250 / MS251C	16"	163PXLBA074	26 RS 62	22LPX062G	.325 / .063
	18"	183PXLBA074	26 RS 68	22LPX068G	.325 / .063
MS261 / MS271	16"	160VXLGD025	26 RS 67	20LPX067G	.325 / .050
	18"	183VXLGD025	26 RS 74	22LPX074G	.325 / .063
	20"	203VXLGD025	26 RS 81	22LPX081G	.325 / .063
MS362 / MS462 / MS661	20"	200VXLHD025	33 RS 72	72EXL072G	3/8" / .050
	24"	240RNDD025	33 RS 84	72EXL084G	3/8" / .050
	28"	280RNDD025	33 RS 91	72EXL091G	3/8" / .050
	32"	320RNDD025	33 RS 105	72EXL105G	3/8" / .050
	36"	360RNDD025	33 RS 114	72EXL114G	3/8" / .050
	42"	423RNDD025	33 RS 135	75EXL135G	3/8" / .063
HUSQVARNA					
Model	Bar Length	Oregon Bar	Stihl Chain #	Oregon Chain #	Pitch / Gauge
T435 / 535iXP / T535iXP / 540iXP T540XP-II / T540XP-III	12" (Nano)	124TXLNA095	596 55 33-51	80TXL051G	.325 / .043
	14" (Nano)	144TXLNA095	597 55 33-59	80TXL059G	.325 / .043
	16" (Nano)	164TXLNA095	598 55 33-64	80TXL064G	.325 / .043
	12" (Low-Profile)	120SXEA095	597 46 95-45	91VXL045G	3/8" LP / .050
	14" (Low-Profile)	140SXEA095	597 46-95-52	91VXL052G	3/8" LP / .050
	16" (Low-Profile)	160SXEA095	597 46-95-56	91VXL056G	3/8" LP / .050
543XP	16"	160TXLBK095	SP33G-66DL	95TXL066G	.325 / .050
	18"	180TXLBK095	SP33G-72DL	95TXL072G	.325 / .050
	20"	200TXLBK095	SP33G-78DL	95TXL078G	.325 / .050
550XP / 550XP-II / 550XPG-III	16"	160VXLGK095	581 64 36-66	20LPX066G	.325 / .050
	18"	180VXLGK095	582 64 36-72	20LPX072G	.325 / .050
	20"	200VXLGK095	583 64 36-78	20LPX078G	.325 / .050
372XP / 372XP / 390XP / 395XP 562XP / 562XP / 572XP / 572XP 576XP	20"	200RNDD009	585 55 00-72	72EXL072G	3/8" / .050
	24"	240RNDD009	586 55 00-84	72EXL084G	3/8" / .050
	28"	280RNDD009	587 55 00-92	72EXL092G	3/8" / .050
	32"	320RNDD009	588 55 00-105	72EXL105G	3/8" / .050
	42"	423RNDD009	589 55 00-135	75EXL135G	3/8" / .063

OREGON FILES		
PN-DZ.	Type / Size	Chain Type
70502	Round/7/32"	72EXL / 75EXL
70503	Round / 3/16"	5TLX / 20LPX / 22LPS
70504	Round / 5/32"	80TXL / 91 VXL
70511	Round / 4.5 mm	90PX
12211	8" Flat file	All chain types





# OREGON BAR & CHAIN FOR ARBORISTS

## Oregon SpeedCut Nano Conversion Kits

### Stihl & Husqvarna Cross Reference Guide

#### SUPERCHARGE YOUR SAW WITH SPEEDCUT NANO

INCREASED SPEED	LONGER RUN TIME	SMOOTHER CUTS
Optimized cutter and chain design provides up to 24% faster cutting speed, compared to 3/8" LP (Oregon® 90PX).	SpeedCut™ Nano provides increased cutting efficiency, extending your run time on a single tank of gas or battery - including up to 10% more cut per charge on cordless saws.	Designed to reduce chatter, SpeedCut™ Nano chain features a specialized bumper drive link and depth gauge that reduces vibration for the smoothest boring

#### STIHL

Model	Bar Length	Speedcut™ Nano Conversion Kit	Saw Chain	Guide Bar	Sprocket
MS201 / MS201T / MS200 / MS193T / MS192	10"	614379	80TXL046G	104TXLNA074	610725N
	12"	614380	80TXL051G	124TXLNA074	610725N
	14"	614377	80TXL059G	144TXLNA074	610725N
	16"	614381	80TXL064G	164TXLNA074	610725N
MS180 / MS170 / MS171	12"	637259	80TXL051G	124TXLNA074	610726N
	14"	614384	80TXL059G	144TXLNA074	610726N
	16"	614385	80TXL064G	164TXLNA074	610726N
MS150	10"	635137	80TXL046G	104TXLNA074	610727N
	12"	614383	80TXL051G	124TXLNA074	610727N
	14"	614382	80TXL059G	144TXLNA074	610727N
MSA161T	10"	637260*	80TXL046G	104TXLNA074	625333
	12"	637261*	80TXL051G	124TXLNA074	625333
	14"	637262*	80TXL059G	144TXLNA074	625333
	16"	637263*	80TXL064G	164TXLNA074	625333

#### HUSQVARNA

Model	Bar Length	Speedcut™ Nano Conversion Kit	Saw Chain	Guide Bar	Sprocket
540 / T540 XP / T540 XP II	10"	614387	80TXL046G	104TXLNA095	610728N
	12"	614390	80TXL051G	124TXLNA095	610728N
	14"	614393	80TXL059G	144TXLNA095	610728N
	16"	614397	80TXL064G	164TXLNA095	610728N
T435	10"	614388	80TXL046G	104TXLNA095	610729N
	12"	614391	80TXL051G	124TXLNA095	610729N
	14"	614395	80TXL059G	144TXLNA095	610729N
	16"	614398	80TXL064G	164TXLNA095	610729N
536LiXP / T536LiXP / 535iXP / T535iXP / 540iXP / T540iXP	10"	614389	80TXL046G	104TXLNA095	610730N
	12"	614392	80TXL051G	124TXLNA095	610730N
	14"	614396	80TXL059G	144TXLNA095	610730N
	16"	614399	80TXL064G	164TXLNA095	610730N
T525	10"	637264	80TXL046G	104TXLNA095	627943
	12"	637265	80TXL051G	124TXLNA095	627943
	14"	637266	80TXL059G	144TXLNA095	627943
	16"	637267	80TXL064G	164TXLNA095	627943

\* Kit not currently available



# ALL GEAR CLIMBING KITS



## ALL GEAR BASIC 1/2" 16-STRAND CLIMBING KIT- AGTCK-B

• Basic kit AGTCK-B includes:

SKU	Description
AGAFS24SP10S	Adjustable Friction Saver 1/2"x 10'
AGDBPTV830	8mm Prusik Eye to Eye
AGTAMP	Triple Action Aluminum Carabiners
AGTAST-S-L	Tree Access ANSI ST Climbing Saddle
AGTB12BY	Throw Bag
AGPTL18200	Target Line 1/8" x 200'
AG16SP1210SH	16-Strand Lanyard with Steel Hook 1/2"x 10'
AGRBS	Rope Bag
AG16SP12150N	1/2"x 150' 16-Strand Climbing Line



AGRBS



AGAFS24SP10S



AGDBPTV830



AGTAMP



AGTAST-S-L



AGTB12BY



AGPTL18200



AG16SP1210SH



AG16SP12150N

## ALL GEAR INTERMEDIATE 11.2MM 24-STRAND CLIMBING KIT - AGTCK-I

• Intermediate kit AGTCK-I includes:

SKU	Description
AGAFS24SP10S	Adjustable Friction Saver 1/2"x 10'
AGPL1612BOY-RG	Positioning Lanyard 1/2"x 12'
AGTAMP	Triple Action Aluminum Carabiners
AGDBPTV830	8mm Prusik Eye to Eye
AGTAST-S-L	Tree Access ANSI ST Climbing Saddle
AGTB14BG & AGTB10BO	Throw Bags (Green and Orange)
AGDPTL25180	Bull's Eye 2.5mm x 180'
AG24SP716200BGE1	11.2mm x 200' 24-Strand Climbing Line w/Spliced Eye
AGRBSP	Rope Bag



AGRBSP



AGAFS24SP10S



AGPL1612BOY-RG



AGTAMP



AGDBPTV830



AGTAST-S-L



AGTB14BG & AGTB10BO



AGDPTL25180



AG24SP716200BGE1



# ALL GEAR CLIMBING KITS

## ALL GEAR EXPERT 11.8MM 24-STRAND CLIMBING KIT - AGTCK-E

• Expert kit AGTCK-E includes:

SKU	Description
AGMPPL11815	11.8mm x 15' Micro Pulley Work Positioning Lanyard
AGAFS24SP10S	Adjustable Friction Saver 1/2" x 10'
AGTL175180	Jet Set 1.75 x 180'
AGTAST-S-L	Tree Access ANSI ST Climbing Saddle
AGTASRT-CT	Tree Access SRT Chest Harness
AGCBM00 & AGCBMGO	Triple Action Aluminum Carabiners
AGTB14BG & AGTB10B0	Throw Bags (Green and Orange)
AGRBSB	Rope Bag
AGDBPTV1030	10mm Prusik Eye to Eye
AG24SP118200PGGE1	10- 11.8mm x 200' 24-Strand Climbing Line w/Spliced Eye
AGTFA-R	Turbofoot Ascender (Right or Left)



AGRBSP



AGTFA-R



AGTAST-S-L



AGMPPL11815



AGAFS24SP10S



AGTL175180



AGTASRT-CT



AGCBM00 & AGCBMGO



AGTB14BG & AGTB10B0



AGDBPTV1030



AG24SP118200PGGE1

## BUCK ARBORIST RIGGING KIT - KIT145

• Kit includes:

SKU	Description
39Y17-200*	Yale 200' 1/2" 12 Strand Rigging Rope
39SAM8-200*	Samson 200' 5/8" Red Stable Braid Rigging Rope
601LN	Port-A-Wrap III Steel L
39074T-16*	3/4" Dead Eye Sling Tenex - 16ft
5007S	Rigging Block
39078T-8*	5/8" Dead Eye Sling Tenex - 8ft
5005T	Steel Twist Lock Carabiner (2 included)
4375	Rope Pro Deluxe Back Pack Attachment
4373	Rope Bag



4375

\* Only available in kit



39Y17-200



39SAM8-200



601LN



39074T-16



5007S



39078T-8



5005T



4375

# We offer the biggest brands for your ease of ordering and convenience with amazing service!

**3M** 3M  
Hardware, PPE, Accessories

**ALL GEAR** ALL GEAR  
Accessories

**ARBORMASTER** ARBORMASTER  
Arbor Training & Education

**ARBORTEC** ARBORTEC  
Clothing & Accessories

**ARBORWEAR** ARBORWEAR  
Hi-Vee Clothing

**ARBPRO** ARBPRO  
Clothing & Accessories

**ART** ART  
Hardware

**@HEIGHT** @HEIGHT  
Hardware

**B3C FUEL SOLUTIONS** B3C  
Fuel Treatment

**BOSCH** BOSCH  
Spark Plugs

**BRIGGS & STRATTON** BRIGGS & STRATTON  
Engine Parts

**BUCKINGHAM** BUCKINGHAM  
Saddles, Rope Bags, Utility

**BULLY TOOLS** BULLY TOOLS  
100% USA Made Tools

**CAMP** CAMP  
Harnesses and Accessories

**CARLISLE** CARLISLE  
Tires, Tubes & Wheels

**CHAIN LOCKER** CHAIN LOCKER  
Chain Storage

**CHAMPION** CHAMPION  
Spark Plugs

**CLIMBING INNOVATIONS** Climbing Innovations  
Rope Ascenders

**CLOGGER** CLOGGER  
Clothing & Accessories

**CMI** CMI  
Hardware

**COURANT** COURANT  
Rope and Storage

**DISTEL** DISTEL  
Climbing Spurs

**DMM** DMM  
Hardware

**EDELRID** EDELRID  
Harnesses and Accessories

**EFCO** EFCO  
Outdoor Power Equipment

**Elk River inc.** ELK RIVER  
Harnesses and Accessories

**ELVEX / DELTA PLUS** ELVEX / DELTA PLUS  
Safety Products

**ERIN ROPE** ERIN ROPE  
Throw Line

**EZ REACHER** EZ REACHER  
EZ Reacher & Accessories

**FANNO** FANNO  
Cutting Tools

**FELCO** FELCO  
Cutting Solutions

**FLUID FILM** FLUID FILM  
Lubricant, Penetrant & Preventative

**GATES** Gates  
Belts

**GIBBS** GIBBS  
Hardware

**GLOBAL TRUSS** Global Truss  
Truss Systems

**HOFFCO-COMET** HOFFCO-COMET  
Belts & Clutches

**HUSQVARNA** HUSQVARNA  
Electrolux/AYP

**Interlube** Opti-2  
Opti Oil & Additives

**ISC** ISC  
Hardware & Rigging

**JAMESON** JAMESON  
Poles & Cutting Heads

**JUNGLE JIM ACCESSORIES** JUNGLE JIM ACCESSORIES  
OPE Accessories

**KASK** KASK  
Helmets

**KAWASAKI** KAWASAKI  
4-Cycle Engine Parts

**KLEIN TOOLS** KLEIN TOOLS  
PPE and Tools

**KOHLER** KOHLER  
Engines

**KONG** KONG  
Hardware

**LUCAS OIL** LUCAS OIL  
Oils, Lubricants, Cleansers, Protectants

**MAASDAM POW'R PULL** MAASDAM POW'R PULL  
Rigging

**MARTIN WHEEL** MARTIN WHEEL  
Tires and Wheel Assemblies

*Restrictions Apply to Certain Manufacturers*

**Milwaukee** MARUYAMA  
Outdoor Power Equipment

**MILWAUKEE** MILWAUKEE  
Battery Handheld Equipment and  
Worksite Solutions

**MoJack** MOJACK  
Mower Lifts

**MTD** MTD  
OEM Equipment Parts

**NGK** NGK  
Spark Plugs

**NORAM** NORAM  
Clutches

**NOTCH** NOTCH  
Climbing Equipment

**OREGON** OREGON  
Chain, Bars and PPE

**PARTNER** PARTNER  
Construction Products

**PELICAN ROPE WORKS** PELICAN ROPE WORKS  
Ropes and Rigging

**PEERLESS GEAR** PEERLESS GEAR  
Transmission, Drives and Parts

**PFANNER** PFANNER  
Head Protection

**PFERD INC** PFERD INC  
Filing/Grinding and Sharpening

**PETZL** PETZL  
Climbing and PPE

**PIT VIPER** PIT VIPER  
Sunglasses & Apparel

**PIX** PIX  
Lawn and Garden Belts

**PORTABLE WINCH** PORTABLE WINCH  
Capstan Winches and Accessories

**POULAN PRO** POULAN / WEED EATER  
Replacement Parts

**PORTWEST** PORTWEST  
Personal Protection Equipment

**RAPCO** RAPCO  
Carbide Chain

**RAZORMAX** RAZORMAX  
Brush Blades

**RELIABLE** RELIABLE  
Fire Safety Systems

**ROCK EXOTICA** ROCK EXOTICA  
Hardware

**SAMSON** SAMSON  
Ropes and Rope Accessories  
*Certain restrictions apply*

**SAWHAUL** SAWHAUL

**sawpad** Saw Storage Solutions

**SAWPOD** SAWPOD  
Arborist Saw Storage

**SENA** SENA  
Bluetooth Headsets

**SenDEC CORPORATION** SENDEC  
Meters

**Silky** SILKY  
Cutting Tools and Parts

**SPENCER TAPE** SPENCER TAPE  
Measuring Tools

**SPYDER MFG** SPYDER MFG  
Hardware and Climbing

**STARBRITE** STARBRITE  
StarTron Fuel Treatment

**STERLING** STERLING ROPE  
Rope

**SUBARU** SUBARU POWER  
OEM Replacement Parts

**Tanaka** TANAKA  
Equipment Parts

**TECUMSEH** TECUMSEH  
Engines & Parts

**Teufelberger** TEUFELBERGER  
Rope

**Tillotson** TILLOTSON  
Carburetors, Kits & Parts

**TOL** TOL  
ADI Hydraulic Cutting

**TRUFUEL** TRUFUEL  
Gasoline & Oil Premix

**U.S. RIGGING SUPPLY** US RIGGING  
Hardware & Rigging

**VERI** VERI  
Trimmer Heads

**VP FUEL** VP FUEL  
Premix Fuels & Treatments

**WALBRO** WALBRO  
Carburetors, Kits & Parts

**WEAVER LEATHER** WEAVER LEATHER  
Saddles & Rope Bags

**XTREME** XTREME  
Clutches

**YALE CORDAGE** YALE CORDAGE  
Rope

**ZAMA** ZAMA

**RBI**  
Est. 1919